

ADRC/MAP BIBLIOGRAPHY
Current Year / 1981

2009

Andrieu S, Coley N, Aisen P, Carrillo M, DeKosky S, Durga J, Fillit H, Frisoni G, Froelich L, Gauthier S, Jones R, Jonsson L, Khachaturian Z, Morris J, Orgogozo J-M, Ousset P-J, Robert P, Salmon E, Sampaio C, Verhey F, Wilcock G, Vellas B. Methodological issues in primary prevention trials for neurodegenerative dementia. *J. Alz Dis* 2009; 16:235-270.

Bakkour A, Morris JC, Dickerson BC. The cortical signature of prodromal AD: Regional thinning predicts mild AD dementia. *Neurology* 2009; 72:1048-1055.

Bateman RJ, Siemers ER, Mawuenyega KG, Wen G, Browning KR, Sigurdson WC, Yarasheski KE, Friedrich SW, DeMattos RB, May PC, Paul SM, Holtzman DM. A γ -secretase inhibitor decreases amyloid- β production in the central nervous system. *Annals of Neurology* in press, 2009.

Chu W, Rothfuss J, Chu Y, Zhou D, Mach RH. Synthesis and in vitro evaluation of sulfonamide Isatin Michael Acceptors as small molecule inhibitors of Caspase-6. *J. Med. Chem.* 2009; 52:2188-2191. (Knight initiative)

Dickerson BC, Bakkour A, Salat D, Feczko E, Pacheco J, Greve DN, Grodstein F, Wright CI, Blacker D, Rosas HD, Sperling RA, Atri A, Growdon JH, Hyman BT, Morris JC, Fischl B, Buckner RL. The cortical signature of Alzheimer's disease: Regionally specific cortical thinning relates to symptom severity in very mild to mild AD dementia and is detectable in asymptomatic amyloid-positive individuals. *Cerebral Cortex* 2009; 19:497-510.

Dickerson BC, Feczko E, Augustinack JC, Pacheco J, Morris JC, Fischl B, Buckner RL. Differential effects of aging and Alzheimer's disease on medial temporal lobe neocortical thickness and surface area. *Neurobiol. Aging* 2009; 30:432-440.

Fagan AM, Head, D, Shah AR, Marcus D, Mintun M, Morris JC, Holtzman DM. Decreased cerebrospinal fluid A β ₄₂ correlates with brain atrophy in cognitively normal elderly. *Ann Neurol* 2009; 65:176-183.

Galvin JE, Meuser TM, Coats MA, Bakal DA, Morris JC. The "Portable" CDR: Translating the clinical dementia rating interview into a PDA format. *Alzheimer Dis Assoc Disord* 2009; 23:44-49.

- Harper PC, Roe CM. Thyroid medication use and subsequent development of dementia of the Alzheimer type. Accepted 2009, *J. Geriatr. Psychiat.*
- Johnson DK, Storandt M, Morris JC, Galvin JE. Longitudinal study of the transition from healthy aging to AD. *Arch Neurology* 2009, accepted
- Kauwe JSK, Wang J, Mayo K, Morris JC, Fagan AM, Holtzman DM, Goate AM. Alzheimer's disease risk variants show association with cerebrospinal fluid amyloid beta. *Neurogenetics* 2009; 10:13-17.
- Malmstrom TK, Miller DK, Coats MA, Jackson , Miller JP, Morris JC. Informant based dementia screening in a population-based sample of African Americans. *ADAD* 2009; 23:117-123.
- Meuser TM, Carr DB, Ulfarsson GF. Motor-vehicle crash history and licensing outcomes for older drivers reported as medically impaired in Missouri. *Accident Analysis and Prevention* 2009; 41:246-252.
- Price JL, McKeel DW, Buckles VD, Roe CM, Xiong C, Grundman M, Hansen LA, Petersen RC, Parisi JE, Dickson DW, Smith CD, Davis DG, Schmitt FA, Markesbery WR, Kaye J, Kurlan R, Hulette C, Kurland BF, Higdon R, Kukull W, Morris JC. Neuropathology of nondemented aging: presumptive evidence for preclinical Alzheimer disease, *Neurobiol Aging* 2009;30:1026-1036
- Ringman JM, Grill J, Rodriguez-Agudelo Y, Chavez M, Xiong C. Commentary on "A Roadmap for the prevention of dementia II: Leon Thal Symposium 2008:" Prevention trails in persons at risk for dominantly inherited Alzheimer's Disease: Opportunities and challenges. *Alz & Dementia* 2009; 5:166-171.
- Salat DH, Greve DN, Pacheco J, Quinn BT, Helmer KG, Buckner RL, Fischl B. Regional white matter volume differences in nondemented aging and Alzheimer's disease. *NeuroImage* 2009; 44:1247-1258.
- Schneider L, Raman R, Schmitt FA, Doody R, Insel P, Clark CM, Morris JC, Reisberg B, Petersen RC, Ferris SH. Characteristics and performance of a modified version of the ADCS-CGIC CIBIC + for Mild Cognitive Impairment clinical Trials. In press 2009 *Alz Dis Assoc Disorders*
- Snider BJ, Fagan AM, Roe CM, Shah AR, Grant EA, Xiong C, Morris JC, Holtzman DM. CSF biomarkers predict rate of cognitive decline in very mild dementia of the Alzheimer type. In press 2009, *Archives of Neurology*.
- Storandt M, Mintun M, Head D, Morris J. Cognitive decline and brain volume loss are signatures of cerebral A β deposition identified with PIB. Accepted *Archives of Neurology* 2009.

Wang L, Khan A, Csernansky JG, Fischl B, Miller MI, Morris JC, Beg MF. Fully-automated, multi-stage hippocampus mapping in very mild Alzheimer Disease. *Hippocampus* 2009; 19:541-548.

Weintraub S, Salmon D, Mercaldo N, Ferris S, Graff-Radford N, Chui H, Cummings J, DeCarli C, Foster NL, Galasko D, Peskind E, Dietrich W, Beekly DL, Kukull B, Morris JC. The Alzheimer's Disease Centers' Uniform Data Set (UDS): The Neuropsychological Test Battery. *Alzheimer Dis Assoc Dis* 2009; 23:91-101.

Wilkins CH, Roe CM, Morris JC. A brief clinical tool to assess physical function: The mini-physical performance test. *Arch.Gerontol.Geriatr.* 2009; (doi:10.1016/j.archger.2009.02.2006)

Wilkins CH, Birge SJ, Sheline YI, Morris JC. Vitamin D deficiency is associated with worse cognitive performance and lower bone density in older African Americans. *J. Natl Med Assoc* 2009;101:349-354.

Williams MM, Roe CM, Morris JC. Stability of the Clinical Dementia Rating: 1979-2007. *Archives of Neurology* 2009; 66:773-777.

2008

Armstrong RA, Lantos PL, Cairns NJ. What determines the molecular composition of abnormal protein aggregates in neurodegenerative disease? *Neuropathology* 2008; 28:351-365.

Bateman RJ, Klunk WE. Measuring target effect of proposed disease-modifying therapies in Alzheimer's disease. *Neurotherapeutics* 2008; 5:381-390.

Blom ES, Holmans P, Arepalli S, Adighibe O, Hamshere ML, Gatz M, Pedersen NL, Bergem ALM, Owen MJ, Hollingworth P, Goate A, Williams J, Lannfelt L, Hardy J, Wavrant-DeVrieze F, Glaser A. Does APOE explain the linkage of Alzheimer's disease to chromosome 19q13? *Am J Med Genet Part B* 2008; 147B:778-783.

Burke WJ, Kumar VB, Pandey N, Panneton WM, Gan Q, Franko MW, O'Dell M, Li SW, Pan Y, Chung HD, Galvin JE. Aggregation of α -synuclein by DOPAL, the monoamine oxidase metabolite of dopamine. *Acta Neuropathol* 2008; 115:193-203.

Burns JM, Morris JC, (eds) *Mild Cognitive Impairment and Early Alzheimer's Disease: Detection and Diagnosis.* John Wiley and Sons, Ltd., West Sussex London, 2008.

- Burns JM, Cronk BB, Anderson HS, Donnelly JE, Thomas GP, Harsha A, Brooks WM, Swerdlow RH. Cardiorespiratory fitness and brain atrophy in early Alzheimer disease. *Neurology* 2008; 71:210-216.
- Carpenter BD, Xiong C, Porensky EK, Lee MM, Brown PJ, Coats M, Johnson D, Morris JC. Reaction to a dementia diagnosis in individuals with Alzheimer's disease and mild cognitive impairment. *JAGS* 2008; 56:405-412.
- Dahl LJ, Wright R, Xiao A, KeevenA, Carr DB. Quality improvement in long term care: the Psychotropic Assessment Tool (PAT). *JAMDA*; 2008; November 676-683.
- Elbert DL, Mawuenyega KG, Scott EA, Wildsmith KR, Bateman RJ. Stable isotope labeling tandem mass spectrometry (SILT): Integration with peptide identification and extension to data-dependent scans. *Journal of Proteome Research* 2008; 7:4546-4556.
- Fillenbaum GG, van Belle G, Morris JC, Mohs RC, Mirra SS, Davis PC, Tariot PN, Silverman JM, Clark CM, Welsh-Bohmer KA, Heyman A. Consortium to Establish a Registry for Alzheimer's Disease (CERAD): The first twenty years. *Alzheimer's & Dementia* 2008; 4:96-109.
- Fotenos AF, Mintun MA, Snyder AZ, Morris JC, Buckner RL. Brain volume decline in aging: evidence for a relationship between socioeconomic status, preclinical AD, and reserve. *Archives of Neurology* 2008; 65:113-120.
- Galvin JE, Cornblatt B, Newhouse P, Ancoli-Israel S, Wesnes K, Williamson D, Zhu Y, Sorra K, Amatniek J. Effects of Galantamine on measures of attention: results from 2 clinical trials in Alzheimer disease patients with comparisons to Donepezil. *Alz Dis Assoc Dis* 2008; 22:30-38.
- Galvin JE, Fu Q, Nguyen JT, Glasheen C, Scharff DP. Psychosocial determinants of intention to screen for Alzheimer disease. *Alzheimers & Dementia* 2008; 4:353-360.
- Gitcho MA, Baloh RH, Chakraverty S, Mayo K, Norton JB, Levitch D, Hatanpaa KJ, White CL, Bigio EH, Caselli R, Baker M, Al-Lozi MT, Morris JC, Pestronk A, Rademakers R, Goate AM, Cairns NJ. TDP-43 A315T mutation in familial motor neuron disease. *Ann Neurol* 2008; 63:535-538.
- Hass MR, Sato C, Kopan R, Zhao G. Presenilin: RIP and beyond. *Seminars in Cell and Developmental Biology* 2008.
- Hatanpaa KJ, Bigio EH, Cairns NJ, Womack KB, Weintraub S, Morris JC, Foong C, Xiao G, Hladik C, Mantanona TY, White CL. TAR DNA-binding Protein 42

immunohistochemistry reveals extensive neuritic pathology in FTLD-U: A Midwest-Southwest Consortium for FTLD study. *JNEN* 2008; 67:271-279.

Hogue CW, Fucetola R, Hershey T, Freedland K, Davila-Roman VG, Goate AM, Thompson RE. Risk factors for neurocognitive dysfunction after cardiac surgery in postmenopausal women. *Ann Thorac Surg* 2008; 86:511-6.

Jarvik L, LaRue A, Blacker D, Gatz M, Kawas C, McArdle JJ, Morris JC, Mortimer JA, Ringman JM, Ercoli L, Freimer N, Gokhman I, Manly JJ, Plassman BL, Rasgon N, Roberts JS, Sunderland T, Swan GE, Wolf P, Zonderman AB. Children of persons with AD: What does the future hold? *ADAD* 2008; 22:6-20.

Johnson DK, Storandt M, Morris JC, Langford ZD, Galvin JE. Cognitive profiles in dementia: Alzheimer disease vs. healthy brain aging. *Neurol* 2008; 71:1783-1789.

Kauwe JSK, Cruchaga C, Mayo K, Fenoglio C, Bertelsen S, Nowotny P, Galimberti D, Scarpini E, Morris JC, Fagan AM, Holtzman DM, Goate AM. Variation in MAPT is associated with cerebrospinal fluid tau levels in the presence of amyloid beta deposition. *PNAS* 2008; 105:8050-8054.

Kauwe JSK, Wang J, Chakreverty S, Goate AM, Henao-Martinez AF. Novel presenilin 1 variant (P117A) causing Alzheimer's disease in the fourth decade of life. *Neuroscience Letters* 2008;438:257-259.

Khan AR, Wang L, Beg MF. Free surfer initiated fully automated subcortical brain segmentation in MRI using large deformation diffeomorphic metric mapping. *NeuroImage* 2008; 41:735-746.

Li Y, Rowland C, Catanese J, Morris J, Lovestone S, O'Donovan MC, Goate A, Owen M, Williams J, Grupe A. SORL1 variants and risk of late-onset Alzheimer's disease. *Neurobiol.Dis* 2008; 209:293-296.

Li Y, Grupe A, Rowland C, Holmans P, Segurado R, Abraham R, Jones L, Catanese J, Ross D, Mayo K, Martinez M, Hollingworth P, Goate A, Cairns NJ, Racette B, Perlmutter JS, O'Donovan MC, Morris JC, Brayne C, Rubinstein DC, Lovestone S, Thal LJ, Owen MJ, Williams J. Evidence that common variation in NEDD9 is associated with susceptibility to late-onset Alzheimer's and Parkinson's disease. *Human Molecular Genetics* 2008; 17:759-767.

Liang WS, Dunckley T, Beach TG, Grover A, Mastroeni D, Ramsey K, Caselli RJ, Kukull WA, McKeel D, Morris JC, Hulette CM, Schmechel D, Reiman EM, Rogers J, Stephan DA. Altered neuronal gene expression in brain regions

differentially affected by Alzheimer's Disease: A reference data set. *Physiol. Genomics* 2008; 33:240-256.

Liang W, Reiman EM, Valla J, Dunckley T, Beach TG, Grover A, Niedzielko TL, Schneider LE, Mastroeni D, Walker DG, Caselli R, Kukull W, McKeel D, Morris JC, Hulette C, Schmechel D, Rogers J, Stephan DA. Alzheimer's disease is associated with reduced expression of energy metabolism genes in posterior cingulate neurons. *PNAS* 2008; 105:4441-4446.

Liang WS, Dunckley T, Beach TG, Grover A, Mastroeni D, Ramsey K, Caselli RJ, Kukull WA, McKeel D, Morris JC, Hulette CM, Schmechel D, Reiman EM, Rogers J, Stephan DA. Neuronal gene expression in non-demented individuals with intermediate Alzheimer's Disease neuropathology. *Neurobiology of Aging* 2008, in press.

Malmstrom TK, Miller DK, Coats MA, Jackson P, Miller JP, Morris JC. Informant-based dementia screening in a population-based sample of African Americans. *Alzheimer Dis Assoc Dis* 2008; in press.

Morris JC. Profile: beating dementia through prevention. *The Lancet Neurology*; 2008; 7:678.

Mukherjee O, Wang J, Gitcho M, Chakraverty S, Taylor-Reinwald L, Shears S, Kauwe JSK, Norton J, Levitch D, Bigio EH, Hatanpaa KJ, White CL, Morris JC, Cairns NJ, Goate A. Molecular characterization of novel progranulin (GRN) mutations in frontotemporal dementia. *Human Mutation* 2008; 29:512-521.

Ott BR, Heindel WC, Papandonatos GD, Festa EK, Davis JD, Daiello LA, Morris JC. A longitudinal study of drivers with Alzheimer's disease. *Neurology* 2008; 70:1171-1178.

Quick KL, Ali SS, ArchR, Xiong C, Wozniak D, Dugan LL. A carboxyfullerene SOD mimetic improves cognition and extends the lifespan of mice. *Neurobiol of Aging* 2008; 29:117-128.

Rapoport MJ, Herrmann N, Molnar F, Rochon PA, Juurlink DN, Zagorski B, Seitz D, Morris JC, Redelmeier DA. Psychotropic medications and motor vehicle collisions in patients with dementia. *JAGS* 2008; 56:1968-1970.

Roe CM, Xiong C, Grant E, Miller JP, Morris JC. Education and reported onset of symptoms among individuals with Alzheimer's disease. *Arch Neurol* 2008; 65:108-111.

Roe CM, Xiong C, Miller JP, Cairns NJ, Morris JC. Interaction of neuritic plaques and education predicts dementia. *ADAD* 2008; 22:188-193.

Roe CM, Mintun MA, D'Angelo G, Xiong C, Grant EA, Morris JC. Alzheimer disease and cognitive reserve: Variation of education effect with Carbon 11-labeled Pittsburgh Compound B uptake. *Arch Neurol* 2008; 65:1467-1471.

St. George-Hyslop PH, Morris JC. Will anti-amyloid therapies work for Alzheimer's disease? Comment, *The Lancet* 2008; 372:180-182.

Storandt M. Cognitive deficits in the early stages of Alzheimer's Disease. *Current Directions in Psychological Science* 2008; 17:198-202.

Wahrle SE, Jiang H, Parsadanian M, Kim J, Li A, Knoten A, Jain S, Hirsch-Reinshagen V, Wellington CL, Bales KR, Paul SM, Holtzman DM. Overexpression of ABCA1 reduces amyloid deposition in the PDAPP mouse model of Alzheimer disease. *J Clin Invest* 2008; 118:671-682.

Wang JC, Gruzca R, Cruchaga C, Hinrichs AL, Bertelsen S, Budde JP, Fox L, Goldstein E, Reyes O, Saccone N, Saccone S, Zuei X, Bucholz K, Kuperman S, Nurnberger J, Rice JP, Schuckit M, Tischfield J, Hesselbrock V, Porjesz B, Edenberg HJ, Bierut LJ, Goate AM. Genetic variation in the CHRNA5 gene affects mRNA levels and is associated with risk for alcohol dependence. *Molecular Psychiatry* 2008; 1-10.

Wippold FJ, Cairns N, Vo K, Holtzman D, Morris JC. Neuropathology for the neuroradiologist: plaques and tangles. *AJNR* 2008; 29:18-22.

Xiong C, Zhu K, Yu K, Miller JP. Statistical Modeling in Biomedical Research: Longitudinal Data Analysis. In: *Epidemiology and Medical Statistics* (ed. Rao CR, Miller JP, Rao DC., in press 2007.

Xiong C, Tang Y, vanBelle G, Miller JP, Launer LJ, Morris JC. Evaluating the quality of longitudinal statistical applications in original publications on Alzheimer's disease. *Neuroepidemiology* 2008; 30:112-119.

2007

Andrews-Hanna JR, Snyder AZ, Vincent JL, Lustig C, Head D, Raichle ME, Buckner RL. Disruption of large-scale brain systems in advanced aging. *Neuron* 2007; 56:924-935.

Armstrong RA, Cairns NJ. Spatial patterns of the pathological changes in neuronal intermediate filament inclusion disease (NIFID): an α -internexin immunohistochemical study. *J Neural Transm* 2007; 114:451-456.

Arrate F, Younes L, Ratnanather JT. A numerical method for solving the EPDiff equation of Computational Anatomy. *Effective Computational Methods for*

Highly Oscillatory Problems: The Interplay between mathematical theory and applications, Isaac Newton Institute of Mathematical Sciences, Cambridge, UK.

Bacon D, Fisher RS, Morris JC, Rizzo M, Spanaki MV. American Academy of Neurology position statement on physician reporting of medical conditions that may affect driving competence. *Neurology* 2007; 68:1174-1177.

Bateman RJ, Wen G, Morris JC, Holtzman DM. Fluctuations of CSF amyloid- β levels; implications for a diagnostic and therapeutic biomarker. *Neurology* 2007; 68:666-669.

Bateman RJ, Eidelberg D. Testing a test for Alzheimer disease. *Neurology* 2007; 68:482-483.

Beekly DL, Ramos EM, Lee WW, Deitrich WD, Jacka ME, Wu J, Hubbard JL, Koepsell TD, Morris JC, Kukull WA; the NIA Alzheimer's Disease Centers. The National Alzheimer's Coordinating Center (NACC) Database: The Uniform Data Set. *ADAD* 2007; 21:249-258.

Behrens MI, Mukherjee O, Tu P-H, Riscic RM, Tenenholz-Grinberg L, Carter D, Paulsmeyer K, Taylor-Reinwald L, Gitcho M, Norton JB, Chakraverty S, Goate AM, Morris JC, Cairns NJ. Neuropathologic heterogeneity in HDDD1, a familial frontotemporal lobar degeneration with ubiquitin-positive inclusions and progranulin mutation. *ADAD*, 2007; 21:1-7.

Brown PJ, Woods CM, Storandt M. Model stability of the 15-item Geriatric Depression Scale across cognitive impairment and severe depression. *Psychology and Aging* 2007; 22:372-379.

Cairns NJ, Neumann M, Bigio EH, Holm IE, Troost D, Hatanpaa KJ, Foong C, White CL, Schneider JA, Kretschmar HA, Carter D, Taylor-Reinwald L, Paulsmeyer K, Strider J, Gitcho M, Goate AM, Morris JC, Mishra M, Kwong LK, Stieber A, Xu Y, Forman MS, Trojanowski JQ, Lee VM-Y, Mackenzie IRA. TDP-43 in familial and sporadic frontotemporal lobar degeneration with ubiquitin inclusions. *Am J Pathol* 2007; 171:227-240.

Cairns NJ, Bigio EH, Mackenzie IRA, Neumann M, Lee VM-Y, Hatanpaa KJ, White CL, Schneider JA, Tenenholz-Grinberg L, Halliday G, Duyckaerts C, Lowe JS, Holm IE, Tolnay M, Okamoto K, Yokoo H, Murayama S, Woulfe J, Munoz DG, Dickson DW, Ince PG, Trojanowski JQ, Mann DMA. Neuropathologic diagnostic and nosologic criteria for frontotemporal lobar degeneration: consensus of the Consortium for Frontotemporal Lobar Degeneration. *Acta Neuropathol* 2007; 114:5-22.

- Carpenter BD, Edwards DF, Pickard JG, Palmer JL, Stark S, Neufeld PS, Morrow-Howell N, Perkinson MA, **Morris JC**. Anticipating relocation: concerns about moving among NORC Residents. *J Gerontol Soc Work* 2007; 49:165-184.
- Castel AD, Balota DA, Hutchinson KA, Logan JM, Yap MJ. Spatial attention and response control in healthy younger and older adults and individuals with AD: Evidence for disproportionate selection breakdowns in the Simon Task. *Neuropsychology* 2007; 21:170-182.
- Ceyhan E, Beg MF, Ceritoglu C, Wang L, Morris JC, Csernansky JG, Miller MI, Ratnanather JT. Statistical analysis of metric distances between hippocampal shapes to predict the rates of shape changes in dementia of Alzheimer type and nondemented subjects. *IEEE Trans Med Imag* 2007, in press.
- Costa DA, Cracchiolo JR, Bachstetter AD, Hughes TF, Bales KR, Paul SM, Mervis RF, Arendash GW, Potter H. Enrichment improves cognition in AD mice by amyloid-related and unrelated mechanisms. *Neurobiol Aging* 2007; 28:831-844.
- Dickerson AE, Molnar LJ, Eby DW, Adler G, Bedard M, Berg-Weger M, Classen S, Foley D, Horowitz A, Kerschner H, Page O, Silverstein NM, Staplin L, Trujillo L. Transportation and aging: A research agenda for advancing safe mobility. *The Gerontologist* 2007; 47:578-590.
- Dong H, Martin MV, Chambers S, Csernansky JG. Spatial relationship between synapse loss and B-amyloid deposition in Tg2576 mice. *J Comp Neurol* 2007; 500:311-321.
- Duchek JM, Balota DA, Storandt M, Larsen R. The power of personality in discriminating between healthy aging and early stage AD. *Journal of Gerontology: Psychological Sciences* 2007; 62B:P353-P361.
- Edwards DF, Morris JC. Alone and confused: community-residing older African Americans with dementia. *Dementia* 2007; 6:489-506.
- Fagan AM, Roe CM, Xiong C, Mintun MA, Morris JC, Holtzman DM. Medication use as a confounding factor in the use of the cerebrospinal fluid tau/ β -amyloid₄₂ ratio-reply. *Archives of Neurology* 2007; 64:1357-1359.
- Fagan AM, Roe CM, Xiong C, Mintun MA, Morris JC, Holtzman DM. Cerebrospinal fluid tau/ β -amyloid₄₂ ratio as a prediction of cognitive decline in nondemented older adults. *Arch Neurol* 2007; 64:343-349.

- Faust M, Balota DA. Inhibition, facilitation, and attentional control in dementia of the Alzheimer type: the role of unifying principles in cognitive theory development. In: Gorfein DS, McLeod C (eds) Inhibition in Cognition. Psychology Press 2007; pp 213-238, Washington DC:APA.
- Galvin JE, Fu Q, Nguyen JT, Glasheen C, Scharff DP. Psychosocial determinants of intention to screen for Alzheimer disease: a population-based study. *Alzheimer's & Dementia: The Journal of the Alzheimer's Association* 2007; Vol 3:S97.
- Galvin JE. Pass the grain; spare the brain. *Neurol* 2007;69:1072-1073.
- Galvin JE. Improving behavioral and cognitive outcomes in Alzheimer disease: evolving strategies. *Applied Neurology* 2007; February supplement, 3-13.
- Galvin JE, Malcom H, Johnson D, Morris JC. Personality traits distinguishing dementia with Lewy bodies from Alzheimer disease. *Neurology* 2007;68:1895-1901.
- Galvin, JE, Roe CM, Coats MA, Morris JC. Patient's rating of cognitive ability: using the AD8, a brief informant interview as a self rating tool to detect dementia. *Arch Neurology* 2007; 64:725-730.
- Galvin JE, Roe CM, Morris JC. Evaluation of cognitive impairment in older adults: combining brief informant and performance measures. In review, *Arch Neurology* 2007; 64:718-724.
- Grupe A, Abraham R, Li Y, Rowland C, Hollingworth P, Morgan A, Jehu L, Segurado R, Stone D, Schadt E, Karnoub M, Nowotny P, Tacey K, Catanese J, Sninsky J, Brayne C, Rubinsztein D, Gill M, Lawlor B, Lovestone S, Holmans P, O'Donovan M, Morris JC, Thal L, Goate A, Owen MJ, Williams J. Evidence for novel susceptibility genes for late-onset Alzheimer's disease from a genome-wide association study of putative functional variants. *Human Molecular Genetics* 2007; 16:865-873.
- Hamshere ML, Holmans PA, Avramopoulos D, Bassett SS, Blacker D, Bertram L, Wiener H, Rochberg N, Tanzi RE, Myers A, Wavrant-DeVrieze F, Go R, Fallin D, Lovestone S, Hardy J, Goate A, O'Donovan M, Williams J, Owen MJ. Genome-wide linkage analysis of 723 affected relative pairs with late-onset Alzheimer's disease. *Human Molecular Genetics* 2007; 16:2703-2712.
- Hatanpaa KJ, Bigio EH, Cairns NJ, Schneider JA, Foong C, Hladik C, Shang P, White CL. TDP-43 immunohistochemistry reveals extensive neuritic pathology in FTLN-U: a Midwest-Southwest Consortium for FTLN study:44.1. *JNEN* 2007; 66:425.

- Hollingsworth P, Hamshere ML, Holmans PA, O'Donovan M, Sims R, Powell J, Lovestone S, Myers A, DeVrieze FW, Hardy J, Goate A, Owen M, Williams J. Increased familial risk and genomewide significant linkage for Alzheimer's disease with psychosis. *Am J Med Gen B; Neuropsych Gen* 2007; 144B:841-848.
- Hu Y, Hosseini A, Kauwe JSK, Goate AM, Fagan AM, Townsend RR, Holtzman DM. Identification and validation of novel cerebrospinal fluid biomarkers for early stages of Alzheimer's disease. *Proteomics Clin Appl* 2007; 1:1373-1384.
- Hughes SE, Evason K, Xiong C, Kornfeld K. Genetic and pharmacological factors that influence reproductive aging in Nematodes. *Plos Genetics* 2007; 3:e25.doi:10.1371/journal.pgen.0030025.
- Ji M, Xiong C, Gilpin EA, Biener L. Assessing the effectiveness of anti-smoking media campaigns by recall and rating scores-A pattern-mixture GEE model approach. *J Data Science* 2007; 5:23-40.
- Kang J-E, Cirrito JR, Dong H, Csernansky JG, Holtzman DM. Acute stress increases interstitial fluid amyloid- β via corticotrophin-releasing factor and neuronal activity. *PNAS* 2007; 104:10673-10678.
- Kauwe JSK, Jacquart S, Chakraverty S, Wang J, Mayo K, Fagan AM, Holtzman DM, Morris JC, Goate AM. Extreme cerebrospinal fluid amyloid β levels identify family with late-onset Alzheimer's disease Presenilin 1 mutation. *Ann Neurol* 2007; 61:446-453.
- Khandelwal A, Chandu D, Roe CM, Kopan R, Quatrano RS. Moonlighting activity of presenilin in plants is independent of γ -secretase and evolutionary conserved. *PNAS* 2007;104:13337-42.
- Kissel EC, Carpenter BD. It's all in the details: Physician variability in disclosing a dementia diagnosis. *Aging & Mental Health* 2007; 11:273-280.
- Kurby CA, Zacks JM. Segmentation in the perception and memory of events. *Trends in Cognitive Science* 2007; 12:72-79.
- Lach HW, Chang Y-P. Caregiver perspectives on safety in home dementia care. *Western Journal of Nursing Research*, December 2007; 29:993-1014.
- Lee NA, Priebe CE, Ratnanather JT, Miller MI. Validation of alternating kernel mixture method: application to segmentation of cortical and sub-cortical brain structures. *Human Brain Mapping presentation, Chicago, 2007.*

- Liang WS, Dunckley T, Beach TG, Grover A, Mastroeni D, Walker DG, Caselli R, Kukull W, McKeel D, Morris JC, Hulette C, Schmechel D, Alexander GE, Reiman EM, Rogers J, Stephan DA. Gene expression profiles in anatomically and functionally distinct regions of the normal aged human brain. *Physiol Genomics* 2007; 28:311-322.
- Liscic RM, Storandt M, Cairns NJ, Morris JC. Clinical and psychometric distinction of frontotemporal and Alzheimer's dementias. *Archives of Neurology* 2007; 64:535-540.
- Logan JM, Balota DA. Expanded vs. Equal interval spaced retrieval practice: exploring different schedules of spacing and retention interval in younger and older adults. *Aging, Neuropsychology, and Cognition* 2007.
- Mackenzie IRA, Bigio EH, Ince PG, Geser F, Neumann M, Cairns NJ, Kwong LK, Forman MS, Ravits J, Stewart H, Eisen A, McClusky L, Kretschmar HA, Monoranu CM, Highley JR, Kirby J, Siddique T, Shaw PJ, Lee VMY, Trojanowski JQ. Pathological TDP-43 distinguishes sporadic amyotrophic lateral sclerosis from amyotrophic lateral sclerosis with *SOD1* mutations. *Ann Neurol* 2007; 61:427-434.
- MacLean K, Berg-Weger M, Meuser TM, Carr D. Driving retirement: Help with counseling older patients. *Family Practice Recertification* 2007; 29:33-43.
- Marcus DS, Wang TH, Parker J, Csernansky JG, Morris JC, Buckner RL. Open access series of imaging studies (OASIS); Cross-sectional MRI data in young, middle aged, nondemented, and demented older adults. *J Cog Neurosci* 2007; 19:1498-1507.
- Marcus DS, Olsen TR, Ramaratnam M, Buckner RL. The extensible neuroimaging archive toolkit: An informatics platform for managing, exploring, and sharing neuroimaging data. *Neuroinformatics* 2007; 5:11-34.
- McKeel DW, Burns JM, Meuser TM, Morris JC. (Eds) DEMENTIA: An Atlas of Investigation and Diagnosis. Clinical Publishing, Oxford, 2007.
- Morris JC. Final Message from the Editor. *ADAD* 2007; 21:69-70.
- Morris JC, Landau WM. In Memoriam Leonard Berg, MD (1927-2007). *Neurology* 2007; 69(12).
- Mukherjee O, Kauwe JSK, Mayo K, Morris JC, Goate AM. Haplotype-based association analysis of the MAPT locus in Late Onset Alzheimer's disease. *BMC Genetics* 2007; 8(3).

- Neumann M, Mackenzie IR, Cairns NJ, Boyer PJ, Markesbery WR, Smith CD, Taylor JP, Kretschmar HA, Kimonis VE, Forman MS. TDP-43 in the Ubiquitin pathology of frontotemporal dementia with VCP gene mutations. *J Neuropathol Exp Neurol* 2007; 66:152-157.
- Nowotny P, Simcock X, Bertelsen S, Hinrichs AL, Kauwe JSK, Mayo K, Smemo S, Morris JC, Goate A. Association studies testing for risk for late-onset Alzheimer's disease with common variants in the B-amyloid precursor protein (APP). *Am J Med Genetics B; Neuropsych Gen* 2007; 144B:469-474.
- Nowotny P, Bertelsen S, Hinrichs AL, Kauwe JSK, Mayo K, Jacquart S, Morris JC, Goate A. Association studies between common variants in prolyl isomerase *Pin1* and the risk for late-onset Alzheimer's disease. *Neuroscience Letters* 2007; 419:15-17.
- Roe CM, Xiong C, Miller JP, Morris JC. Education and Alzheimer's disease without dementia; support for the cognitive reserve hypothesis. *Neurology* 2007; 68:223-228.
- Ruhkin A, Vaillant A, Qiu A, Younes L, Ratnanather JT. Analysis of hippocampal shape change over time in a study of Alzheimer's disease based on momenta of the EPDiff equation of Computational Anatomy. *Effective Computational Methods for Highly Oscillatory Problems: The Interplay between mathematical theory and applications*, Isaac Newton Institute of Mathematical Sciences, Cambridge, UK.
- Sagare A, Deane R, Bell RD, Johnson B, Hamm K, Pendu R, Marky A, Lenting PJ, Wu Z, Zargone T, Goate A, Mayo K, Perlmutter D, Coma M, Zhong Z, Zlokovic BV. Clearance of amyloid- β by circulating lipoprotein receptors. *Nature Medicine* 2007; 13:1029-31.
- Sanders S, Marwit SJ, Meuser TM, Harrington P. Caregiver grief in end-stage dementia: using the Marwit and Meuser caregiver grief inventory for assessment and intervention in social work practice. *Social Work in Healthcare* 2007; 46:47-65.
- Schymick JC, Yang Y, Anderson PM, Vonsattel JP, Greenway M, Momeni P, Elder J, Chio A, Restagno G, Robberecht W, Dahlberg C, Mukherjee O, Goate A, Graff-Radford N, Caselli RJ, Hutton M, Gass J, Cannon A, Rademakers R, Singleton AB, Hardiman O, Rothstein J, Hardy J, Traynor BJ. Progranulin mutations and amyotrophic lateral sclerosis or amyotrophic lateral sclerosis-frontotemporal dementia phenotypes. *J Neurol Neurosurg Psychiatry* 2007; 78:754-756.
- Tarawneh R, Galvin JE. Distinguishing Lewy body dementias from Alzheimer's disease. *Expert Rev. Neurotherapeutics* 2007; 7:1499-1516.

Wahrle SE, Shah AR, Fagan AM, Smemo S, Kauwe JSK, Grupe A, Hinrichs A, Mayo K, Jiang H, Thal LJ, Goate AM, Holtzman DM. Apolipoprotein E levels in cerebrospinal fluid and the effects of ABCA1 polymorphisms. *Mol Neurogener* 2007; April 12:2:7.

Wang L, Beg F, Ratnanather T, Ceritoglu C, Younes L, Morris JC, Csernansky JG, Miller MI. Large deformation diffeomorphism and momentum based hippocampal shape discrimination in dementia of the Alzheimer type. *IEEE Transactions on Medical Imaging* 2007; 26:462-470.

Wilkins CH, Wilkins KL, Meisel M, Depke M, Williams J, Edwards DF. Dementia undiagnosed in poor older adults with functional impairment. *J Am Ger Soc* 2007; 55:1771-1776.

Xiong C, Tang Y, van Belle G, Miller JP, Launer LJ, Bergmann KR, Morris JC. Assessing statistical applications in publications on AD. *Neuroepidemiology* 2007; 28:235-245.

Xiong C, van Belle G, Miller JP, Yan Y, Gao F, Yu K, Morris JC. A parametric comparison of diagnostic accuracy with three ordinal diagnostic groups. *Biometrical journal* 2007; 49:682-693.

Yap MJ, Balota DA. Additive and Interactive effects on response time distributions in visual word recognition. *Journal of Exp Psychol* 2007; 33:274-296.

Yu P, Grant PE, Qi Y, Han X, Segonne F, Pienaar R, Busa E, Pacheco J, Makris N, Buckner RL, Golland P, Fischl B. Cortical surface shape analysis based on spherical wavelets. *IEEE Transactions on Medical Imaging* 2007; 26:582-597.

Zacks JM, Speer NK, Swallow KM, Braver TS, Reynolds JR. Event perception: a mind-brain perspective. *Psychological Bulletin* 2007; 133:273-293.

Zacks, JM, Swallow KM. Event Segmentation. *Psychological Science* 2007; 16:80-84.

2006

Andrews J, Wang L, Csernansky JG, Gado MH, Barch DM. Abnormalities of thalamic activation and cognition in schizophrenia. *Am J Psychiatry* 2006; 163:463-469.

- Balota DA, Duchek JM, Sergent-Marshall SD, Roediger HL. Does expanded retrieval produce benefits over equal interval spacing? Explorations of spacing effects in healthy aging and early stage Alzheimer's disease. *Psychology & Aging*, 2006; 21:19-31.
- Balota DA, Duchek JM, Logan JM. Is expanded retrieval practice a superior form of spaced retrieval? A critical review of the extant literature. In: Nairne J (ed) The Foundations of Remembering: Essays in honor of Henry L. Roediger III. Psychology Press 2006, pp 83-105.
- Bateman RJ, Munsell LY, Morris JC, Swarm R, Yarasheski KE, Holtzman DM. Human amyloid- β synthesis and clearance rates as measured in cerebrospinal fluid *in vivo*. *Nature Medicine* 2006; 12:856-861.
- Cairns NJ, Bigio EH, Mackenzie IRA. Editorial to Strong MJ, Kesavapany S.J. "Ubiquitinated neuronal inclusions are the signature lesions of motor neuron disease, motor neuron disease with dementia, and frontotemporal lobar degeneration with motor neuron disease-type inclusions. *Neuropathol Exp Neurol* 2006; 65:97-98.
- Carr DB, Duchek J, Meuser T, Morris JC. Older adult drivers with cognitive impairment. *American Family Physician* 2006; 73:1029-1034.
- Carr DB, Meuser TM, Morris JC. Driving retirement: the role of the physician. *Commentary;CMAJ* 2006; 175:601-602.
- Cirrito JR, Holtzman DM. Synaptic activity, amyloid- β and Alzheimer's disease. In: Jucker M, Beyreuther K, Haass C, Nitsch R, Christen Y (eds). Alzheimer: 100 Years and Beyond, Research and Perspectives in Alzheimer's Disease, Springer-Verlag Berlin Heidelberg 2006, pp.208=213.
- Cortese MJ, Balota DA and Sergent-Marshall SD, Buckner RL, Gold BT. Consistency and regularity in past-tense verb generation in healthy ageing, Alzheimer's disease, and semantic dementia. *Cognitive Neuropsychology* 2006; 23:856-876.
- Csernansky JG, Dong H, Fagan AM, Wang L, Xiong C, Holtzman DM, Morris JC. Plasma cortisol and progression of dementia in subjects with Alzheimer-type dementia. *Am J Psychiatry* 2006; 163:2164-2169.
- Desikan RS, Segonne F, Fischl B, Quinn BT, Dickerson BC, Blacker D, Buckner RL, Dale AM, Maguire RP, Hyman BT, Albert MS, Killiany RJ. An automated labeling system for subdividing the human cerebral cortex on MRI scans into gyral based regions of interest. *NeuroImage* 2006; 31:968-980.

- Duchek JM, Balota DA, Cortese M. Prospective memory and Apolipoprotein E in healthy aging and early stage Alzheimer's disease. *Neuropsychology* 2006; 20:633-644.
- Dunckley T, Beach TG, Ramsey KE, Grover A, Mastroeni D, Walker DG, LaFleur BJ, Coon KD, Brown KM, Caselli R, Kukull W, Higdon R, McKeel D, Morris JC, Hulette C, Schmechel D, Reiman EM, Rogers J, Stephan DA. Gene expression correlates of neurofibrillary tangles in Alzheimer's disease. *Neurobiology of Aging* 2006; 27:1359-1371.
- Fagan AM, Mintun MA, Mach RH, Lee SY, Dence CS, Shah AR, LaRossa GN, Spinner ML, Klunk WE, Mathis CA, DeKosky ST, Morris JC, Holtzman DM. Inverse relation between in vivo amyloid imaging load and CSF A β_{42} in humans. *Annals of Neurology* 2006; 59:512-519.
- Forman MS, Mackenzie IR, Cairns NJ, Swanson E, Boyer PJ, Drachman DA, Jhaveri BS, Karlawish JH, Pestronk A, Smith TW, Tu P-H, Watts GDJ, Markesbery WR, Smith CD, Kimonis VE. Novel ubiquitin neuropathology in frontotemporal dementia with valosin-containing protein gene mutations. *J Neuropathol Exp Neurol* 2006; 65:571-581.
- Galvin JE, Powlishta KK, Wilkins K, McKeel DW, Xiong C, Grant E, Storandt M, Morris JC. Predictors of preclinical Alzheimer's disease and dementia: A clinicopathologic study. In: *Research and Practice in Alzheimer's Disease and Cognitive Decline*, vol 9, 2006. Ed: Vellas B, Toulouse, Grundman, Feldman H, Fitten LJ, Winblad B, Giacobini E. Selected 2005.
- Galvin JE, Scharff DP, Glasheen C, Fu Q. Development of a population-based questionnaire to explore psychosocial determinants of screening for memory loss and Alzheimer disease. *Alzheimer Dis Assoc Disord* 2006; 20:182-191.
- Galvin JE, Roe CM, Xiong C, Morris JC. Validity and reliability of the AD8 informant interview in dementia. *Neurology* 2006; 67: 1942-1948.
- Galvin JE, Pollack J, Morris JC. Clinical phenotype of Parkinson disease dementia. *Neurology* 2006; 67:1605-1611.
- Galvin JE. Cognitive change in Parkinson disease. *ADAD* 2006; 20:302-310.
- Galvin JE, Palamand D, Strider J, Milone M, Pestronk A. The muscle protein dysferlin accumulates in the Alzheimer brain. *Acta Neuropathol* 2006; 112:665-671.

- Galvin JE. Interaction of alpha-synuclein and dopamine metabolites in the pathogenesis of Parkinson's disease: a case for the selective vulnerability of the substantia nigra. *Acta Neuropathol* 2006; 112:115-126.
- Goate A. Segregation of a missense mutation in the amyloid β -protein precursor gene with familial Alzheimer's disease. In: Jucker M, Beyreuther K, Haass C, Nitsch R, Christen Y (eds). Alzheimer: 100 Years and Beyond, Research and Perspectives in Alzheimer's Disease, Springer-Verlag Berlin Heidelberg 2006, pp.156-161.
- Gold BT, Balota DA, Jones SJ, Powell DK, Smith CD, Andersen AH. Dissociation of automatic and strategic lexical-semantics: functional magnetic resonance imaging evidence for differing roles of multiple frontotemporal regions. *Journal of Neuroscience* 2006; 26:6523-6532.
- Grupe A, Li Y, Rowland C, Nowotny P, Hinrichs A, Smemo S, Kauwe JSK, Cherny S, Doil L, Tacey K, vanLuchene R, Myers A, Wavrant-De Vrieze F, Kaleem M, Hollingworth P, Jehu L, Foy C, Archer N, Hamilton G, Holmans P, Morris CM, Catanese J, Sninsky J, White TJ, Powell J, Hardy JA, O'Donovan MJ, Lovestone S, Jones L, Morris JC, Thal L, Owen MJ, Williams J, Goate AM. A scan of chromosome 10 identifies novel candidate genes showing strong association to late-onset Alzheimer's disease. *Am J Human Genet.* 2006; Jan; 78(1):78-88.
- Grupe A, Li Y, Rowland C, Hinrichs T, Holmans P, Hardy J, O'Donovan M, Owen MJ, Williams J, Goate A. Reply to Bertram et al. *Am J Hum Genet* 2006; 79:183-184
- Hashemzadeh-Bonehi L, Phillips RG, Cairns NJ, Mosaheb S, Thorpe JR. Pin1 protein associates with neuronal lipofuscin: potential consequences in age-related neurodegeneration. *Exp Neurol* 2006; 199:328-338.
- Homma A, Meguro K, Dominguez J, Sahadevan S, Wang Y-H, Morris JC. Clinical Dementia Rating Workshop: the Asian Experience. *ADAD* 2006; 20:318-321.
- Ince PG, Morris JC. Demystifying lobar degenerations: Tauopathies vs Gehrigoopathies. Editorial, *Neurology* 2006; 66:8-9.
- Johnson DK, Wilkins CH, Morris JC. Accelerated weight loss may precede diagnosis in Alzheimer's disease. *Arch Neurology* 2006; 63:1312-1317.
- Keller PC, Tomita T, Hayashi I, Chandu D, Weber JD, Cistola DP, Kopan R. A faster migrating variant masquerades as NICD when performing in vitro γ -secretase assays with bacterially expressed notch substrates. *Biochem* 2006; 45:5351-5358.

- Li Y, Grupe A, Rowland C, Nowotny P, Kauwe JSK, Smemo S, Hinrichs A, Tacey K, Toombs TA, Kwok S, Catanese J, White TJ, Maxwell TJ, Hollingworth P, Abraham R, Rubinsztein DC, Brayne C, Wavrant-De Vrieze F, Hardy J, O'Donovan M, Lovestone S, **Morris JC**, Thal L, Owen M, Williams J, Goate A. DAPK1 variants are associated with Alzheimer's disease and allele-specific expression. *Human Molecular Genetics* 2006; 15:2560-2568.
- Lippa CF, Morris JC. Editorial. Alzheimer neuropathology in nondemented aging: keeping mind over matter. *Neurology* 2006;66:1801-1802.
- Meuser TM, Carr DB, Berg-Weger M, Niewoehner P, Morris JC. Driving and dementia in older adults: Implementation and evaluation of a continuing education project. *The Gerontologist* 2006;46:680-687.
- Mintun MA, LaRossa GN, Sheline YI, Dence CS, Lee SY, Mach RH, Klunk WE, Mathis CA, DeKosky ST, Morris JC. [¹¹C]PIB in a nondemented population: potential antecedent marker of Alzheimer disease. *Neurology* 2006; 67:446-452.
- Momeni P, Cairns NJ, Perry RH, Bigio E, Gearing M, Singleton AB, Hardy J. Mutation analysis of patients with neuronal intermediate filament inclusion disease (NIFID). *Neurobiol Aging* 2006; 27:778.
- Momeni P, Schymick J, Jain S, Cookson MR, Cairns NJ, Greggio E, Greenway MJ, Berger S, Pickering-Brown S, Chio A, Fung HC, Holtzman DM, Huey ED, Wassermann EM, Adamson J, Hutton ML, Rogaeva E, St. George-Hyslop P, Rothstein JD, Hardiman O, Grafman J, Singleton A, Hardy J, Traynor BJ. Analysis of IFT74 as a candidate gene for chromosome 9p-linked ALS-FTD. *BMC Neurology* 2006; 6:44.
- Morris JC. MCI is early-stage AD: Time to revise diagnostic criteria. *Arch Neurology* 2006; 63:15-16.
- Morris JC. Perspectives on two decades for "*Alzheimer Disease and Associated Disorders*, An International Journal". *ADAD* 2006; 20:1-2.
- Morris, JC, Storandt M. Detecting early-stage Alzheimer's disease in MCI and PreMCI: the value of informants. In: Jucker M, Beyreuther K, Haass C, Nitsch R, Christen Y (eds). Alzheimer: 100 Years and Beyond, Research and Perspectives in Alzheimer's Disease, Springer-Verlag Berlin Heidelberg 2006, pp.392-397.
- Morris JC, Cummings JL. Workshop reports from the Third Asia-Pacific Regional Meeting of the International Working Group on Harmonization of Dementia Drug Guidelines. *ADAD* 2006; 20:313.

Morris JC, Weintraub S, Chui H, Cummings J, DeCarli C, Ferris S, Foster NL, Galasko D, Graff-Radford N, Peskind ER, Beekly D, Ramos EM, Kukull WA. The Uniform Data Set (UDS): Clinical and cognitive variables and descriptive data from Alzheimer Disease Centers. *ADAD* 2006; 20:210-216.

Morris JC. Message from the Editor. *ADAD* 2006; 20:193-194.

Mukherjee O, Pastor P, Cairns NJ, Chakraverty S, Kauwe JSK, Shears S, Behrens MI, Budde J, Hinrichs AL, Norton J, Levitch D, Taylor-Reinwald L, Gitcho M, Tu PH, Grinberg LT, Liscic RM, Armendariz J, Morris JC, Goate AM. HDDD2 is a familial frontotemporal lobar degeneration with Ubiquitin-positive, tau-negative inclusions caused by a missense mutation in the signal peptide of Progranulin. *Annals of Neurology* 2006; 60:314-322.

Nowotny P, Ximcock X, Bertelsen S, Hinrichs AL, Kauwe JSK, Mayo K, Smemo S, Morris JC, Goate A. Association studies testing for risk for late-onset Alzheimer's disease with common variants in the B-Amyloid precursor protein (APP). *Am J Med Gen B: Neuropsych Genetics*, in press 2006.

Schneider LS, Clark C, Doody R, Ferris SH, Morris JC, Raman R, Riesberg B, Schmitt FA. ADCS prevention instrument project: ADCS-Clinicians' Global Impression of Change Scales (ADCS-CGIC), self-rated and study partner-rated versions. *ADAD* 2006; 20:S124-S138.

Siemers ER, Quinn JF, Kaye J, Farlow MR, Porsteinsson A, Tariot P, Zoulnouni P, Galvin JE, Holtzman DM, Knopman DS, Satterwhite J, Gonzales C, Dean RA, May PC. Effects of a γ -secretase inhibitor in a randomized study of patients with Alzheimer disease. *Neurology* 2006; 66:602-604.

Smemo S, Nowotny P, Hinrichs AL, Kauwe JSK, Cherny S, Erickson K, Myers A, Kaleem M, Marlowe L, Gibson AM, Hollingworth P, O'Donovan MC, Morris CM, Holmans P, Lovestone S, Morris JC, Thal L, Li Y, Grupe A, Hardy J, Owen MJ, Williams J, Goate A. Ubiquilin 1 polymorphisms are not associated with late-onset Alzheimer's disease. *Annals of Neurology* 2006; 59:21-26.

Steffens DC, Otey E, Alexopoulos GS, Butters MA, Cuthbert B, Ganguli M, Geda Y, Hendrie HC, Krishnan RR, Kumar A, Lopez OL, Lyketsos CG, Mast BT, Morris JC, Norton MC, Peavy GM, Petersen RC, Reynolds CF, Salloway S, Welsh-Bohmer KA, Yesavage J. Perspectives on depression, mild cognitive impairment, and cognitive decline. *Archives of General Psychiatry* 2006; 63:130-138.

Storandt M, Grant EA, Miller JP, Morris JC. Longitudinal course and neuropathological outcomes in original versus revised MCI and in PreMCI. *Neurology* 2006; 67:467-473.

Walker ES, Martinez M, Wang J, Goate A. Conserved residues in juxtamembrane region of the extracellular domain of nicastrin are essential for γ -secretase complex formation. *J Neurochem* 2006; 98:300-309.

Wang L, Miller JP, Gado MH, McKeel DW, Rothermich M, Miller MI, Morris JC, Csernansky JG. Abnormalities of hippocampal surface structure in very mild dementia of the Alzheimer type. *NeuroImage* 2006; 30:52-60.

Wang J, Beher D, Nyborg AC, Shearman MS, Golde TE, Goate A. C-terminal PAL motif of presenilin and presenilin homologues required for normal active site conformation. *J Neurochem* 2006; 96:218-227.

Wilkins CH, Grant EA, Schmitt SE, McKeel DW, Morris JC. The neuropathology of Alzheimer disease in African American and White individuals. *Archives of Neurology* 2006; 63:87-90.

Wilkins CH, Sheline YI, Roe CM, Birge SJ, Morris JC. Vitamin D deficiency is associated with low mood and worse cognitive performance in older adults. *Am J Geriatr Psych* 2006; 14:1032-1040.

Williams MM, Xiong C, Morris JC, Galvin JE. Survival and mortality differences between dementia with Lewy bodies vs. Alzheimer's disease. *Neurology* 2006; 67:1935-1941.

Xiong C, vanBelle G, Miller JP, Storandt M, Morris JC. Measuring and estimating diagnostic accuracy when there are three ordinal diagnostic groups. *Statist. Med.* 2006; 25L1251-1273.

Yang Y-H, Lai C-L, Lin R-T, Tai C-T, Liu C-K. Cut-off values of blessed dementia rating scale and its clinical application in elderly Taiwanese. *Kaohsiung J Med Sci* 2006; 22:377-384.

Yap MJ, Balota DA, Cortese MJ, Watson JM. Single versus dual process models of lexical decision performance: insights from response time distributional analysis. *J Exp Psychol Hum Percep Perf* 2006; 32:1324-1344.

2005

Armstrong RA, Lantos PL, Cairns NJ. Overlap between neurodegenerative disorders (review article). *Neuropathology* 2005; 25:111-124.

- Balsis S, Carpenter BD, Storandt M. Personality change precedes clinical diagnosis of dementia of the Alzheimer type. *J Gerontol Psychol Sci.* 2005; 60B:98-101.
- Braver TS, Rush BK, Satpute AB, Racine CA, Barch DM. Context processing and context maintenance in healthy aging and early stage dementia of the Alzheimer's type. *Psychology and Aging* 2005; 20:33-46.
- Brendza RP, Bacskai BJ, Cirrito JR, Simmons KA, Skoch JM, Klunk WE, Mathis CA, Bales KR, Paul SM, Hyman BT, Holtzman DM. Anti-A β antibody treatment promotes the rapid recovery of amyloid-associated neuritic dystrophy in *PDAPP* transgenic mice. *J. Clin. Invest.* 2005; 115:428-433.
- Brown LB, Ott BR, Papandonatos GD, Sui Y, Ready RE, Morris JC. Prediction of on-road driving performance in patients with early Alzheimer's disease. *J Am Geriat Soc* 2005;53:94-98.
- Buckner RL, Snyder AZ, Shannon BJ, Larossa G, Sachs R, Fotenos A, Sheline Y, Klunk W, Mathis C, Morris JC, Mintun MA. Molecular, structural, and functional characterization of Alzheimer's Disease: Evidence for a relationship between default activity, amyloid, and memory. *J. Neuroscience* 2005;25:7709-7717.
- Burns JM, Galvin JE, Roe CM, Morris JC, McKeel DW. The pathology of the substantia nigra in Alzheimer disease with extrapyramidal signs. *Neurology* 2005; 64:1397-1403.
- Burns JM, Church JA, Johnson DK, Xiong C, Marcus D, Fotenos A, Snyder AZ, Morris JC, Buckner RL. White matter lesions are prevalent but differentially related with cognition in aging and early Alzheimer's disease. *Archives of Neurology* 2005; 62:1870-1876.
- Carr DB, Shead V, Storandt M. Driving cessation in older adults with dementia of the Alzheimer's type. *The Gerontologist* 45:824-827.
- Cirrito JR, Deane R, Fagan AM, Spinner ML, Parsadanian M, Finn MB, Jiang H, Prior JL, Sagare A, Bales KR, Paul SM, Zlokovic BV, Piwnicka-Worms D, Holtzman DM. P-glycoprotein deficiency at the blood-brain barrier increases amyloid- β deposition in an Alzheimer disease mouse model. *Journal of Clinical Investigation* 2005; 115:3285-3290.
- Cirrito JR, Yamada K, Finn MB, Sloviter R, Bales K, May P, Schoepp D, Paul S, Mennerick S, Holtzman DM. Synaptic activity regulates interstitial fluid amyloid- β levels in vivo. *Neuron* 2005; 48:913-922.

- Coats M, Morris JC. Antecedent biomarkers of Alzheimer's disease: The Adult Children Study. *JGPN* 2005; 18:242-244.
- Csernansky JG, Wang L, Swank J, Miller JP, Gado M, McKeel D, Miller MI, Morris JC. Preclinical detection of Alzheimer's disease: hippocampal shape and volume predict dementia onset in the elderly. *NeuroImage* 2005; 25:783-792.
- Csernansky JG, Wang L, Miller JP, Galvin JE, Morris JC. Neuroanatomical predictors of response to Donepezil therapy in patients with dementia. *Archives of Neurology*, 2005; 62:1718-1722.
- Dobbs BM, Carr DB. Screening and assessment of medically at-risk drivers. *Public policy and aging report* 2005; 15:6-12.
- Duchek JM, Balota DA. Failure to control prepotent pathways in early stage dementia of the Alzheimer type: evidence from dichotic listening. *Neuropsychology* 2005; 19:687-695.
- Fagan AM, Csernansky CA, Morris JC, Holtzman DM. The search for antecedent biomarkers of Alzheimer's disease. *JAD* 2005; 8:347-358.
- Fotenos AF, Snyder AZ, Girton LE, Morris JC, and Buckner RL. Normative estimates of cross-sectional and longitudinal brain volume decline in aging and AD. *Neurology* 2005; 64:1032-1039.
- Galvin JE, Powlishta KK, Wilkins K, McKeel DW, Xiong C, Grant E, Storandt M, Morris JC. Predictors of preclinical Alzheimer's disease and dementia: A clinicopathologic study. *Arch Neurol* 2005; 62:758-765.
- Galvin JE, Roe CM, Powlishta KK, Coats MA, Muich SJ, Grant E, Miller JP, Storandt M, Morris JC. The AD8: A brief informant interview to detect dementia. *Neurology* 2005; 65:559-564.
- Galvin JE, Ginsberg SD. Expression profiling in the aging brain: a perspective. *Ageing Research Reviews* 2005; 4:529-547.
- Gold BT, Balota DA, Cortese MJ, Sergent-Marshall SD, Snyder AZ, Salat DH, Fischl B, Dale AM, Morris JC, Buckner RL. Differing neuropsychological and neuroanatomical correlates of abnormal reading in early-stage semantic dementia and dementia of the Alzheimer type. *Neuropsychologia* 2005; 43:833-846.
- Gold BT, Balota DA, Kirchoff BA, Buckner RL. Common and dissociable activation patterns associated with controlled semantic and phonological

- processing: evidence from fMRI adaptation. *Cerebral Cortex* 2005; 50:1438-1450.
- Head D, Synder AZ, Girton LE, Morris JC, Buckner RL. Frontal-hippocampal double dissociation between normal aging and Alzheimer's Disease. *Cerebral Cortex* 2005; 15:732-739.
- Hu Y, Malone JP, Fagan AM, Townsend RR, Holtzman DM. Comparative proteomic analysis of intra- and interindividual variation in human cerebrospinal fluid. *Molecular & Cellular Proteomics* 2005; 4:2000-9.
- Hutchison KA, Balota DA. Decoupling semantic and associative information in false memories: explorations with semantically ambiguous and unambiguous critical lures. *Journal of Memory and Language* 2005; 52:1-28.
- Johnson DK, Morris JC, Galvin JE. Verbal and visuospatial deficits in dementia with Lewy bodies. *Neurology* 2005; 65:1232-1238.
- Kilada S, Gamaldo A, Grant EA, Moghekar A, Morris JC, O'Brien RJ. Brief Screening tests for the diagnosis of dementia: comparison with the Mini-Mental State Exam. *ADAD* 2005; 19:8-16.
- Li Y, Hollingworth P, Moore P, Foy C, Archer N, Powell J, Nowotny P, Holmans P, O'Donovan M, Tacey K, Doil L, vanLuchene R, Garcia V, Rowland C, Lau K, Catanese J, Sninsky J, Hardy J, Thal L, Morris JC, Goate A, Lovestone S, Owen M, Williams J, Grupe A. Genetic association of the APP binding protein 2 gene (APBB2) with late onset Alzheimer disease. *Human Mutation* 2005; 25:270-277.
- Li Y, Rowland C, Tacey K, Catanese J, Sninsky J, Hardy J, Powell J, Lovestone S, Morris JC, Thal L, Goate A, Owen M, Williams J, Grupe A. The BDNF val66met polymorphism is not associated with late onset Alzheimer's disease in three case-control samples. *Molecular Psychiatry* 2005;10:809-10.
- Lim W-S, Liscic R, Xiong C, Morris JC. High dose vitamin E supplementation: time to return to the drawing board...A reply to Meta-Analysis: High-dosage vitamin E supplementation may increase all-cause mortality. Letter to the editor, *Annals of Internal Medicine* 2005; 143:152.
- Lim W-S, Rubin EH, Coats M, Morris JC. Early stage Alzheimer disease represents increased suicidal risk in relation to later stages. *ADAD* 2005; 19:214-219
- MacKay A, Tabor Connor L, Storandt M. Dementia does not explain correlation between age and scores on Boston Naming Test. *Archives of Clinical Neuropsychology*, 2005; 20:129-133.

- Marsh EJ, Balota DA, Roediger HL III. Learning facts from fiction: effects of healthy aging and early stage dementia of the Alzheimer type. *Neuropsychology* 2005; 19:115-129.
- Marwit SJ, Meuser TM. Development of a short form inventory to assess grief in caregivers of dementia patients. *Death Studies* 2005; 29:191-205.
- Marwit SJ, Meuser TM, Bryer D. Development of an awareness context theory typology for addressing communication patterns in mild dementia. *The Clinical Gerontologist* 2005; 28:61-80.
- Morikawa M, Fryer JD, Sullivan PM, Christopher EA, Wahrle SE, DeMattos RB, O'Dell MA, Fagan AM, Lashuel HA, Walz T, Asai K, Holtzman DM. Production and characterization of astrocyte-derived human apolipoprotein E isoforms from immortalized astrocytes and their interactions with amyloid- β . *Neurobiology of Disease*, 2005; 19:66-76.
- Morris JC. Dementia Update 2005. *Alzheimer's Dis Assoc Disord* 2005;19:100-117.
- Morris JC, Cummings J. Mild Cognitive Impairment (MCI) represents early-stage Alzheimer's disease. *JAD*, 2005; 7:235-239.
- Morris JC. Mild cognitive impairment and preclinical Alzheimer's disease. ICAD meeting, Geriatrics 2005, S9-13.
- Morris JC. Early stage and Preclinical Alzheimer Disease (2005 Potamkin Prize). *ADAD* 2005; 19:162-165.
- Morris JC, Quaid KA, Holtzman DM, Kantarci K, Kaye J, Reiman EM, Klunk WE, Siemers ER. Role of biomarkers in studies of presymptomatic Alzheimer's disease. *Alzheimer's & Dementia* 2005; 1:145-151.
- Mosaheb S and Thorpe JR, Hashemzadeh-Bonehi L, Bigio EH, Gearing M, Cairns NJ. Neuronal intranuclear inclusions are ultrastructurally and immunologically distinct from cytoplasmic inclusions of neuronal intermediate filament inclusion disease. *Acta Neuropathol (Berl)*2005; 110:360-368
- Mosconi L, Tsui W-H, De Santi S, Li J, Rusinek H, Convit A, Li Y, Boppana M, de Leon MJ. Reduced hippocampal metabolism in MCI and AD; automated FDG-PET image analysis. *Neurology* 2005; 64:1860-1867.
- Nowotny P, Hinrichs AL, Smemo S, Kauwe JS, Maxwell T, Holmans P, Hamshere M, Turic D, Jehu L, Hollingworth P, Moore P, Bryden L, Myers A,

- Doil LM, Tacey KM, Gibson AM, McKeith IG, Perry RH, Morris CM, Thal L, Morris JC, O'Donovan MC, Lovestone S, Grupe A, Hardy J, Owen MJ, Williams J, Goate A. Association studies between risk for late-onset Alzheimer's disease and variants in insulin degrading enzyme. *Am.J.Med.Genet.B Neuropsychiatr.Genet.* 2005; 136B:62-28.
- Ott BR, Anthony D, Papandonatos GD, D'Abreu A, Burock J, Curtin A, Wu C-K, Morris JC. Clinician assessment of the driving competence of patients with dementia. *JAGS* 2005; 53:829-33.
- Perkinson MA, Berg-Weger ML, Carr DB, Meuser TM, Palmer JL, Buckles VD, Powlishta KK, Foley DJ, Morris JC. Driving and dementia of the Alzheimer type: beliefs and cessation strategies among stakeholders. *The Gerontologist* 2005; 45:676-685.
- Petersen RC, Bennett D. Mild cognitive impairment: is it Alzheimer's disease or not? *JAD* 2005; 7:241-245.
- Petersen RC, Morris JC. Mild Cognitive Impairment as a clinical entity and treatment target. *Archives of Neurology*, 2005; 62:1160-1164.
- Petersen RC, Thomas RG, Grundman M, Bennett D, Doody R, Ferris S, Galasko D, Jin S, Kaye J, Levey A, Pfeiffer E, Sano M, van Dyck CH, Thal LJ, for the Alzheimer's Disease Cooperative Study Group. Vitamin E and Donepezil for the treatment of mild cognitive impairment. *NEJM* 2005; 352:2379-88.
- Roe CM, Behrens MI, Xiong C, Miller JP, Morris JC. Alzheimer's Disease and Cancer. *Neurology* 2005; 64:895-898.
- Rubin EH. Cognitive disorders: dementia. In: Rubin EH, Zorumski CF, eds., *Adult Psychiatry*, 2nd edition, Blackwell Publishing, 2005, pp. 182-194.
- Snider BJ, Norton J, Coats MA, Chakraverty S, Hou CE, Jervis R, Lendon CL, Goate AM, McKeel DW, Morris JC. Novel Presenilin1 mutation (S170F) causing Alzheimer disease with Lewy bodies in the third decade of life. *Archives of Neurology* 2005; 62:1821-1830.
- Storandt M. Use of the 5-item geriatric depression scale in demented individuals and with psychiatric outpatients. *Clinical Geropsychologist* 2005; 28(3):63-69.
- VanEssen DC. A population-average, landmark- and surface-based (PALS) atlas of human cerebral cortex. *NeuroImage* 2005; 28:635-662.
- Wahrle SE, Jiang H, Parsadanian M, Hartman RE, Bales KR, Paul SM, Holtzman DM. Deletion of *Abca1* increases A β deposition in the PDAPP transgenic mouse model of Alzheimer disease. *Journal of Biological Chemistry* 2005; 280:43236-43242.

Wilkins C, Moylan K, Carr D. Diagnosis and Management of dementia in long term care. *Annals of Long-Term Care: Clinical Care and Aging* 2005; 13:17-24.

Xiong C, Yu K, Gao F, Yan Y, Zhang Z. Power and sample size for clinical trials when efficacy is required in multiple endpoints-application to an Alzheimer's treatment trial. *Clinical Trials* 2005; 2:387-393.

Zanjani H, Finch CE, Kemper C, Atkinson J, McKeel D, Morris JC, Price JL. Complement activation in very early Alzheimer disease. *ADAD* 2005; 19:55-66.

2004

Alzheimer's Association National Board of Directors. Research consent for cognitively impaired adults: recommendations for Institutional Review Boards and Investigators. *ADAD* 2004; 18:171-175.

Balota DA, Cortese MJ, Sergent-Marshall SD, Spieler DH, Yap MJ. Visual word recognition of single-syllable words. *Journal of Experimental Psychology: General* 2004; 133(2):283-316.

Bao J, Lin H, Ouyang Y, Lei D, Osman A, Kim T-W, Mei L, Dai P, Ohlemiller KK, Ambron RT. Activity-dependent transcription regulation of PSD-95 by neuregulin-1 and Eos. *Nature Neuroscience* 2004; 7(11):1250-1258.

Beck JA, Poulter M, Campbell TA, Uphill JB, Adamson G, Geddes JF, Revesz T, Davis MB, Wood NW, Collinge J, Tabrizi SJ. Somatic and germline mosaicism in sporadic early-onset Alzheimer's disease. *Human Molecular Genetics* 2004; 13(12):1219-1224.

Buckner RL, Head D, Parker J, Fotenos A, Marcus D, Morris JC, Snyder AZ. A unified approach for morphometric and functional data analysis in young, old, and demented adults using automated atlas-based head size normalization: reliability and validation against manual measurement of total intracranial volume. *Neuroimage* 2004;23:724-738.

Buckner RL. Memory and executive function in aging and AD: multiple factors that cause decline and reserve factors that compensate. *Neuron* 2004; 44:195-208.

Burns JM, Morris JC. Hypotension and dementia risk in the elderly. *Journal Watch Neurology* 2004(May); Vol 6(5):37.

Busby V, Goossens S, Nowotny P, Hamilton G, Smemo S, Harold D, Turic D, Jehu L, Myers A, Womick M, Woo D, Compton D, Doil LM, Tacey KM, Lau

- KF, Al-Saraj S, Killick R, Pickering-Brown S, Moore P, Hollingworth P, Archer N, Foy C, Walter S, Lendon C, Iwatsubo T, Morris JC, Norton J, Mann D, Janssens B, Hardy J, O'Donovan M, Jones L, Williams J, Holmans P, Owen MJ, Grupe A, Powell J, vanHengel J, Goate A, Van Roy F, Lovestone S. α -T-Catenin is expressed in human brain and interacts with the Wnt signaling pathway but is not responsible for linkage to chromosome 10 in Alzheimer's disease. *NeuroMolecular Medicine* 2004; 5:133-146.
- Cacchione PZ, Powlishta KK, Grant EA, Buckles VD, Morris JC. Collateral source reports in very mild to mild dementia of the Alzheimer type. In: Vellas B, Fitten LJ, Winblad B, Feldman H, Grundman M, Giacobini E, Kurz A. (Eds) Research and Practice in Alzheimer Disease (vol 9). Paris France: Serdi publishers, 2004, pp. 13-20.
- Cairns NJ, Grossman M, Arnold SE, Burn DJ, Jaros E, Perry RH, Duyckaerts C, Stankoff B, Pillon B, Skullerud K, Cruz-Sanchez FF, Bigio EH, Mackenzie IRA, Gearing M, Juncos JL, Glass JD, Yokoo H, Nakazato Y, Mosaheb S, Thorpe JR, Uryu K, Lee VMY, Trojanowski JQ. Clinical and neuropathologic variation in neuronal intermediate filament inclusion disease. *Neurology* 2004; 63:1376-1384.
- Carpenter B, Dave J. Disclosing a dementia diagnosis: A review of opinion and practice, and a proposed research agenda. *The Gerontologist* 2004; 44(2):149-158.
- Carr D. The Older Adult Driver, Chapter 11. *The Washington University Manual, Geriatric Subspecialty Consult*. Lippincott, Williams, and Wilkins, 2004.
- Carr DB, Shead V, Storandt M. Driving cessation in older adults with dementia of the Alzheimer type. *The Gerontologist* 2005; 45:824-827.
- Csernansky JG, Hamstra J, Wang L, McKeel D, Price JL, Gado M, Morris JC. Correlations between antemortem hippocampal volume and postmortem neuropathology in AD subjects. *Alz Dis Assoc Dis* 2004; 18:190-195.
- Csernansky JG, Wang L, Joshi SC, Ratnanather JT, Miller MI. Computational anatomy and neuropsychiatric disease: probabilistic assessment of variation and statistical inference of group difference, hemispheric asymmetry, and time-dependent change. *Neuroimage* 2004; S56-S68.
- DeKosky ST, Ikonomic MD. NIFID: A new molecular pathology with a frontotemporal dementia phenotype (Editorial). *Neurology* 2004; 63:1348-1349.
- DeMattos RB, Cirrito JR, Parsadanian M, May PC, O'Dell MA, Taylor JW, Harmony JAK, Aronow BJ, Bales KR, Paul SM, Holtzman DM. ApoE and

clusterin cooperatively suppress A β levels and deposition: Evidence that apoE regulates extracellular A β metabolism in vivo. *Neuron* 2004; 41:193-202.

Dong H, Goico B, Martin M, Csernansky CA, Bertchume A, Csernansky JG. Modulation of hippocampal cell proliferation, memory, and amyloid plaque deposition in APPsw (Tg2576) mutant mice by isolation stress. *Neuroscience* 2004; 127:601-609.

Faust ME, Balota DA, Multhaup KS. Phonological blocking during picture naming in dementia of the Alzheimer type. *Neuropsychology* 2004; 18(3):526-536.

Flood KL, Carr DB. Nutrition in the elderly. *Current Opinion in Gastroenterology* 2004; 20:125-9.

Galvin JE. Neurodegenerative Diseases: Pathology and the Advantage of Single-Cell Profiling. *Neurochem Res* 2004; 29(6):1041-1051.

Ganguli M, Rodriguez E, Mulsant B, Richards S, Pandav R, VanderBilt J, Dodge HH, Stoehr GP, Saxton J, Morycz RK, Rubin RT, Farkas B, DeKosky ST. Detection and management of cognitive impairment in primary care: the Steel Valley seniors survey. *JAGS* 2004; 52:1668-1675.

Grundman M, Petersen RC, Ferris SH, Thomas RG, Aisen PS, Bennett DA, Foster NL, Jack CR, Galasko DR, Doody R, Kaye J, Sano M, Mohs R, Gauthier S, Kim HT, Jin S, Schultz AN, Schafer K, Mulnard R, vanDyck CH, Mintzer J, Zamrini EY, Cahn-Weiner D, Thal LJ, for the Alzheimer's Disease Cooperative Study. Mild cognitive impairment can be distinguished from Alzheimer disease and normal aging for clinical trials. *Arch Neurol* 2004; 61:59-66.

Han X, Holtzman DM. Sulfatide mass level in cerebrospinal fluid may be a potential biomarker for the diagnosis of very mild Alzheimer's dementia. *Research and Practice in Alzheimer's Disease and Cognitive Decline* 2004; 9:26-30.

Head D, Buckner RL, Shimony JS, Williams LE, Akbudak E, Conturo TE, McAvoy M, Morris JC, Snyder AZ. Differential vulnerability of anterior white matter in nondemented aging with minimal acceleration in dementia of the Alzheimer Type. *Cerebral Cortex* 2004; 14:410-423.

Hecimovic S, Wang J, Dolios G, Martinez M, Wang R, Goate AM. Mutations in APP have independent effects on A β and CTF γ generation. *Neurobiology of Disease* 2004; 17:205-218.

- Huang C, Xiong C, Kornfeld K. Measurements of age-related changes of physiological processes that predict life span of *Caenorhabditis elegans*. PNAS 2004; 101(21):8084-8089.
- Johnson J, Ostojic J, Lannfelt L, Glaser A, Basun H, Rogaeva E, Kawarai T, Bruni A, St. George Hyslop PH, Goate A, Pastor P, Chakraverty S, Norton J, Morris JC, Hardy J, Singleton A. No evidence for tau duplications in frontal temporal dementia families showing genetic linkage to the tau locus in which tau mutations have not been found. Neuroscience Letters 2004; 363:99-101.
- Klunk WE, Engler H, Nordberg A, Wang Y, Blomqvist G, Holt DP, Bergstrom M, Savitcheva I, Huang G-f, Estrada S, Ausen B, Debnath ML, Barletta J, Price JC, Sandell J, Lopresti BJ, Wall A, Koivisto P, Antoni G, Mathis CA, Langstrom B. Imaging brain amyloid in Alzheimer's disease with Pittsburgh Compound-B. Ann Neurol 2004; 55:306-319.
- Lacor PN, Buniel MC, Chang L, Fernandez SJ, Gong Y, Viola KL, Lambert MP, Velasco PT, Bigio EH, Finch CE, Krafft GA, Klein WL. Synaptic targeting by Alzheimer's-related amyloid β oligomers. Journal of Neuroscience 24:10191-10200.
- Lee C-S, Tee LY, Warmke T, Vinjamoori A, Cai AL, Fagan AM, Snider BJ. A proteasomal stress response: pre-treatment with proteasome inhibitors increases proteasome activity and reduces neuronal vulnerability to oxidative injury. J Neurochem 2004; 91:996-1006.
- Lee J-T, Xu J, Lee J-M, Ku G, Han X, Yang D-I, Chen S, and Hsu CY. Amyloid- β peptide induces oligodendrocyte death by activating the neutral sphingomyelinase-ceramide pathway. Journal of Cell Biology 2004; 164(1):123-131.
- Li Y, Nowotny P, Holmans P, Smemo S, Kauwe J, Hinrichs T, Tacey K, Doil L, van Luchene R, Garcia V, Rowland C, Schrodi S, Leong D, Gogic G, Chan J, Cravchik A, Ross D, Lau K, Kwok S, Chang S-Y, Catanese J, Sninsky J, White T, Hardy J, Powell J, Lovestone S, Morris JC, Thal L, Owen M, Williams J, Goate A, Grupe A. Association of late-onset Alzheimer's disease with genetic variation in multiple members of the GAPD gene family. PNAS 2004; 101(44):15688-15693.
- Li Y, Tacey K, Doil L, van Luchene R, Garcia V, Rowland C, Schrodi S, Leong D, Lau K, Catanese J, Sninsky J, Nowotny P, Holmans P, Hardy J, Powell J, Lovestone S, Thal L, Owen M, Williams J, Goate A, Grupe A. Association of ABCA1 with late-onset Alzheimer's disease is not observed in a case-control study. Neuroscience Letters 2004; 366:268-271.

- Lustig C, Buckner RL. Preserved neural correlates of priming in old age and dementia. *Neuron* 2004; 42:865-875.
- Marsh EJ, Dolan PO, Balota DA, Roediger HL III. Part-set cuing effects in younger and older adults. *Psychology and Aging* 2004; 19(1):134-144.
- McKeel DW, Price JL, Miller JP, Grant EA, Xiong C, Berg L, Morris JC. Neuropathologic criteria for diagnosing Alzheimer Disease in persons with pure dementia of Alzheimer type. *J Neuropath and Experimental Neurol* 2004; 63(10):1028-1037.
- Meuser TM, Boise L, Morris JC. Clinician beliefs and practices in dementia care: Implications for health educators. *Educational Gerontology* 2004; 30:491-516.
- Morris JC. Conference Proceedings, Antecedent Biomarkers in Alzheimer's Disease II: Uses, Limitations, and Future Directions for Research. *Altered Biomarkers Conference, Alzheimer Research Forum, Philadelphia July 2004.* Available at: www.alzforum.org/res/enab/workshops/biomarkers2.asp
- Morris JC. Targeting MCI: The benefits of early intervention. *Practical Neurology* 2004; September Vol 3(9):24-29.
- Morris JC, Price JL, McKeel DW, Higdon R, Buckles VD, and NNA Study Group. The neuropathology of nondemented aging, *Neurobiol Aging* 2004; 25(S2):137.
- Myers AJ, Marshall H, Holmans P, Compton D, Crook RJ, Mander AP, Nowotny P, Smemo S, Dunstan M, Jehu L, Wang JC, Hamshere M, Morris JC, Norton J, Chakraverty S, Tunstall N, Lovestone S, Petersen R, O'Donovan M, Jones L, Williams J, Owen MJ, Hardy J, Goate A. Variation in the urokinase-plasminogen activator gene does not explain the chromosome 10 linkage signal for late onset AD. *Am J Med Genet* 2004 Jan 1; 124B(1)29-37.
- Pastor P, Ezquerra M, Perez JC, Chakraverty S, Norton J, Racette BA, McKeel D, Perlmutter JS, Tolosa E, Goate AM. Novel haplotypes in 17q21 are associated with progressive supranuclear palsy. *Ann Neurol* 2004; 56:249-258.
- Pastor P, Goate AM. Molecular Genetics of Alzheimer's Disease. *Current Psychiatry Reports* 2004; 6:125-133.
- Powlishta KK, Storandt M, Mandenach TA, Hogan E, Grant EA, Morris JC. Absence of effect of depression on cognitive performance in early stage Alzheimer's disease. *Arch Neurol* 2004; 61:1265-1268.

- Ratnanather JT, Wang L, Nebel MB, Hosakere M, Han X, Csernansky JG, Miller MI. Validation of semiautomated methods for quantifying cingulate cortical metrics in schizophrenia. *Psychiatry Research Neuroimaging* 2004; 132:53-68.
- Reines SA, Block GA, Morris JC, Liu G, Nessly ML, Lines CR, Norman BA, Baranak CC, on behalf of the Rofecoxib Protocol 091 study group. Rofecoxib: No effect on Alzheimer's disease in a 1-year, randomized, blinded, controlled study. *Neurology* 2004; 62:66-71.
- Renner JA, Burns JM, Hou CE, McKeel DW, Storandt M, Morris JC. Progressive posterior cortical dysfunction: A clinicopathologic series. *Neurology* 2004; 63:1175-1180.
- Salat DH, Buckner R, Snyder AZ, Greve DN, Desikan RSR, Busa E, Morris JC, Dale, AM, Fischl B. Thinning of the cerebral cortex in aging. *Cerebral Cortex* 2004; 14:721-730.
- Schafer KA, Tractenberg RE, Sano M, Mackell JA, Thomas RG, Gamst A, Thal LJ, Morris JC for the Alzheimer's Disease Cooperative Study. Reliability of monitoring the clinical dementia rating in multicenter clinical trials. *ADAD* 2004; 18:219-222.
- Shah KR, Carr D, Roe CM, Miller JP, Coats M, Morris JC. Impaired physical performance and the assessment of dementia of the Alzheimer type. *Alzheimer Dis Assoc Disord* 2004; 18(3):112-119.
- Shannon BJ, Buckner RL. Functional-anatomic correlates of memory retrieval that suggest nontraditional processing roles for multiple distinct regions within posterior parietal cortex. *Journal of Neuroscience* 2004; 24:10084-10092.
- Storandt M, Beaudreau S. Do reaction time measures enhance diagnosis of early-stage dementia of the Alzheimer type. *Arch of Clin Neuropsych* 2004;19(1):119-124.
- Tariot PN, Farlow MR, Grossberg GT, Graham SM, McDonald S, Ivan Gergel for the Memantine Study Group. Memantine treatment in patients with moderate to severe Alzheimer disease already receiving Donepezil; A randomized controlled trial. *JAMA* 2004; 291:317-324.
- Tirado V, Muñoz C, Aguirre C, Pineda DA, Lopera F. Desempeño de portadores y no portadores de la mutación E280A para la enfermedad de Alzheimer familiar en una prueba de denominación. *Rev Neurol* 2004; 39:322-326.
- Velez-Pardo C, Arellano JI, Cardona-Gomez P, Jimenez Del Rio M, Lopera F, and DeFelipe J. CA1 hippocampal neuronal loss in familial Alzheimer's

disease presenilin-1 E280A mutation is related to epilepsy. *Epilepsia* 2004; 45:751-756.

Walker ES, Martinez M, Brunkan AL, Goate A. Presenilin 2 familial Alzheimer's disease mutations result in partial loss of function and dramatic changes in A β 42/40 ratios. *Journal of Neurochemistry* 2004; 92:294-301.

Wang C and Carr D. Older driver safety: A report from the Older Drivers Project. *JAGS* 2004; 52:143-9.

Wang J, Brunkan AL, Hecimovic S, Walker E, Goate A. Conserved "PAL" sequence in presenilins is essential for γ -secretase activity, but not required for formation or stabilization of γ -secretase complexes. *Neurobiology of Disease* 2004; 15:654-666.

Wijsman EM, Daw EW, Yu C-E, Payami H, Steinbart EJ, Nochlin D, Conlon EM, Bird TD, Schellenberg GD. Evidence for a novel late-onset Alzheimer disease locus on chromosome 19p13.2. *Am J Hum Genet* 2004; 75:398-409.

Wilcock DM, Rojiani A, Rosenthal A, Levkowitz G, Subbarao S, Alamed J, Wilson D, Wilson N, Freeman MJ, Gordon MN, Morgan D. Passive amyloid immunotherapy clears amyloid and transiently activates microglia in a transgenic mouse model of amyloid deposition. *Journal of Neuroscience* 24:6144-6151.

Xiong C, Miller JP, Feng, G, Yan Y, Yu Q, Morris JC. Testing increasing hazard rate for the progression time of dementia. *Discrete and Continuous Dynamical Systems Series B* 2004; 4(3):813-821.

Xiong C, McKeel DW, Miller JP, Morris JC. Combining correlated diagnostic tests: application to neuropathologic diagnosis of Alzheimer's disease. *Medical Decision Making* 2004; 24:659-669.

Zerbinatti CV, Wozniak DF, Cirrito J, Cam JA, Osaka H, Bales KR, Zhuo M, Paul SM, Holtzman DM, Bu G. Increased soluble amyloid-B peptide and memory deficits in amyloid model mice overexpressing the low-density lipoprotein receptor-related protein. *PNAS* 2004;101(4)1075-1080.

2003

Aisen P, Schafer KA, Grundman M, Pfeiffer E, Sano M, Davis KL, Farlow MR, Jin S, Thomas RG, Thal LJ and the Alzheimer's Disease Cooperative Study. Effects of Rofecoxib or Naproxen vs Placebo on Alzheimer Disease Progression. *JAMA*, June 2003; 289:2819-2826. [Multicenter Collaboration]

- Araki T, Milbrandt J. ZNRF proteins constitute a family of presynaptic E3 ubiquitin ligases. *J Neuroscience* 2003; 23:9385-9394.
- Ashburner J, Csernansky JG, Davatzikos C, Fox NC, Frisoni GB, Thompson PM. Computer-assisted imaging in assess brain structure in healthy and diseased brains. *The Lancet* 2003; 2:1-10.
- Baum C, Edwards DF. What persons with Alzheimer's Disease can do: A tool for communication about everyday activities. *Alzheimer's Care Quarterly* April/June 2003:108-118.
- Brendza RP, O'Brien C, Simmons K, McKeel DW, Bales KR, Paul SM, Olney JW, Sanes JR, Holtzman DM. PDAPP; YFP double transgenic mice: A tool to study amyloid-beta associated changes in axonal, dendritic, and synaptic structures. *J Comp Neurol* 2003; 456(4):375-383.
- Buckles VD, Powlishta KK, Palmer JL, Coats M, Hosto T, Buckley, Morris JC. Understanding of informed consent by demented individuals. *Neurology* 2003 61:1662-1666.
- Buckner RL. Functional-anatomic correlates of control processes in memory. *Journal of Neuroscience* 2003; 23:3999-4004.
- Cacchione PZ, Powlishta KK, Grant EA, Buckles VD, Morris JC. Accuracy of collateral source reports in very mild to mild dementia of the Alzheimer type. *JAGS* 2003; 51:819-823.
- Cheng H, Xu J, McKeel DW Jr, Han X. Specificity and potential mechanism of sulfatide deficiency in Alzheimer's disease compared with Lewy Body Dementia: An electrospray ionization mass spectrometric study. *Cellular Molec Biol* 2003; 49:809-818.
- Cirrito JR, May PC, O'Dell MA, Taylor JW, Parsadanian M, Cramer JW, Audia JE, Nissen JS, Bales KR, Paul SM, DeMattos RB, and Holtzman DM. In Vivo assessment of brain interstitial fluid with microdialysis reveals plaque-associated changes in amyloid- β metabolism and half-life. *J or Neuroscience* 2003; 23(26)8844-8853.
- Clark CM, Ewbank D, Peskind D, Galasko D, Morris JC, McKeel D, Farlow M, Quinn J, Kaye J, Knopman D, Arai H, Doody RS, DeCarli C, Leight S, Lee VY, Trojanowski JQ. CSF tau and β -amyloid: How well do these biomarkers reflect autopsy-confirmed dementia diagnoses? *Arch Neurology* 2003; 60:1696-1702.

- Cortese MJ, Balota DA, Sergent-Marshall SD, Buckner RL. Spelling via semantics and phonology: exploring the effects of age, Alzheimer's disease, and primary semantic impairment. *Neuropsychologia* 2003; 41:952-967.
- Duchek JM, Carr DB, Hunt L, Roe CM, Xiong C, Shah K, Morris JC. Longitudinal driving performance in early stage dementia of Alzheimer type. *JAGS* 2003; 51:1342-1347.
- Eisenmann LN, He Y, Fields C, Zorumski CF, and Mennerick S. Activation dependent properties of pregnenolone sulfate inhibition of GABA_A receptor-mediated current. *Journal of Physiology* 2003; 550:679-691.
- Frank RA, Galasko D, Hampel H, Hardy J, deLeon MJ, Mehta PD, Rogers J, Siemers E, Trojanowski JQ. Biological markers for therapeutic trials in Alzheimer's disease; Proceedings of the biological markers working group; NIA initiative on neuroimaging in Alzheimer's disease. *Neurobiology of Aging* 2003; 24:521-536.
- Fryer JD, Taylor JW, DeMattos RB, Bales KR, Paul SM, Parsadanian M, and Holtzman DM. Apolipoprotein E markedly facilitates age-dependent cerebral amyloid angiopathy and spontaneous hemorrhage in amyloid precursor protein transgenic mice. *J Neurosci* 2003; 23:7889-7896.
- Galvin JE. Dementia with Lewy bodies. *Archives of Neurology* 2003; 60: 1332-1335.
- Golland P, Fischl B. Permutation tests for classification: Towards statistical significance in image-based studies. *LNVS* 2003; 2732:330-341.
- Grundman M, Capparelli E, Kim HT, Morris JC, Farlow M, Heidebrink J, Hake A, Rubin EH, Ho G, Schultz AN, Schafer K, Houston W, Thomas R, Thal LJ, and the Alzheimer's Disease Cooperative Study. A multicenter, randomized, placebo controlled, multiple-dose, safety and pharmacokinetic study of AIT-082 (NeotrofinTM) in mild Alzheimer's disease patients. *Life Sciences* 2003; 73:539-553. [Multicenter Collaboration]
- Han X, Cheng H, Fryer JD, Fagan AM, and Holtzman DM. Novel role for apolipoprotein E in the central nervous system: Modulation of sulfatide content. *J. Biol. Chem.* 2003; 278:8043-8051.
- Han X, Fagan AM, Cheng H, Morris JC, Xiong C, Holtzman DM. CSF sulfatide is decreased in individuals with incipient dementia. *Annals of Neurology* 2003; 54:115-119
- Hardy J. Alzheimer's Disease: Genetic Evidence Points to a Single Pathogenesis. *Annals of Neurology* 2003; 54:143-144.

- Harold D, Peirce T, Moskvina V, Myers A, Jones S, Hollingworth P, Moore P, Lovestone S, Powell J, Foy C, Archer N, Walter S, Edmonson A, McIlroy S, Craig D, Passmore PA, Goate A, Hardy J, O'Donovan M, Williams J, Liddell M, Owen MJ, Jones L. Sequence variation in the CHAT locus shows no association with late-onset Alzheimer's disease. *Hum Genet* 2003 Aug; 113(3):258-67.
- Hutchison KA and Balota DA. Structure versus processing deficits in Alzheimer's disease: A matter of degree: (A comment on Storms and Dirikx. 2003; *Neuropsychology* 17(2):306-309.
- Ji M, Xiong C, Grundman M. Hypothesis testing of a change point during cognitive decline among Alzheimer's patients. *J Alzheimer's Disease* 2003 Oct; 5(5):375-82.
- Johnson DK, Storandt M, Balota DA. Discourse analysis of logical memory recall in normal aging and in dementia of the Alzheimer type. *Neuropsychology* 2003; 17:82-92.
- Jong YHI, Ford SR, Seehra K, Malave VB, Baenziger NL. Alzheimer's disease skin fibroblasts selectively express a bradykin signaling pathway mediating tau protein Ser phosphorylation. *FASEB Journal* 2003;17:2319-21.
- Lee BCP, Mintun M, Buckner RL, Morris JC. Imaging of Alzheimer Disease. *Journal of Neuroimaging* 2003; 13(3)199-214.
- Logan JM, Balota DA. Conscious and unconscious lexical retrieval blocking in younger and older adults. *Psychology and Aging* 2003; 18(3)537-550.
- Lumney JR, Lynn J, Foley DJ, Lipson S, Guralnik JM. Patterns of functional decline at the end of life. *JAMA* 2003;289(18)2387-2392.
- Lustig C, Snyder AZ, Bhakta M, O'Brien KC, McAvoy M, Raichle ME, Morris JC, Buckner RL. Functional deactivations: Change with age and dementia of the Alzheimer type. *PNAS* 2003; 100:14504-14509.
- Marzolo MP, Yussef MI, Tapia M, Ezquer F, Farfan P, Li Y, Bu G. Differential distribution of two giant members of the LDL receptor family, LRP and Megalin, in polarized epithelial cells. *Traffic* 2003; 4:273-288.
- Meuser TM (ed) 3rd Leonard Berg Symposium: Neurobiology of the Aging Nervous System, Alzheimer Disease and Associated Disorders, 2003; 17 (suppl 2).

- Miller MI, Hosakari M, Barker AR, Priebe CE, Lee N, Ratnanather JT, Wang L, Gado M, Morris JC, Csernansky JG. Labelled cortical distance maps in the cingulate quantifying cortical change distinguish dementia of the Alzheimer type and healthy aging. 2003; PNAS 100:15172-15177.
- Morris JC. Dementia update 2003. Alzheimer Disease & Associated Disorders Oct-Dec. 2003; 17(4) :245-258.
- Morris JC, Burns J. First U.S. Trial of Memantine for Moderate-to-Severe AD. Journal Watch Neurology 2003; 5(8): 61.
- Morris JC. Update on approved drugs for the symptomatic treatment of Alzheimer Disease. The Neurologist 2003; 9(5)223-224.
- Moulder KL, Cormier RJ, Shute AA, Zorumski CF, Mennerick S. Homeostatic effects of depolarization on Ca²⁺ influx, synaptic signaling, and survival. Journal of Neuroscience 2003; 23:1825-1831.
- Multhaup KS, Balota DA, and Faust ME. Exploring semantic memory by investigating buildup and release of proactive interference in healthy older adults and individuals with dementia of the Alzheimer type. Journal of the International Neuropsychological Society 2003; 9:830-838.
- Pastor P, Roe CM, Villegas A, Bedoya G, Chakraverty S, Garcia G, Tirado V, Norton J, Rios S, Martinez M, Kosik KS, Lopera F, and Goate AM. Apoe4 modifies Alzheimer's disease onset in an E280A PS1 kindred. Annals of Neurology 2003;54:163-169.
- Petersen RC, Morris JC. Clinical Features. In: Peterson RC. (Eds). Mild Cognitive Impairment: Aging to Alzheimer's Disease. New York, New York: Oxford University Press, 2003, pp. 15-39.
- Rademakers R, Dermaut B, Peeters K, Cruts M, Heutink P, Goate A, VanBroeckhoven C. Tau (MAPT) mutation Arg406T presenting clinically with Alzheimer disease does not share a common founder in Western Europe. Hum Mutat 2003 Nov; 22(5):409-11.
- Roe CM, Anderson MJ, Spivack B. Use of anticholinergic medications among older adults with dementia. In: Vellas B, Fitten LJ, Winbald B, Feldman H, Grundman M, Giacobini E, Kurz A (Eds). Research and Practice in Alzheimer's Disease and Cognitive Decline 2003; 7:132-137, New York, Springer Publishing Co.
- Schroeter EH, Ilagan MX, Brunkan AL, Hecimovic S, Li YM, Xu M, Lewis HD, Saxena MT, DeStrooper B, Coonrod A, Tomita T, Iwatsubo T, Moore CL, Goate A, Wolfe MS, Shearman M, Kopan R. A presenilin dimmer at the core of

the gamma-secretase enzyme: insights from parallel analysis of Notch 1 and APP proteolysis. *Proc Natl Acad Sci USA* 2003 Oct 28; 100(22):13075-80.

Sun S-W, Song S-K, Hon C-Y, Chu W-C, Chang C. Directional Correlation Characterization and Classification of White Matter Tracts. *Magn. Reson. Med.* 2003; 49:271-275.

Villareal DT, Grant E, Miller JP, Storandt M, Morris JC. Clinical outcomes of *possible* versus *probable* Alzheimer's. *Neurology* 2003; 61: 661-667.

Wang L, Swank JS, Glick IE, Gado MH, Miller MI, McKeel DW, Morris JC, Csernansky JG. Changes in hippocampal volume and shape across time distinguish dementia of the Alzheimer type from healthy aging. 2003; *NeuroImage* 20:667-682.

Watson JM, Balota DA, and Roediger HL. Creating false memories with hybrid lists of semantic and phonological associates: over-addictive false memories produced by converging associative networks. 2003; *Journal of Memory and Language* 49:95-118.

Wilkins CH, Morris JC. Understanding mild cognitive impairment; An overview of diagnosis and management. *Women's Health* 2003; 3(6)309-316.

Xiong C, Yan Y and Ji M. Sample sizes for comparing means of two lifetime distributions with type II censored data: application in an aging intervention study. *Controlled Clinical Trials* 2003; 24:283-293.

Xiong C, Miller JP, Morris JC. Testing correlation of cognitive decline at adjacent stages of dementia. *Journal of Alzheimer's Disease* 2003; 5:409-418.

Yan Y, Hoover DR, Moore RD, and Xiong C. Multivariate estimation of cumulative incidence, prevalence and morbidity time of a disease when death is likely. 2003; *Journal of Clinical Epidemiology* 56:1-7.

Zhukareva V, Sundarraj S, Mann D, Sjogren M, Blenow K, Clark CM, McKeel DW, Goate A, Lippa CF, Vonsattel J-P, Growdon JH, Trojanowski JQ, Lee VM-Y. Selective reduction of soluble tau proteins in sporadic and familial frontotemporal dementia: An international follow-up study. *Acta Pathologica* 2003;105:469-476.

2002

Csernansky JG, Miller JP, McKeel D, Morris JC. Relationships among CSF biomarkers in dementia of the Alzheimer type. *ADAD* 2002; 16:3:144-149.

- Csernansky JG, Wang L, Jones D, Rastogi-Cruz D, Posener JA, Heydebrand G, Miller JP, Miller MI. Hippocampal deformities in schizophrenia characterized by high dimensional brain mapping. *Am J Psychiatry* 2002; 159:2000-2006.
- DeMattos RB, Bales KR, Cummins DJ, Paul SM, Holtzman DM. Brain to plasma amyloid- β efflux: a measure of brain amyloid burden in a mouse model of Alzheimer's disease. *Science* 2002; 295:2264-2267.
- DeMattos RB, Bales KR, Parsadanian M, O'Dell MA, Foss EM, Paul SM, Holtzman DM. Plaque-associated disruption of CSF and plasma amyloid- β (A β) equilibrium in a mouse model of Alzheimer's disease. *J. Neurochem.* 2002; 81:229-236.
- DeMattos RB, O'dell MA, Parsadanian M, Taylor JW; Harmony JAK, Bales KR, Paul SM, Aronow BJ, Holtzman DM. Clusterin promotes amyloid plaque formation and is critical for neuritic toxicity in a mouse model of Alzheimer's disease. *PNAS* 2002; 99:10843-10848.
- Dobbs BM, Carr DB, Morris JC. Evaluation and management of the driver with dementia. *The Neurologist* 2002; 8: 61-70.
- Galvin JE, Lee SL, Perry A, Havlioglu N, McKeel DW, and Morris JC. Familial dementia with Lewy bodies: Clinicopathologic analysis of two kindreds. *Neurology* 2002; 59:1079-1082.
- Galvin JE, Palmer JL, Morris JC. Mild cognitive impairment represents early Alzheimer's Disease. In: Vellas B, Fitten LJ, Winbald B, Feldman H, Grundman M, Giacobini E, Kurz A. (Eds) Research and practice in Alzheimer's Disease (Volume 6). New York: Springer Publishing Company, 2002, pp. 38-42.
- Golland P, Fischl B, Spiridon M, Kanwisher N, Buckner RL, Shenton ME, Kikinis R, Dale A, Grimson WEL. Discriminative analysis for image-based studies. *LNCS* 2002; 2488:508-515.
- Han X, Holtzman DM, McKeel DW Jr, Kelley J, Morris JC. Substantial sulfatide deficiency and ceramide elevation in very early Alzheimer's disease: potential role in disease pathogenesis . *J. Neurochem* 2002; 82:809-818.
- Jong JYI, Dalemar LR, Seehra K, Baenziger NL. Bradykinin receptor modulation in cellular models of aging and Alzheimer's disease. *Int'l Immunopharm* 2002; 2:1833-1840.
- Karlawish JHT, Knopman D, Clark CM, Morris JC, Marson D, Whitehouse PJ, Kawas CH. Informed consent for Alzheimer's Disease clinical trials: A

- survey of clinical investigators. IRB: Ethics & Human Research 2002; 24:5:1-5.
- Kopan R, Goate A. Aph-2/Nicastrin: an essential component of γ -secretase and regulator of notch signaling and presenilin localization. *Neuron* 2002; 33:321-324.
- Lambert JC, Araria-Goumidi L, Myllykangas L, Ellis C, Wang JC, Bullido MJ, Harris JM, Artiga MJ, Hernandez D, Kwon JM, Frigard B, Petersen RC, Cumming AM, Pasquier F, Sastre I, Tienari PJ, Frank A, Sulkava R, Morris JC, St. Clair D, Mann DM, Wavrant-DeVrière F, Ezquerra-Trabalón M, Amouyel P, Hardy J, Haltia M, Valdivieso F, Goate AM, Pérez-Tur J, Lendon CL, and Chartier-Harlin MC. Contribution of *APOE* promoter polymorphisms to Alzheimer's disease risk. *Neurology* 2002;59:59-66.
- Li Y, Knisely JM, Lu W, McCormick LM, Wang J, Henkin J, Schwartz AL, Bu G. LDL receptor-related protein 1B impairs urokinase receptor regeneration on the cell surface and inhibits cell migration. *J Biol Chem* 2002; 277:42366-42371.
- Logan JM, Sanders AL, Snyder AZ, Morris JC, Buckner RL. Under-Recruitment and Nonselective Recruitment: Dissociable Neural Mechanisms Associated with Aging. *Neuron* 2002; 33: 827-840.
- Lumney JR, Lynn J, Hogan C. Profiles of older medicare decedents. *JAGS* 2002; 50:1108-1112.
- Marwit SJ, Meuser TM. Development and initial validation of an inventory to assess grief in caregivers of persons with Alzheimer's Disease. *The Gerontologist* 2002; 42:1-15.
- McKeel DW Jr, Masliah E, Hansen LA, Morris JC. (Letter to the Editor) Commentary to "Synaptic Pathology in Prefrontal Cortex is Present Only with Severe Dementia". Response by Honer WG, Minger SL, Francis PT. *J Neuropath Exp Neurol* 2002; 61:295-96.
- Melman L, Geuze HJ, Li Y, McCormick LM, van Kerkhof P, Strous GJ, Schwartz AL, Bu G. Proteasome regulates the delivery of LDL receptor-related protein (LRP) into the degradation pathway. *Mol Biol Cell* 2002; 13:3325-3335.
- Morris JC. Challenging assumptions about Alzheimer's disease: mild cognitive impairment and the cholinergic hypothesis. *Annals of Neurology* 2002; 51(2):143-144.

- Myers A, De-Vrieze FW, Holmans P, Goate A et al. Full genome screen for Alzheimer disease: Stage II analysis. *Am J Med Genetics* 2002; 114:235-244.
- Narita M, Holtzman DM, Fagan AM, LaDu MJ, Yu L, Han X, Gross RW, Bu G, Schwartz AL. Cellular catabolism of lipid poor apolipoprotein E via cell surface LDL receptor-related protein. *J Biochem* 2002; 132:743-749.
- Perkinson MA. Online ethnography: Studying group dynamics of a virtual community of dementia caregivers. In Rowles G. & Schoenber N (eds) *Qualitative Gerontology*, 2nd ed, New York: Springer 2002.
- Powlishta KK, Von Dras DD, Stanford A, Carr DB, Tsering C, Miller JP, Morris JC. The clock drawing test as a screen for very mild dementia: A comparison of six scoring methods. *Neurology* 2002; 59:898-903.
- Quiroz Gaviria YT, Bobbes León MA, Lopera Restrepo FJ. Potenciales relacionados con eventos en donominacion de figures en la enfermedad de Alzheimer. *Interamerican Journal of Psychology* 2002; 36:333-352.
- Roe CM, Anderson MJ, Spivack B. How may patients complete and adequate trial of donepezil? *ADAD* 2002; 16:49-51.
- Roe CM, McNamara AM, Motheral BR. Use of chronic medications among a large, commercial-insured US population. *Pharmacoepidemiology and Drug Safety* 2002; 11:301-309.
- Storandt M, Grant EA, Miller PJ, Morris JC. Rates of progression in mild cognitive impairment and early Alzheimer disease. *Neurology* 2002; 59:1034-1041.
- Zhou Y, Zhang W, Easton R, Ray JW, Lampe P, Jiang Z, Brunkan AL, Goate A, Johnson EM, Wu JY. Presenilin-1 protects against neuronal apoptosis caused by its interacting protein PAG. *Neurobiology of Disease* 2002; 9:126-138.

2001

- Abraham R, Myers, A, Hamshere M, Thomas H, Marshall H, Spurlock G, Turic D, Kwon J, Morris JC, Norton J, Wavrant De Frieze F, Petersen R, Hoogendorn B, Liolitsa D, Lovestone S, Hardy J, Goate A., O'Donovan M, Williams J, Owen M, Jones L. Substantial linkage disequilibrium across the insulin degrading enzyme locus but no association with late onset Alzheimer's disease. *Human Genetics* 2001; 109: 646-652.

- Balota DA, Burgess GC, Cortese MJ, Adams DR. Memory for the infrequent in young, old, and early stage Alzheimer's disease: Evidence for two types of familiarity in episodic recognition performance. *J Mem Language*. 2001
- Balota DA, Faust M. Attention in dementia of the Alzheimer's type. In F. Boller, S. Cappa (Eds). Handbook of Neuropsychology, 2nd Ed., Vol. 6. Elsevier Science Publishers, 2001.
- Bu G. The roles of receptor-associated protein (RAP) as a molecular chaperone for members of the LDL receptor family. *Int Rev Cytol* 2001; 209: 79-116.
- Buckner RL, Logan JM. Frontal contributions to episodic memory encoding in the young and elderly. *Cog Neurosci Mem Encoding Retrieval*. 6/01
- Buckner RL, Wheeler ME. The cognitive neuroscience of remembering. *Nature Reviews Neuroscience* 2001; 2:624-634.
- Chapman T, McKeel DW, Morris JC. Misleading results with the 14-3-3 assay for the diagnosis of Creutzfeldt-Jakob disease-Reply (Letter). *Neurology* 2001; 56: 986.
- Csernansky JG. Structural MRI as a tool for the study of neurotoxicity and neurodegenerative disorders. *J Anal Toxicology* 2001; 25:414-218.
- DeMattos RB, Bales KR, Cummins DJ, Dodart J-C, Paul SM, Holtzman DM. Peripheral anti-A β antibody alters CNS and plasma A β clearance and decreases brain A β burden in a mouse model of Alzheimer's disease. *PNAS* 2001; 98:8850-8855.
- DeMattos RB, Brendza RP, Heuser JE, Kierson M, Cirrito JR, Fryer JD, Sullivan PM, Fagan AM, Han X, Holtzman DM. Purification and characterization of astrocyte-secreted apolipoprotein E and J-containing lipoproteins from wild-type and human apoE transgenic mice. *Neurochem. Int.* 2001; 39: 415-425.
- Faust, ME, Balota DA, Spieler DH. Building episodic connections: Changes in episodic priming with age and dementia. *Neuropsychology* 2001; 15:626-637.
- Galvin JE, Lee VM-Y, Trojanowski JQ. Synucleinopathies. *Arch Neurol* 2001; 58:186-190.
- Goldman WP, Morris JC. Evidence that age-associated memory impairment is not a normal variant of aging. *Alz Dis Assoc Disord* 2001; 15:72-79.

- Goldman WP, Price JL, Storandt M, Grant EA, McKeel Jr DW, Rubin EH, Morris JC. Absence of cognitive impairment or decline in preclinical Alzheimer's disease. *Neurology* 2001; 56:361-367.
- Grundman M, Kim HT, Salmon D, Storandt M....Thal L, ADC Neuropsychological Database Initiative. The Alzheimer's Disease Centers' Neuropsychological Database Initiative: A resource for Alzheimer's disease prevention trials. In Iqbal K, Sisodia SS, Winblad B (Eds). Alzheimer's Disease: Advances in Etiology, Pathogenesis and Therapeutics. John Wiley & Sons, Ltd., 2001; 13:129-140.
- Grutzendler J, Morris JC. Cholinesterase inhibitors for Alzheimer's disease. Review article in *Drugs* 2001;61:41-52.
- Hadland B, Manley NR, Su D-M, Longmore GD, Moore CH, Wolfe MS, Schroeter EH, Kopan R. γ -Secretase inhibitors repress thymocyte development. *PNAS* 2001;98:7487-7491.
- Han BH, DeMattos RB, Dugan LL, Kim-Han JS, Brendza R, Fryer JD, Kierson M, Cirrito J, Quick K, Harmony JAK, Aronow BJ, Holtzman DM. Clusterin contributes to caspase-3 independent brain injury following neonatal hypoxia- ischemia. *Nature Medicine* 2001; 7: 338-343.
- Han X, Holtzman DM, McKeel D. Plasmalogen deficiency in early Alzheimer's disease subjects and in animal models: Molecular characterization using electrospray ionization mass spectroscopy. *J Neurochemistry* 2001; 77: 1168-1180.
- Johnson KA, Lopera F, Jones K, Becker A, Sperling R, Hilson J, Londono J, Siegert I, Arcos M, Moreno S, Madrigal L, Ossa J, Pineda N, Ardila A, oselli M, Albert M, Kosik K, Rios A, Presenilin-1-associated abnormalities in regional cerebral perfusions. *Neurology* 2001; 56:11:1545-1551.
- Josephson SA, Schmidt RE, Millsap P, McManus DQ, Morris JC. Autosomal dominant Kufs' disease: A cause of early onset dementia. *J Neurol Sci* 2001; 188:51-60.
- Kovach ML, Waggoner B, Leal SM, Gelber D, Khardori R, Morris JC. et al. Clinical delineation and localization to chromosome 9;13.3-p12 of a unique dominant disorder in four families: Hereditary inclusion body myopathy, Paget disease of the bone, and frontotemporal dementia. *Mol Genetics Metab* 2001; 74:458-475.
- LaDu MJ, Shah JA, Reardon CA, Getz GS, Bu G, Hu J, Guo L, Van Eldik LJ. Apolipoprotein E and apolipoprotein E receptors modulate Abeta-induced glial neuroinflammatory responses. *Neurochem Int* 2001; 39: 427-434.

- Li Y, Cam J, Bu G. Low-Density Lipoprotein receptor family: endocytosis and signal transduction. *Mol Neurobiol* 2001; 23: 53-67.
- Li Y, Lu W, Marzolo MP, Bu G. Differential functions of members of the LDL receptor family suggested by their distinct endocytosis rates. *J Biol Chem* 2001; 276: 18000-18006.
- Li Y, van Kerkhof P, Marzolo MP, Strous GJ, Bu G. Identification of a major PKA phosphorylation site within the cytoplasmic tail of LRP: implication for receptor-mediated endocytosis. *Mol Cell Biol* 2001; 21: 1185-1195.
- Liu CX, Li Y, Obermoeller-McCormick LM, Schwartz AL, Bu G. The putative tumor suppressor LRP1B, a novel member of the LDL receptor family, exhibits both overlapping and distinct properties with the LDL receptor-related protein (LRP). *J Biol Chem* 2001; 276: 28889-28896.
- Lopera F. Clinical history in the study of a patient with dementia. *Rev Neurol*. 2001; 32:12:1187-91.
- Masliah E, Mallory M, Alord M, DeTeresa R, Hansen LA, McKeel Jr DW, Morris JC. Altered expression of synaptic proteins occurs early during progression of Alzheimer's disease. *Neurology* 2001; 56:127-129.
- Melman L, Cao Z, Rennke S, Marzolo MP, Wardell MR, Bu G. High affinity binding of receptor-associated protein to heparin and LDL receptor-related protein requires similar basic amino acid sequence motifs. *J Biol Chem* 2001; 276: 29338-29346.
- Meuser TM, Marwit SJ. A comprehensive, stage-sensitive model of grief in dementia caregiving. *Gerontologist* 2001; 41:658-670.
- Mohs RC, Doody RS, Morris JC, Leni JR, Rogers SL, Perdomo CA, Pratt RD, for the "312" Study Group. A 1-year placebo-controlled preservation of functional survival study of Donepezil in AD patients. *Neurology* 2001; 57: 481-488.
- Morris JC Storandt M, Miller JP, McKeel DW Jr, Price JL, Berg L. Mild cognitive impairment represents early-stage Alzheimer's disease. *Arch Neurol* 2001; 58:397-405.
- Morris JC, Balota DA. Semantic dementia versus Alzheimer's disease. *Neurology*. Editorial 2001; 57:173-174.

- Morris JC, Price JL. Pathologic correlates of nondemented aging, mild cognitive impairment, and early stage Alzheimer's disease. *J Mol Neurosci* 2001;17:101-118.
- Morris JC. The evolution of Alzheimer's disease: Clinical criteria and therapeutic options? Live Event. *Medical Crossfire* 2001; 3:37-44.
- Morris JC. (Ed). Therapeutic Continuity in Alzheimer's Disease: Switching Patients to Galantamine. *Clinical Therapeutics* 23 [Suppl. A], A1-A40, 2001
- Myers AJ, Goate AM. The genetics of late-onset Alzheimer's disease. *Curr Opin Neurol* 2001; 14:433-440.
- Nowotny P, Kwon J, Chakraverty S, Nowotny V, Morris JC, Goate AM. Association studies using novel polymorphisms in BACE1 and BACE2. *NeuroReport* 2001; 12: 1799-1802
- Nowotny P., Kwon J. & Goate A. SNP analysis to dissect human traits. *Current opinions in Neurobiol.*2001; 11(5): 637-41.
- Obermoeller-McCormick LM, Li Y, Osaka H, FitzGerald DJ, Schwartz AL, Bu G. Dissection of receptor folding and ligand-binding property with functional minireceptors of LDL receptor-related protein. *J Cell Sci* 2001; 114: 899-908.
- Petersen RC, Doody R, Kurz A, Mohs RC, Morris JC, Rabins P, Ritchie K, Rossor M, Thal L, Winblad B. Current concepts in mild cognitive impairment. *Arch Neurol* 2001; 58: 1985-1992.
- Price JL, Ko AI, Wade MJ, Tsou SK, McKeel DW, Morris JC. Neuron Number in the Entorhinal Cortex and CA1 in Preclinical Alzheimer disease. *Arch Neurol* 2001; 58:1395-1402.
- Price JL, McKeel Jr DW, Morris JC. Synaptic loss and pathological change in older adults—aging versus disease? *Neurobiol Aging* 2001; 22:351-352. Commentary
- Quiroz Gaviria YT, Bobes AM, Arana A, Lopera F. Evaluacioin neurofisiologica de la denominacion en la enfermedad de Alzheimer. *Revista Neuropsicologia, Neuropsiquiatria Y Neurociencias* 2001; 3:155-167.
- Rubin EH, Veiel LL, Kinscherf DA, Morris JC, Storandt M. Clinically significant depressive symptoms and very mild to mild dementia of the Alzheimer type. *Int J Geriatr Psychiatry* 2001; 16:694-701.

- Tractenberg RE, Schafer K, Morris JC. Interobserver disagreements on clinical dementia rating assessment: interpretation. *Alz Dis Assoc Disord* 2001;15:155-161
- Van Kerkhof P, Alves dos Santos CM, Sachse M, Klumperman J, Bu G, Strous GJ. Proteasome inhibitors block a late step in lysosomal transport of selected membrane but not soluble proteins. *Mol Biol Cell* 2001; 12: 2556-2566.
- Velez-Pardo C, Arroyave ST, Lopera F, Castano AD, Del Rio MJ. Ultrastructure evidence of necrotic neural cell death in familial Alzheimer's disease brains bearing presenilin-1 E280A mutation. *Journal of Alzheimer's Disease* 2001, 3:409-415.
- Villareal DT, Binder EF, Williams DB, Schechtman KB, Yarasheski KE, Kohrt WM. Bone mineral density response to estrogen replacement in frail elderly women. *JAMA* 2001; 286:815-820.
- Watson JM, Balota DA, Sergent-Marshall, SD. Semantic, phonological, and hybrid veridical and false memories in healthy older adults and in individuals with dementia of the Alzheimer's type. *Neuropsychol* 2001; 15:254-267.
- Winblad B, Brodaty H, Gauthier G, Morris JC, Orgogozo J-M, Rockwood K, Schneider L, Takeda M, Tariot P, Wilkinson D. Pharmacotherapy of Alzheimer's disease: is there a need to redefine treatment success? *Int J Geriatr Psychiatry* 2001: 16:653-666.

2000

- Aisen PS, Davis KL, Berg JD, Shafer MS, Morris JC, Coats M et al (Members of the Alzheimer's Disease Cooperative Study). A randomized controlled trial of prednisone in Alzheimer's disease. *Neurology* 2000; 54:588-593.
- Ardila A, Lopera F, Rosselli M, Moreno S, Madrigal L, Arango-Lasprilla JC, Arcos M, Murcia C, Arango-Viana JC, Ossa J, Goate A, Kosik KS. Neuropsychological profile of a large kindred with familial Alzheimer's disease caused by the E280A single presenilin-1 mutation. *Arch Clin Neuropsychol*. 2000 Aug;15(6):515-28.
- Balota DA, Law MB, Zevin JD. The attentional control of lexical processing pathways: Reversing the word-frequency effect. *Memory & Cognition*, 10/2000.
- Balota DA, Pilotti M, Cortese MJ. Subjective frequency estimates for 2,938 monosyllabic words. *Mem & Cognition*, 10/2000.

- Balota, D.A., Dolan, P.O., & Duchek, J.M. (2000). Memory changes in healthy young and older adults. To appear in: E. Tulving, and F.I.M. Craik, *Handbook of Memory*, Oxford University Press, 3/2000.
- Balota, DA, Burgess GC, Cortese MJ, Adams DR. Memory for the infrequent in young, old, and early-stage Alzheimer's disease: Evidence for two types of familiarity in episodic recognition performance. Mirror effects and familiarity in health aging and in Alzheimer's disease. *Journal of Memory and Language*, 10/2000.
- Balota, DA, Faust M. Attention in dementia of the Alzheimer's type. *Handbook of Neuropsychology*. 10/2000.
- Baum MC, Perlmuter M, Edwards DF. Measuring function in Alzheimer's disease. *Alz Care Quarterly* 2000; 1:44-61.
- Brown LB, Storandt M. Sensitivity of category cued recall to very mild dementia of the Alzheimer type. *Arch Clin Neuropsychol* 2000;15:529-534.
- Buckner RL, Snyder AZ, Sanders AL, Raichle ME, Morris JC. Functional brain imaging of young, nondemented, and demented older adults. *J Cog Neurosci* 2000;12:24-34.
- Carr, DB. The Older Adult Driver. *American Family Physician* 2000; 61.
- Carr DB, Duchek J, Morris JC. Characteristics of motor vehicle crashes of drivers with dementia of the Alzheimer type. *J Am Geriatr Soc* 2000; 48:18-22.
- Carr DB, Gray S, Baty J, Morris JC. The value of informant versus individual's complaints of memory impairment in early dementia. *Neurology* 2000; 55:1724-1726.
- Chapman T, McKeel Jr DW, Morris JC. Misleading results with the 14-3-3 assay for the diagnosis of Creutzfeldt-Jakob disease. *Neurology* 2000; 55:1396-1397.
- Cronin-Stubbs D, DeKosky ST, Morris JC, Evans DA. Promoting interactions with basic scientists and clinicians: the NIA Alzheimer's Disease Data Coordinating Center. In Kryscio RJ, Schmitt FA (Eds). Statistics in Medicine. John Wiley & Sons, Ltd. 2000;19:1453-1461.
- Csernansky JG, Wang L, Joshi S, Miller JP, Gado M, Kido D, McKeel D, Morris JC, Miller MI. Early DAT is distinguished from aging by high-dimensional mapping of the hippocampus. *Neurology* 2000; 55:1636-1643.

- Fagan AM, Younkin LH, Morris JC, Fryer JD, Cole TG, Younkin SG, Holtzman DM. Differences in the A β 40/A β 42 ratio associated with cerebrospinal fluid lipoproteins as a function of apolipoprotein E genotype. *Ann Neurol* 2000; 48:201-210.
- Farber NB, Rubin EH, Newcomer JW, Kinscherf DA, Miller JP, Morris JC, Olney JW, McKeel Jr DW. Increased neocortical neurofibrillary tangle density in subjects with Alzheimer disease and psychosis. *Arch Gen Psychiatry* 2000; 57:1165-1173.
- Holtzman DM, Bales KR, Tenkova T, Fagan AM, Parsadanian M, Sartorius LJ, Mackey B, Olney J, McKeel D, Wozniak D, Paul SM. Apolipoprotein E isoform-dependent amyloid deposition and neuritic degeneration in a mouse model of Alzheimer's disease. *PNAS USA* 2000; 97:2892-2897.
- Huppert SS, Le A, Schroeter EH, Mumm JS, Saxena MT, Milner LA, Kopan R. Embryonic lethality in mice homozygous for a processing-deficient allele of Notch1. *Nature* 2000; 405:966-970.
- Kwon JM, Nowotny P, Shah PK, Chakraverty S, Norton J, Morris JC, Goate AM. Tau polymorphisms are not associated with Alzheimer's disease. *Neuroscience Letters* 2000; 284:77-80.
- LaDu MJ, Shah JA, Reardon CA, Getz GS, Bu G, Hu J, Guo L, Van Eldik LJ. Apolipoprotein E receptors mediate the effects of β -amyloid on astrocyte cultures. *J Biol Chem* 2000; 275: 33974-33980.
- Li Y, Marzolo MP, van Kerkhof P, Strous GJ, Bu G. The YXXL motif, but not the two NPXY motifs, serves as the dominant endocytosis signal for low density lipoprotein receptor-related protein. *J Biol Chem* 2000;275: 17187-17194.
- Liu Y, Jones M, Hingtgen CM, Bu G, Larabee N, Tanzi RE, Moir RD, Nath A, He JJ. Uptake of human immunodeficiency virus-1 Tat protein mediated by low-density lipoprotein receptor-related protein disrupts the neuronal metabolic balance of ligands for low-density lipoprotein receptor-related protein. *Nature Med* 2000; 6: 1380-1387.
- Marzolo MP, Bernhardt R, Bu G, Inestrosal NC. Expression of α_2 -macroglobulin receptor/low density lipoprotein receptor-related protein (LRP) in rat microglial cells. *J Neurosci Res* 2000; 60: 401-411.
- Morris JC, Goldman WP. Evaluating the cognitive changes of normal and pathologic aging. In: Maj M, Sartorius N (Eds). WPA Series Evidence & Experience in Psychiatry: Dementia. John Wiley & Sons, Ltd., 2000; 3:179-182.

- Morris JC, Hurst E, McKeel DW, Price JL, Rubin E, Grant EA, Berg L. Healthy brain aging in nonagenarians and centenarians. *Neurobiol Aging* 2000;21(1S):S280-S281.
- Morris JC. Alzheimer's disease: Translating neurochemical insights into clinical benefits. *Academic Highlights, J Clin Psychiatry* 2000; 61:791-802. (Satellite Symposium World Alzheimer's Congress 2000).
- Morris JC. Foreword. In Scinto L, Daffner KR (Eds). Early Diagnosis of Alzheimer's Disease. Humana Press, NJ, 2000, vii-viii.
- Morris JC. Frontotemporal dementias. In Clark CM, Trojanowski JQ (Eds). Neurodegenerative Dementias: Clinical Features and Pathological Mechanisms. McGraw-Hill, NY, 2000, 21:279-290.
- Morris JC. Is cognitive decline inevitable? *Neurology Reviews*; October 2000:35-38, World Alzheimer Congress.
- Morris JC. Lewy body variant of Alzheimer's disease. *J Watch Neurol* 2000; 1:7.
- Morris, JC. Alzheimer's disease: Unique, differentiable, and treatable. 52nd Annual Meeting of the American Academy of Neurology, April 29 – May 6, 2000, San Diego, CA.
- Morris, JC. Controversies in Alzheimer's disease. 52nd Annual Meeting of the American Academy of Neurology, April 29 – May 6, 2000, San Diego, CA. 1KP.012-1-1KP.012-6.
- Morris, JC. Dementia therapy. 52nd Annual Meeting of the American Academy of Neurology, April 29 – May 6, 2000, San Diego, CA. 5TP.001-5TP-5TP.006.
- Morris, JC. The nosology of dementia. In *Dementia*, 2000; vol. 18:773-788.
- Mulnard RA, Cotman CW, Kawas C, van Dyck CH, Sano M, Doody R, Koss E. Alzheimer's Disease Cooperative Study. Estrogen replacement therapy for treatment of mild to moderate Alzheimer disease. *JAMA* 2000; 283:1007-1015.
- Myers A, Holmans P, Marshall H, Kwon J, Meyer D, Ramic D, Shears S, Booth J, Wavrant DeVrieze F, Crook R, Hamshere M, Abraham R, Tunstall N, Rice F, Carty S, Lillystone S, Kehoe P, Rudrasingham V, Jones L, Lovestone S, Perez-Tur J, Williams J, Owen MJ, Hardy J, Goate AM. Susceptibility locus for Alzheimer's disease on Chromosome 10. *Science* 2000; 290:2304-2305.

- Petersen RC, Graff-Radford N, Morris JC. Case studies in Alzheimer's disease. 52nd Annual Meeting of the American Academy of Neurology, April 29 – May 6, 2000, San Diego, CA. 7AS.001-1-7AS.001-41.
- Price JL, Rubin EH, Morris JC: Revisiting Alzheimer's disease from a new prospective: Can "risk factors" play a key role? Commentary. *J Alz Dis* 2000; 2:113-114.
- Rockwood K, Strang D, MacKnight C, Downer R, Morris JC. Interrater reliability of the Clinical Dementia Rating in a multicenter trial. *JAGS* 2000; 48:558-559.
- Rubin EH, Price JL, Storandt M, Morris JC. Pathologic-clinical-psychometric-diagnostic relationships in individuals with and without Dementia of the Alzheimer's type. In: Research and Practice in Alzheimer's Disease and Other Dementias, 2000; Vol. 3, pp. 19-23.
- Spieler DH, Balota DA, Faust ME. Levels of selective attention revealed through analyses of response time distributions. *J Exp Psychol* 2000; 26:506-526.
- Spieler DH, Balota DA. Factors influencing word naming in younger and older adults. *Psychol Aging* 2000; 15:225-231.
- Tariot PN, Solomon PR, Morris JC, Kershaw P. A 5-month randomized, placebo-controlled trial of galantamine in Alzheimer's disease. *Neurology* 2000; 54:2269-2276.
- Uboga NV, Price JL. Formation of diffuse and fibrillar tangles in aging and early Alzheimer's disease. *Neurobiol Aging* 2000; 21:1-10.
- Wang JC, Kwon JM, Shah P, Morris JC, Goate A. Effect of APOE genotype and promoter polymorphism on risk on Alzheimer's disease. *Neurology* 2000; 55:1644-1649.
- Wichman A, Cahill M. Research involving persons with cognitive impairments: Results of a survey of Alzheimer Disease Research Centers in the United States. *Alz Dis Assoc Disord* 2000; 14:20-27. (Morris' file)
- Zevin, J.D., Balota, D.A.. Priming and attentional control of lexical and sublexical pathways during naming. *J Exp Psychol: Learning, Memory, and Cognition*, 2000; 26:121-136.
- Zhuo M, Holtzman DM, Li Y, Osaka H, DeMaro J, Jacquin M, Bu G. Role of tissue plasminogen activator receptor LRP in hippocampal long-term potentiation. *J Neurosci* 2000; 20:542-549.

1999

- Balota DA, Cortese MJ, Duchek JM, Adams D, Roediger III HL, McDermott KB, Yerys BE. Veridical and false memories in health older adults and in dementia of the Alzheimer's type. *Cog Neuropsychol* 1999;16:631-384.
- Balota DA, Watson JM, Duchek JM, Ferraro FR. Cross-modal semantic and homograph priming in healthy young, healthy old, and in Alzheimer's disease individuals. *J International Neuropsychol Soc*, 1999;5:626-640.
- Balota, D.A., & Spieler, D. Word frequency, repetition, and lexicality effects in word recognition tasks: Beyond measures of central tendency. *J Exp Psychol: General*, 1999;128:32-55.
- Balota, D.A., Paul, S., Spieler, D. Attentional control of lexical processing pathways during word recognition and reading. In: S. Garrod & M. Pickering (Eds). Language Processing, Psychology Press, Inc., 1999; pages 15-49.
- Brownan-Watters G, Wozniak DF, Nardi A, Olney JW. Parallel recovery of MK-801-induced spatial learning impairment and neuronal injury in male mice. *Pharmacol Biochem Behavior* 1999; 62:111-122.
- Buckner R.L., T.S. Braver. Event-related functional MRI. In: Functional MRI. C. T. W. Moonen and Bandettini, ed. Mauer, Germany: Springer-Verlag, 1999.
- Buckner RL, Kelley WM, Petersen SE. Frontal cortex contributes to human memory formation. *Nature Neurosci* 1999; 2:311-314.
- Carr D, Rebok GW. The older driver. In: Gallo JJ, Fulmer T, Paveza GJ, and Reichel W (Eds). Handbook of Geriatric Assessment. Gaithersburg, MD: Aspen Publications, Inc. 1999, 149-157.
- Carr DB. Driving and the older adult. In: Gallo JJ, Busby-Whitehead J, Rabins PV, Silliman RA, Murphy JB (Eds.) Reichel's Care of the Elderly. 5th ed. Baltimore, MD: Lippincott, Williams & Wilkins, 1999, 726-738.
- Chapman LL, White DA. Long-term memory contributions to short-term memory in individuals with dementia of the Alzheimer type. *Neuropsychology* 1999.
- Clark CM, Sheppard L, Fillenbaum GG, Galasko D, Morris JC, Koss E, Mohs R, Heyman A, CERAD Investigators. Variability in annual mini-mental state examination score in patients with probable Alzheimer's disease. *Arch Neurol* 1999; 56:857-862.
- De Strooper B, Annaert W, Cupers P, Saftig P, Craessaerts K, Mumm JS, Schroeter EH, Schrijvers V, Wolfe MS, Ray WJ, Goate A, Kopan R. A

presenilin-1 dependent γ -secretase-like protease mediates release of notch intracellular domain. *Nature* 398:518-522, 1999.

Dominguez JC, Morris JC. Vascular dementia and Alzheimer's disease: Making the differential diagnosis. In: Service M (Ed). Alzheimer's Disease: Management Today. Clifton, NJ" Partners in Medical Communications, 1999, pp 3-10.

Edwards DF, Baum CM, Meisel M, Depke M, Williams J, Braford T, Morrow-Howell N, Morris JC: Home-based multidisciplinary diagnosis and treatment of inner city elders with dementia. *Gerontologist* 1999; 39:483-288.

Fagan AM, Holtzman DM, Munson G, Mathur T, Schneider D, Chanag LK, Getz GS, Reardon CA, Lukens J, Shah JA, LaDu MJ. Unique lipoproteins secreted by primary astrocytes from wild type, *apoE* (-1-), and human *apoE* transgenic mice. *J Biol Chem* 1999; 274:30001-30007.

Faust, M.E., Balota, D.A., Spieler, D.H., Ferraro, R.F. Individual differences in information processing rate and amount: Implications for group differences in response latency. *Psychol Bull* 1999;125:777-799.

Ferraro, Richard, F., & Balota, David A. (1999). Memory scanning performance in healthy young adults, healthy older adults, and individuals with dementia of the Alzheimer's Type. *Aging Neuropsychol Cognition* 1999; 6:260-272.

Fiez, J.A., Balota, D.A., Raichle, M.E., Petersen, S.E. Effects of frequency, spelling-to-sound consistency, and lexicality on the functional anatomy of reading, *Neuron* 1999; 24:205-218.

Froelich S, Houlden H, Rizzu P, Chakraverty S, Baker M, Kwon J, Nowotny P, Isaacs A, Nowotny V, Wauters E, van Baren MJ, Oostra BA, Hardy J, Lannfelt L, Goate A, Hutton M, Lendon CL, and Heutink P. Construction of a detailed physical and transcript map of the FTDP-17 Candidate region on chromosome 17q21. *Genomics* 1999; 60:129-136.

Gidday JM, Shah AR, Maceren RG, Wang Q, Pelligrino DA, Holtzman DM, Park TS. Nitric oxide mediates cerebral ischemic tolerance in a neonatal rat model of hypoxic preconditioning. *J Cerebral Blood Flow and Metabolism* 1999.

Goldman WP, Baty JD, Buckles VD, Sahrman S, Morris JC. Motor dysfunction in mildly demented Alzheimer's disease subjects without extrapyramidal signs. *Neurology* 1999; 53:956-962.

Heuckeroth RO, Enomoto H, Grider JR, Golden JP, Hanke JA, Jackman A, Molliver DC, Bardgett ME, Snider WD, Johnson Jr EM, Milbrandt J. *Gene*

targeting reveals a critical role for neurturin in the development and maintenance of enteric, sensory, and parasympathetic neurons. *Neuron* 1999; 22:253-263.

Holtzman DM, Bales KR, Wu S, Bhat P, Parsadanian M, Fagan AM, Chang LK, Sun Y, Paul SM. Expression of human apolipoprotein E reduces amyloid-beta deposition in a mouse model of Alzheimer's disease. *J Clin Invest* 1999; 103:R15-R21.

Holtzman DM, LaDu MJ, Fagan AM. Clusterin-spoE lipoprotein particles. In Finch CE (ed) Clusterin In Normal Brain Functions and During Neurodegeneration. May, 1999.

Houlden H, Rizzu P, Stevens M, de Knijff P, van Duijn CM, van Swieten JC, Heutink P, Perez-Tur J, Thomas V, Baker M, Morris H, Rossor M, Janssen JC, Petersen RC, Dodd P, Dark F, Boeve B, Dickson D, Davies P, Pickering-Brown S, Mann D, Adamson J, Lynch T, Payami H, Poorkaj P, Bird T, Schellenberg GD, Chakraverty S, Norton J, Morris JC, Goate A, Hutton M, Hardy J. Apolipoprotein E genotype does not affect the age of onset of dementia in families with defined *tau* mutations. *Neurosci Letters* 1999; 260:193-195.

Izumi Y, Zorumski CF. Norepinephrine promotes long-term potentiation in the adult rat hippocampus *in vitro*. *Synapse* 1999; 31:196-202.

Kawas CH, Clark CM, Farlow MR, Knopman DS, Marson D, Morris JC, Thal LJ, Whitehouse PJ. Clinical trials in Alzheimer disease: Debate on the use of placebo controls. *Alz Dis Assoc Disord* 1999;13:124-129.

Kehoe P, Wavrant-De Vrieze F, Crook R, Goate A et al. A full genome scan for late onset Alzheimer's disease. *Human Mol Gen* 1999; 8:237-245.

Kido DK, Vogler RC, McKeel D, Venkatesan R, Havlioglu N, Gokden M, Lin W. Localization of a myelin layer within the hippocampal formation: MRI and histologic correlation. *Revista di Neuroradiologia* 1999; 12:147-150.

Kowalewski T, Holtzman DM. *In situ* atomic force microscopy study of Alzheimer's β -amyloid peptide on different substrates: New insights into mechanism of β sheet formation. *PNAS* 1999; 96:3688-3693.

Lenze E, Cross D, McKeel D, Neuman RJ, Sheline YI. Whitematter hyperintensities and gray matter lesions in physically healthy depressed subjects. *Am J Psychiatry* 1999; 156:1602-1607.

- Lindesay J, Morris JC. Introduction. In: Wilcock GK, Bucks RS, Rockwood K. (Eds). Diagnosis and Management of Dementia: A Manual for Memory Disorders Teams. Oxford: Oxford University Press 1999; pp. 1-9.
- Morris JC, Petersen RC. Is mild cognitive impairment simply incipient Alzheimer's disease? 51st Annual Meeting of the American Academy of Neurology, April 17-24, 1999, Toronto, Ontario, Canada; 7BS.002-1-7BS.002-5.
- Morris JC. Clinical presentation and course of Alzheimer disease. In Alzheimer Disease, 2nd edition. Terry RD, Katzman R, Bick KL, Sisodia SS (Eds). Lippincott Williams & Wilkins, Philadelphia, 1999; 2:11-24.
- Morris JC. Dementia. In Current Practice of Medicine. Koller WC, Hales RE (Eds). Current Medicine, Inc., Philadelphia, PA. 1999; 2:679-690.
- Morris JC. Ethical issues in research involving individuals with Alzheimer's disease. 51st Annual Meeting of the American Academy of Neurology, April 17-24, 1999, Toronto, Ontario, Canada; 4PC.001-26-4PC.001-33.
- Morris JC. Lewy body variant of Alzheimer's disease. J Watch Neurol 1999; 7-52.
- Morris JC. Is Alzheimer's disease inevitable with age? J Clin Invest 1999; 104:1171-1173.
- Moulder KL, Narita M, Chang LK, Bu G, Johnson Jr EM. Analysis of a novel mechanism of neuronal toxicity produced by an apolipoprotein E-derived peptide. J Neurochem. 1999; 72:1069-1080.
- Moulder KL, Onodera O, Burke JR, Strittmatter WJ, Johnson Jr EM. Generation of neuronal intranuclear inclusions by polyglutamine-GFP: Analysis of inclusion clearance and toxicity as a function of polyglutamine length. J Neurosci 1999; 19:705-715.
- O'Neill D, Carr D. Management of common problems. In Wilcock GK, Bucks RS, Rockwood K, (Eds). Diagnosis and Management of Dementia: A Manual for Memory Disorders Teams. Oxford University Press, 1999, 19:332-363.
- Petersen RC, Graff-Radford N, Knopman D, Morris JC. Case studies in Alzheimer's disease. 51st Annual Meeting of the American Academy of Neurology, April 17-24, 1999, Toronto, Ontario, Canada; 1KP.002-1-1KP.002-46.

- Price JL, Morris JC. Tangles and plaques in nondemented aging and "preclinical" Alzheimer's disease. *Ann Neurol* 1999; 45:358-368.
- Ray WJ, Yao M, Nowotny P, Mumm J, Zhang W, Wu JY, Kopan R, Goate AM. Evidence for a physical interaction between presenilin and Notch. *PNAS* 1999; 96:3263-3268
- Rudrasingham, V., Wavrant-De Vrieze, F., Lambert, J.C., Chakraverty, S., Kehoe, P., Crook, R., Amouyel, P., Wu, W., Rice, F., Perez-Tur, J., Frigard, B., Morris, J.C., Carty, S., Peterson, R., Cottel, D., Tunstall, N., Lovestone, S., Chartier-Harlin, M-C., Goate, A., Hardy, J., Owen, M., Williams, J. Linkage but not association between alpha-2-macroglobulin and late onset Alzheimer's disease. *Nature Genetics* 1999; 22: 17-19.
- Sahadevan S, Rockwood K, Morris JC. Global assessment measures in dementia. In: Gauthier S, (Ed). Clinical Diagnosis and Management of Alzheimer's Disease. Martin Dunitz Ltd. London 1999;11:167-177.
- Schafer K, Thomas R, Morris JC, Mohs RC, Tractenberg R, Ryan-Jones R, Croot K, Coats M, Grundman M, Petersen R, Thal LJ. Standardizing the administration of complex assessment measures in multicenter clinical trials. *Control Clin Trials* 1999; 20:S61.
- Selznick LA, Holtzman DM, Han BH, Gokden M, Srinivasan AN, Johnson Jr EM, Roth KA. *In Situ* immunodetection of neuronal caspase-3 activation in Alzheimer disease. *J Neuropath Exp Neurol* 1999; 58:1020-1026.
- Thal P, Whitehouse J. Clinical trials in Alzheimer disease: debate on the use of placebo controls. *Alzheimer Dis Assoc Disord* 1999;13:124-129.
- Villareal DT, Morris JC. The diagnosis of Alzheimer's disease. *J Alz Dis* 1999; 1:249-263.
- Wavrant-DeVrieze F, Rudrasingham V, Lambert JC, Chakraverty S, Kehoe P, Morris JC, Goate A, Hardy J et al. No association between the alpha-2 macroglobulin I1000V polymorphism and Alzheimer's disease. *Neurosci Letters* 1999; 262:137-139.
- Wavrant-DeVrieze F., Crook, R., Holmans, P., Kehoe, P., Owen, M.J., Williams, J., Roehl, K., Laliiri, D., Shears, S., Booth, J., Wu., W., Goate, A., Chartier-Harlin, M-C., Hardy, J., Perez-Tur, J., Genetics variability at the APP locus may contribute to late-onset Alzheimer's disease. *Neurosci. Lett.* 1999; 269: 67-70.
- Yu SP, Yeh C-H, Strasser U, Tian M, Choi DW. NMDA receptor-mediated K⁺ efflux and neuronal apoptosis. *Science* 1999; 284:336-339.

1998

Aronsson FC, Magnusson P, Andersson B, Karsten SL, Shibasaki Y, Lendon CL, Goate AM, Brookes AJ. The NIK protein kinase and C17ORF1 genes—chromosomal mapping, gene structures and mutational screening in frontotemporal dementia and Parkinsonism linked to chromosome. *Human Genetics* 1998; 103:340-345.

Artiga MJ, Bullido MJ, Frank A, Sastre I, Recuero M, Garcia MA, Lendon C, Han S-W, Morris JC, Vazquez J, Goate A, Valdivieso F. Risk for Alzheimer's disease correlates with transcriptional activity of the APOE gene. *Human Mol Genetics* 1998; 7:1887-1892.

Baloh RH, Gorodinsky A, Golden JP, Tansey MG, Keck CL, Popescu NC, Johnson Jr EM, Milbrandt J. GFR α 3 is an orphan member of the GDNF/neurturin/persephin receptor family. *PNAS* 1998; 95:5801-5806.

Baloh RH, Tansey MG, Lampe PA, Fahrner TJ, Enomoto H, Simburger KS, Leitner ML, Araki T, Johnson Jr EM, Milbrandt J. Artemin, a novel member of the GDNF ligand family supports peripheral and central neurons and signals through the GFR α 3/RET complex. *Neuron* 1998; 21:1291-1302.

Barry DM, Xu H, Schuessler RB, Nerbonne JM. Functional knockout of the transient outward current, long-QT syndrome, and cardiac remodeling in mice expressing a dominant-negative Kv4 alpha subunit. *Circ Res* 1998;83:560-567.

Berg L, McKeel DW Jr, Miller JP, Storandt M, Rubin EH, Morris JC, Baty J, Coats M, Norton J, Goate AM, Price JL, Gearing M, Mirra SS, Saunders AM. Clinicopathologic studies in cognitively healthy aging and Alzheimer's disease: Relation of histologic markers to dementia severity, age, sex, and APOE genotype. *Arch Neurol* 1998; 55:326-335.

Bu G, Schwartz AL. Rap, a novel type of ER chaperone. In D. Sweet, D. Hatton (Eds) Trends in Cell Biology, Elsevier Trends Journals (Reviews) 1998; 8:272-276.

Bu G, Sun Y, Schwartz AL, Holtzman DM. Nerve growth factor induces rapid increases in functional cell surface low density lipoprotein receptor-related protein. *J Biol Chem* 1998; 273:13359-13365.

Bu G. Receptor-associated protein: a specialized chaperone and antagonist for members of the LDL receptor gene family. *Lipidol* 1998; 9:149-155.

- Buckner R.L., J. Goodman, M. Burock, M. Rotte, M. Koutstaal, D.L. Schacter, B. Rosen, A.M. Dale. Functional-anatomic correlates of object priming in humans revealed by rapid presentation event-related fMRI. *Neuron* 1998; 20: 285-296.
- Buckner RL, Koutstaal W. Functional neuroimaging studies of encoding, priming, and explicit memory retrieval. *PNAS USA* 1998; 95:891-898.
- Bullido MJ, Artiga MJ, Recuero M, Sastre I, Garcia MA, Aldudo J, Lendon C, Han SW, Morris JC, Frank A, Vazquez J, Goate A. and Valdivieso F. A polymorphism in the regulatory region of APOE associated with risk for Alzheimer's dementia. *Nature Genetics* 1998;18:69-71.
- Carr DB, LaBarge E, Dunnigan K, Storandt M. Differentiating drivers with dementia of the Alzheimer type from healthy older persons with a traffic sign naming test. *J Gerontol* 1998; 53:M135-M139.
- Cheng Y, Deshmukh M, D'Costa A, Demaro JA, Gidday JM, Shah R, Sun Y, Jacquin MF, Johnson Jr EM, Holtzman DM. Caspase inhibitor affords neuroprotection with delayed administration in a rat model of neonatal hypoxic-ischemic brain injury. *J Clin Invest* 1998;101:1992-1999.
- Deckwerth TL, Easton RM, Knudson CM, Korsmeyer SJ, Johnson Jr, EM. Placement of the BCL2 family member BZX in the death pathway of sympathetic neurons activated by trophic factor deprivation. *Exp Neurol* 1998; 152:150-162.
- Deshmukh M, Johnson Jr EM. Evidence of a novel event during neuronal death: Development of competence-to-die in response to cytoplasmic cytochrome c. *Neuron* 1998; 21:695-705.
- Duchek JM, Balota DA, Thessing VC. Inhibition of visual and conceptual information during reading in healthy aging and Alzheimer's Disease. *Aging, Cog Neuropsychol* 1998; 5:1-13.
- Duchek JM, Hunt L, Ball K, Buckles V, Morris JC. Attention and driving performance in Alzheimer's disease. *J Gerontology: Psychol Sci* 1998; 53B:P130-P141.
- Easton RM, Johnson Jr, EM, Creedon DJ. Analysis of events leading to neuronal death after infection with E1-deficient adenoviral vectors. *Mol Cell Neurosci* 1998; 11:334-347.
- Enomoto H, Araki T, Jackman A, Heuckeroth RO, Snider WD, Johnson Jr, EM, Milbrandt J. GFR α 1-deficient mice have deficits in the enteric nervous system and kidneys. *Neuron* 1998; 21:317-324.

- Fagan AM, Murphy BA, Patel SN, Kilbridge JF, Mobley WC, Bu G, Holtzman DM. Evidence for normal aging of the septo-hippocampal cholinergic system in apoe(-/-) mice but impaired clearance of axonal degeneration products following injury. *Exper Neuro* 1998;151:314-325.
- Farber NB, Newcomer JW, Olney JW. The glutamate synapse in neuropsychiatric disorders. In: Otterson OP, Langmoen IA, Gjerstad L (eds), The Glutamate Synapse as a Therapeutical Target: Molecular Organization and Pathology of the Glutamate Synapse. Amsterdam: Elsevier Science Publishers, Chapter 1998; 28:396-412.
- Franklin JL, Johnson Jr, EM. Control of neuronal size homeostasis by trophic factor-mediated coupling of protein degradation to protein synthesis. *J Cell Biol* 142:1313-1324, 1998.
- Goate AM, Ashall F, Ray WJ. Molecular pathogenesis of sporadic and familial forms of Alzheimer's disease. *Mol Med Today* 1998 April ed.;151-157.
- Goate AM, Lendon CL. Genetic Factors in the Etiology of Alzheimer's Disease. *Mediguide to geriatric neurology*. 1998; 2:1.
- Goate AM, Malin SA, Guo Athena WX, Jafari G, Nerbonne JM. Presenilins upregulate functional k⁺ channel currents in mammalian cells. *Neurobio Dis*. 1998; 4:398-409.
- Goate AM. Monogenetic determinants of Alzheimer's disease – APP mutations. *Cell Mol Life Sci* 1998; 54:897-901.
- Golden JP, Baloh RH, Kotzbauer PT, Lampe PA, Osborne PA, Milbrandt J, Johnson Jr, EM. Expression of neurturin, GDNF, and their receptors in the adult mouse CNS. *J Comp Neurol* 1998; 398:139-150.
- Goldman, WP, Baty JD, Buckles VD, Sahrman S, Morris JC. Cognitive and motor functioning in Parkinson's disease: Subjects with and without questionable dementia. *Arch Neurol* 1998;55:674-680.
- Hellman NE, Grant EA, Goate AM. Failure to replicate a protective effect of allele 2 of NACP/alpha-synuclein polymorphism in Alzheimer's disease: An Association Study. *Ann Neurol* 1998; 44:278-281.
- Heuckeroth RO, Lampe PA, Johnson Jr, EM, Milbrandt J. Neurturin and GDNF proliferation and survival of enteric neuron and glial progenitors *in vitro*. *Devel Biol* 1998;200:116-129.

- Holtzman DM, Fagan AM. Potential role of apoE in structural plasticity in the nervous system: Implications for disorders of the central nervous system. *Trends Cardiovasc Med* 1998;8:250-255.
- Hong M, Zhukareva V, Vogelsberg-Ragaglia V, Wszolek Z, Reed L, Geschwind DH, Bird TD, McKeel D, Morris JC, Wilhelmsen KC, Schellenberg GD, Trojanowski JQ, Lee V M-Y. Mutation-specific functional impairments in distinct *Tau* isoforms of hereditary frontotemporal dementia and Parkinsonism linked to chromosome-17: Genotype predicts phenotype. *Science* 1998; 282:1914-1917.
- Horger BA, Nishimura MC, Armanini MP, Wang L-C, Poulsen KT, Rosenblad C, Kirik D, Moffat B, Simmons L, Johnson Jr, EM, Milbrandt J, Rosenthal A, Bjorklund A, Vandlen RA, Hynes MA, Phillips HS. Neurturin exerts potent actions on survival and function of midbrain dopaminergic neurons. *J Neurosci* 1998;18:4929-4937.
- Hutton M, Lendon CL, Rizzu P, Baker M, Freulich S, Houlden H, Pickering-Brown S, Chakraverty S, Isaacs A, Grover A, Hackett J, Adamson J, Lincoln S, Dickson D, Davies P, Petersen RC, Stevens M, de Graaff E, Wauters E, van Baren J, Hillebrand M, Joosse M, Kwon JM, Nowotny P, Che LK, Norton J, Morris JC, Reed LA, Trojanowski J, Basun H, Lannfelt L, Neystat M, Fahn S, Dark F, Tannenberg T, Dodd PR, Nayward N, Kwok JB, Schofield PR, Andreadis A, Snowden J, Craufurd D, Neary D, Owen F, Oostra BA, Hardy J, Goate A, van Swieten J, Mann D, Lynch T, Heutink P. Association of missense and 5'-splice-site mutations in *tau* with the inherited dementia FTDP-17. *Nature* 1998; 393:702-706.
- Izumi Y, Zorumski CF. LTP in CA1 of the adult rat hippocampus and voltage-activated calcium channels. *NeuroReport* 9:3689-3691, 1998.
- Jiang Z-H, Zhang W-J, Rao Y, Wu JY. Regulation of Ich-1 pre-mRNA alternative splicing and apoptosis by mammalian splicing factors. *PNAS USA* 1998; 95:9155-9160.
- Kanne SM, Balota DA, Spieler D, Faust ME. Explorations of Cohen, Dunbar, and McClelland's (1990) Connectionist Model of Stroop Task Performance. *Psychol Review* 1998;105:174-187.
- Kanne SM, Balota DA, Storandt M, McKeel Jr DW, Morris JC. Relating anatomy to function in Alzheimer's disease: Neuropsychological profiles predict regional neuropathology five years later. *Neurology* 1998; 50:979-985.
- Kelley WM, Miezin FM, McDermott KB, Buckner RL, Raichle ME, Cohen NJ, Ollinger JM, Akbudak E, Conturo TE, Snyder AZ, Petersen SE. Hemispheric specialization in human dorsal frontal cortex and medial

- temporal lobe for verbal and nonverbal memory encoding. *Neuron* 1998;20: 927-936.
- LaBarge E, Von Dras D, Wingbermuehle C. An analysis of themes and feelings from a support group for people with Alzheimer's disease. In Psychotherapy: Theory/Research/Practice/Training. Abeles N (ed), 1998; 35, 537-544.
- LaDu MJ, Gilligan SM, Lukens JR, Cabana VG, Reardon CA, Van Eldik LJ, Holtzman DM. Nascent astrocyte particles differ from lipoproteins in CSF. *J Neurochem* 1998;70:2070-2081.
- Lendon CL, Goate AM. Genetic factors in the etiology of Alzheimer's disease. In (eds.) E. Kurzius, S.T. Dekosky, G.W. Small . Mediguide to Geriatric Neurology. DellaCorte Publications, New York, NY, 1998.
- Lendon CL, Lynch T, Norton J, McKeel DW..Morris JC, Goate AM. Hereditary dysphasic disinhibition dementia; a frontotemporal dementia linked to 17q21-22. *Neuro* 1998; 50:1546-1555.
- Mayeux RH, Saunders AM, Shea S, Mirra S, Evans D, Roses AD, Hyman BT, Crain B, Tang M-X, Phelps CH for the ADC Consortium on Apolipoprotein E and Alzheimer's Disease. Utility of the apolipoprotein E genotype in the diagnosis of Alzheimer's disease. *N Engl J Med* 1998; 338:506-511.
- Milbrandt J, de Sauvage FJ, Fahrner TM, Baloh RH.....Johnson Jr EM et al. Persephin, a novel neurotrophic factor related to GDNF and neurturin. *Neuron* 1998; 20:1-20.
- Morris JC, Cyrus PA, Orazem J, Mas J, Bieber F, Ruzicka BB, Gulanski B. Metrifonate benefits cognitive, behavioral, and global function in patients with Alzheimer's disease. *Neurology* 1998; 50:1222-1230.
- Nerbonne JM. Regulation of voltage-gated K⁺ channel expression in the developing mammalian myocardium. *J Neurobiol* 1998; 37:37-59.
- Newcomer JW, Craft S, Askins K, Bardgett ME, Csernansky JG, Gagliardi AE, Volger G. Glucocorticoid interactions with memory function in schizophrenia. *Psychoneuroendoc* 1998; 23:65-72.
- Nochlin D, Bird TD, Nemens EJ, Ball MJ, Sumi SM. Amyloid angiopathy in a Volga German family with Alzheimer's disease and a presenilin-2 mutation (N¹⁴¹I). *Ann Neurol* 1998; 43:131-135.
- Obermoeller LM, Chen Z, Schwartz AL, Bu G. Ca²⁺ and Receptor-associated protein are independently required for proper folding and disulfide bond

- formation of the low density lipoprotein receptor-related protein. *J Biol Chem* 1998; 273:22374-22381.
- Parsadanian AS, Yu C, Keller-Peck CR, Holtzman DM, Snider WD. Bcl-x_L is an antiapoptotic regulator for postnatal CNS neurons. *J Neurosci* 1998; 18:1009-1019.
- Parsian A, Racette B, Zhang ZH, Chakraverty S, Rundle M, Goate A, Perlmutter JS. Mutation, sequence analysis and association studies of α -synuclein in Parkinson's disease. *Neurology* 1998; 5:1757-1759.
- Pauly PC, Harris DA. Copper stimulates endocytosis of the prion protein. *J Biol Chem* 1998; 273:33107-33110.
- Rodig, SJ, Meraz MA, White JM, Lampe PA, Riley JK, Arthur CD, King KL, Sheehan KCF, Yin L, Pennica D, Johnson Jr, EM, Schreiber RD. Disruption of the *Jak1* gene demonstrates obligatory and nonredundant roles of the Jaks in cytokine-induced biologic responses. *Cell* 1998; 93:373-383.
- Rubin EH, Storandt M, Miller JP, Kinscherf DA, Grant EA, Morris JC, Berg L. A prospective study of cognitive function and onset of dementia in cognitively healthy elders. *Arch Neurol* 1998; 55:395-401.
- Sheline Y, Miller K, Bardgett M, Csernansky J. Higher cerebrospinal fluid MHPG in subjects with dementia of the Alzheimer type. *Am J Geriatr Psychiatry* 1998; 6:155-161.
- Smith MC, Goldman WP, Janer KW, Baty, Morris JC: Cognitive speed in nondemented Parkinson's disease. *J Internatl Neuropsychol Soc* 1998; 4:584-592.
- Storandt M, Kaskie B, von Dras D. Temporal memory for remote events in healthy aging and dementia. *Psychol Aging* 1998;13:4-7.
- Sun Y, Wu S, Bu G, Onifade MK, Patel SN, LaDu MJ, Fagan AM, Holtzman DM. Glial fibrillary acidic protein-apolipoprotein E (apoE) transgenic mice: Astrocyte-specific expression and differing biological effects of astrocyte-secreted apoE3 and apoE4 lipoproteins. *J Neurosci* 1998;18:3261-3272.
- Tractenberg RE, Schafer K, Thomas RG, Petersen R, Morris JC. Agreement on CDR ratings by committee. *Control Clin Trials* 1998;19:S89.
- Villareal DT, Morris JC. The diagnosis of Alzheimer's disease. *Alzheimer's Dis Review* 3:142-152, 1998.

- Wagner AD, Schacter DL, Rotte M, Koutstaal W, Maril A, Dale AM, Rosen BR, Buckner RL. Building memories: Remembering and forgetting of verbal experiences as predicted by brain activity. *Science* 1998; 281:1188-1191.
- White DA, Murphy CF. Working memory for nonverbal auditory information in dementia of the Alzheimer type. *Arch Clin Neuropsychol* 1998;13:339-347.
- White FA, Keller-Peck CR, Knudson CM, Korsmeyer SJ, Snider WD. Widespread elimination of naturally occurring neuronal death in *bax*-deficient mice. *J Neurosci* 1998; 18:1428-1439.
- Wu WS, Holmans P, Wavrant-DeVrieze F, Shears S, Kehoe P, Crook R, Booth J, Williams N, Perez-Tur J, Roehl K, Fenton I, Chartier-Harlin MC, Lovestone S, Williams J, Hutton M, Hardy J, Owen MJ, Goate AM. Genetic studies on chromosome 12 in late-onset Alzheimer disease. *JAMA* 1998; 280:619-622.
- Zhang W-J, Wu JY. Sip1, a novel RS domain-containing protein essential for pre-mRNA splicing. *Mol Cell Biol* 1998; 18:676-684.
- Zhuo M, Ping L. Silent glutamatergic synapses and nociception in mammalian spinal cord. *Nature* 1998; 393:695-698.

1997

- Altemus KL, Almli CR. Neonatal hippocampal damage in rats: Long-term spatial memory deficits and associations with magnitude of hippocampal damage.
- Arvanitis LA, Miller BG, Seroquel Trial 13 Study Group. Multiple fixed doses of "Seroquel" (Quetiapine) in patients with acute exacerbation of schizophrenia: A comparison with haloperidol and placebo. *Biol Psychiatry* 1997; 42:233-246.
- Ball MJ, Kaye JA, Steiner I. Neocortical temporal lobe sclerosis masquerading as Alzheimer dementia: Does herpes virus encephalopathy protect against Alzheimer's disease? *Clin Neuropathol* 1997; 16:1-12.
- Ball MJ, Murdoch GH. Neuropathological criteria for the diagnosis of Alzheimer's disease. *Neurobiol Aging* 1997;18:S3-S12.
- Baloh RH, Tansey MG, Golden JP, Creedon DJ, Heuckeroth RO, Keck CL, Zimonjic DB, Popescu NC, Johnson Jr EM, Milbrandt J. TrnR2, a novel receptor that mediates neurturin and GDNF signaling through ret. *Neuron* 1997; 18:793-802.

- Balota DA, Black S: Semantic satiation in healthy young and older adults. *Memory and Cognition* 1997; 25:190-202.
- Birge S. The role of estrogen in the treatment of Alzheimer's disease. *Neurology* 1997; 48:S1-S2.
- Bullido MJ, Artiga MJ, Recuero M, Sastre I, Garcia MA, Aldudo J, Lendon C, Han SW, Morris JC, Frank A, Vazquez J, Goate A, Valdivieso F. A polymorphism in the regulatory region of ApoE associated with risk for Alzheimer's dementia. Letter. *Nature Genetics* 1997;18:69-71.
- Carr DB, Goate A, Morris JC. Current concepts in the pathogenesis of Alzheimer disease. *Am J Med.* 1997;103:S35-S105.
- Carr DB. Motor vehicle crashes and drivers with DAT. *Alz Dis Assoc Dis* 1997; 11:38-41.
- Chapman LL, White DA, Storandt M. Prose recall in dementia: A comparison of delay intervals. *Arch Neurol* 1997; 54:15501-1504.
- Cheng Y, Gidday JM, Yan Q, Shah AR, Holtzman DM. Marked age-dependent neuroprotection by brain-derived neurotrophic factor against neonatal hypoxic-ischemic brain injury. *Ann Neurol* 1997; 41:521-529.
- Clark CM, Ewbank D, Lerner A, Doody R, Henderson VW, Panisset M, Morris JC, Fillenbaum GG, Heyman A, CERAD Collaborators. The relationship between extrapyramidal signs and cognitive performance in patients with Alzheimer's disease enrolled in the CERAD study. *Neurology* 1997; 49:70-75.
- Creedon DJ, Tansey MG, Baloh RH, Osborne PA, Lampe PA, Fahrner TJ, Heuckeroth RO, Milbrandt J, Johnson Jr EM. Neurturin shares receptors and signal transduction pathways with glial cell line-derived neurotrophic factor in sympathetic neurons. *PNAS* 1997; 94:7018-7023.
- Dagogo-Jack S, Selke G, Melson AK, Newcomer JW. Robust leptin secretory responses to dexamethasone in obese subjects. *J Clin Endocrinol Metab* 1997; 82:3230-3233.
- Dale AM, Buckner RL. Selective averaging of rapidly presented individual trials using fMRI. *Hum Brain Mapp* 1997; 5: 329-340.
- Deshmukh M, Johnson Jr EM. Programmed cell death in neurons: Focus on the pathway of nerve growth factor deprivation-induced death of sympathetic neurons. Minireview. *Mol Pharm* 1997; 51:1-10.

- Duchek JM, Hunt L, Ball K, Buckles V, Morris JC. The role of selective attention in driving and dementia of the Alzheimer type. *Alz Dis Assoc Disord* 1997;11:48-56.
- Dugan LL, Creedon DJ, Johnson Jr EM, Holtzman DM. Rapid suppression of free radical formation by nerve growth factor involves the mitogen-activated protein kinase pathway. *PNAS* 1997; 94:4086-4091.
- Dugan LL, Turetsky DM, Du C, Lobner D, Wheeler M, Almlı R, Shen CKF, Luh TY, Choi DW, Lin TS. Carboxyfullerenes as neuroprotective agents. *PNAS* 1997; 94:9434-9439.
- Easton RM, Deckwerth TL, Parsadanian AS, Johnson Jr EM. Analysis of the mechanism of loss of trophic factor dependence associated with neuronal maturation: A phenotype indistinguishable from *Bax* deletion. *J Neurosci* 1997; 17:9656-9666.
- Evans DA, Beckett LA, et al. Apolipoprotein E34 and incidence of Alzheimer disease in a community population of older persons. *JAMA* 1997; 277:822-824.
- Fagan AM, Silos-Santiago I, Barbacid M, Holtzman DM. A role for TrkA during maturation of striatal and basal forebrain cholinergic neurons *in vivo*. *J Neurosci* 1997; 17:7644-7654.
- Fagan AM, Suhr ST, Lucici-Phillipi CA, Peterson DA, Holtzman DM, Gage FH. Endogenous FGF-2 is important for cholinergic sprouting in the denervated hippocampus. *J Neurosci* 1997; 17:2499-2511.
- Farhangrazi ZS, Ying H, Bu G, Dugan LL, Fagan AM, Choi DW, Holtzman DM. High density lipoprotein decreases β -amyloid toxicity in cortical cell culture. *NeuroReport* 1997; 8:1127-1130.
- Farrer LA, Cupples LA, Haines JL, Hyman B, Kukull WA, Mayeux RH, Myers RH, Pericak-Vance MA, Risch N, van Duijn CM. The APOE and Alzheimer Disease Meta Analysis Consortium, Morris JC. Effects of age, gender and ethnicity on the association between apolipoprotein E genotype and Alzheimer disease. *JAMA* 1997;278:1349-1356.
- Faust ME, Balota DA, Duchek JM, Grensbacher MA, Smith S: Inhibitory control during sentence comprehension in individuals with dementia of the Alzheimer type. *Brain Language* 1997; 57:225-253.
- Faust ME, Balota DA. Inhibition of return and visuospatial attention in healthy older adults and individuals with dementia of the Alzheimer type. *Neuropsychol* 1997;11:13-29.

- Goate A, Morris JC. Commentary. *Notch 3* mutations and the potential for diagnostic testing for CADASIL. Vol. 350, p 1490., 1997.
- Goate AM. The role of the presenilin 1 gene in Alzheimer's disease. In: Iqbal K, Winblad B, Nishimura T, Takeda M, Wisniewski HM, eds. Alzheimer's Disease: Biology, Diagnosis and Therapeutics. John Wiley & Sons Ltd, 1997:71-77.
- Heuckeroth RO, Kotzbauer P, Copeland NG, Gilbert DJ, Jenkins NA, Zimonjic DB, Popescu NC, Johnson Jr EM, Milbrandt J. Neurturin, a novel neurotrophic factor, is localized to mouse chromosome 17 and human chromosome 19;13.3. Short Communication. *Genomics* 1997; 44:137-140.
- Hibbard LS, McKeel DW Jr. Automated identification and quantitative morphometry of the senile plaques of Alzheimer's disease. *Analytical Quantit Cytol Histol* 1997; 19:123-138.
- Hill JM, Hildegardo Jr HG, Helmy MF, Cook SD, Osborne PA, Johnson Jr EM, Thompson HW, Green LC, O'Callaghan RJ, Gebhardt BM. Nerve growth factor antibody stimulates reactivation of ocular herpes simplex virus type 1 in latently infected rabbits. *J Neurovirology* 1997; 3:206-211.
- Hulette C, Nochlin D, McKeel D, Morris JC, Mirra SS, Sumi SM, Heyman A. Clinical-neuropathologic findings in multi-infarct dementia: A report of six autopsied cases. *Neurology* 1997; 48:668-672.
- Hunt LA, Murphy CF, Carr D, Duchek JM, Buckles V, Morris JC. Environmental cueing may affect performance on a road test for drivers with dementia of the Alzheimer type. *Alz Dis Assoc Disord* 1997; 11:13-16.
- Hunt LA, Murphy CF, Carr D, Duchek JM, Buckles V, Morris JC: Reliability of the Washington University road test: A performance-based assessment for drivers with dementia of the Alzheimer type. *Arch Neurol* 1997; 54:707-712.
- Ikonomidou C, Qin YQ, Labruyere J, Olney JW. Motor neuron degeneration induced by excitotoxin agonists has features in common with those seen in the SOD-1 transgenic mouse model of amyotrophic lateral sclerosis.
- Knopman DS, Morris JC. An update on primary drug therapies for Alzheimer's disease. *Arch Neurol* 1997; 54:1406-1409.
- Lehmann S, Chiesa R, Harris DA. Evidence for a six-transmembrane domain structure of presenilin 1. *J Biol Chem* 1997; 272:12047-12051.

- Lendon CL, Ashall F, Goate AM. Exploring the etiology of Alzheimer disease using molecular genetics. *JAMA* 1997; 277:825-831.
- Lendon CL, Martinez A, Behrens IS, Kosik KS, Goate AM et al. E280A PS-1 mutation causes Alzheimer's disease but age on onset is not modified by ApoE alleles. *Human Mutation* 1997; 10:186-195.
- Lendon CL, Talbot CJ, Craddock NJ, Han SW, Wragg M, Morris JC, Goate AM. Genetic association studies between dementia of the alzheimer's type and three receptors for apolipoprotein E in a caucasian population. *Neurosci Lett* 1997; 222:187-190.
- Lopera F, Ardilla A, Martinez A, Madrigal L, Ossa J, Arango-Viana JC, Norton J, Lendon C, Goate AM, Kosik KS et al. Clinical features of early-onset Alzheimer disease in a large kindred with an E280A presenilin-1 mutation. *JAMA* 1997; 277:793-799.
- Lopez-Mascaraque L, Price JL. Protein synthesis inhibitors delay transneuronal death in the piriform cortex of young adult rats. *Neuroscience* 1997; 79:463-475.
- Mercer VS, Sahrman SA, Diggles-Buckles V, Abrams RA, Norton BJ. Age group differences in postural adjustments associated with a stepping task. *J Motor Behav* 1997; 29:243-253.
- Miller TM, Moulder KL, Knudson CM, Creedon DJ, Deshmukh M, Korsmeyer SJ, Johnson Jr EM. Bax deletion further orders the cell death pathway in cerebellar granule cells and suggests a caspase-independent pathway to cell death. *J Cell Biol* 1997;139:205-217.
- Miller TM, Tansey MG, Johnson Jr EM, Creedon DJ. Inhibition of phosphatidylinositol 3-kinase activity blocks depolarization-and insulin-like growth factor I-mediated survival of cerebellar granule cells. *J Biol Chem* 1997; 272:9847-9853.
- Morris J, Mann Koepke K, Fichtenbaum C, Edwards D, Dosier D, Berg L. Adult subjects with cognitive impairment: Guidelines for research proposals; Human Studies Committee Winter Newsletter, 1997.
- Morris JC, Alzheimer's disease: A review of clinical assessment and management issues. *Geriatrics* 1997; 52: S22-S25.
- Morris JC, Commentary: Recognition and initial assessment of Alzheimer's disease and related dementias. *Abstracts of Clinical Care Guidelines* 1997; 9:2-8.

- Morris JC, Ernesto C, Schafer K, Coats M, Leon S, Sano M, Thal LJ, Woodbury P, and the ADCS Investigators. Clinical Dementia Rating training and reliability in multicenter studies: The Alzheimer's Disease Cooperative Study experience. *Neurology* 1997; 48:1508-1510.
- Morris JC. (Ed) Alzheimer disease and driving: Clinical, research, and public policy. [Supplement] 1997:11(1) *Alzheimer Disease and Associated Disorders*.
- Morris JC. Alzheimer therapy emerges from the dark ages. Editorial. The Neurologist, 1997; 331.
- Morris JC. Clinical assessment of Alzheimer's disease. *Neurology* 1997; 49:S7-S10.
- Morris JC: Clinical Dementia Rating (CDR): A reliable and valid diagnostic and staging measure for dementia of the Alzheimer type. *International Psychogeriatrics* 1997; 9:173-176.
- Morris, JC. Commentary: The challenge of characterizing normal brain aging in relation to Alzheimer's disease. *Neurobiol Aging* 1997;18:388-389.
- Multaup KS, Balota DA. Generation effects and source memory in healthy older adults and individuals with dementia of the Alzheimer type. *Neuropsychol* 1997;11:382-391.
- Narita M, Bu G, Holtzman D, Schwartz AL. The low-density lipoprotein receptor-related protein, a multifunctional apolipoprotein E receptor, modulates hippocampal neurite development. *J Neurochem* 1997; 79:587-595.
- Narita M, Holtzman DM, Schwartz AL, Bu G. α_2 - Macroglobulin complexes with and mediates the endocytosis of β -amyloid peptide via cell surface low-density lipoprotein receptor-related protein. *J Neurochem* 1997; 69:1904-1911.
- Olin JT, Schneider LS, Doody RS, Clark CM, Ferris S, Morris JC, Reisberg B, Schmitt F. Evaluating global change in Alzheimer's disease: Identifying consensus. *Int J Geriatr Psychiatry* 1997; 9:176-180.
- Olney JW, Wozniak DF, Farber NB. Excitotoxic neurodegeneration in Alzheimer disease. *Arch Neurol* 1997; 54:1234-1240.
- Post G, Whitehouse PJ., et al The Clinical Introduction of genetic testing for Alzheimer disease: an ethical perspective. *JAMA* 1997; 277:832-836.

- Price JL. Diagnostic criteria for Alzheimer's disease. *Neurobiol Aging* 1997;18:S67-S70.
- Reed LA, Grabowski TJ, Schmidt ML, Morris JC, Solodkin A, Van Hoesen GW, Schelper RL, Trojanowski JQ. Autosomal dominant dementia with widespread neurofibrillary tangles. *Ann Neurol* 1997; 42:564-572.
- Reisberg B, Schneider L, Doody R, Anand R, Feldman H, Haraguchi H, Kumar R, Lucca U, Mangone CA, Mohr E, Morris JC, Rogers S, Sawada T. Clinical global measures of dementia. Position Paper: International working group on harmonization of dementia drug guidelines. *Alzheimer's Dis Assoc Disord* 1997; 11(3):8-18.
- Ross GW, Abbott RD, et al. Frequency and characteristics of silent dementia among elderly Japanese-American men; the Honolulu-Asia Aging study. *JAMA* 1997; 277:800-805.
- Rubin EH. Cognitive Disorders: Dementias. In: Guze SB ed. Washington University Adult Psychiatry. St. Louis: Mosby-Year Book, Inc., 1997:12:197-210.
- Rubin EH. Current advances in Alzheimer's disease: A medical model paradigm for psychiatric education. *Psychiatr Clinics North America* 20:77-89, 1997.
- Rubin EH. Psychiatry and old age. In: Guze SB ed. Washington University Adult Psychiatry. St. Louis: Mosby-Year Book, Inc., 1997:25:395-405.
- Schafer K, Ernesto C, Sano M, Mackell J, Thomas R, Morris JC. Clinical monitoring of rating scales in multicenter clinical trials. *Control Clin Trials* 1997;18:S57.
- Schatzl HM, Laszlo L, Holtzman DM, Tatzelt J, DeArmond SJ, Weiner RI, Mobley WC, Prusiner SB. A hypothalamic neuronal cell line persistently infected with scrapie prions exhibits apoptosis. *J Virol* 1997; 71:8821-8831.
- Schneider LS, Olin JT, Doody R, Clark C, Morris JC, Reisberg G, Schmitt F, Thomas R, Ferris S. Validity and reliability of the Alzheimer's disease cooperative study-clinical global impression of change. *Alzheimer's Dis Assoc Disord* 1997;11:S22-S32.
- Slooter AJC, Tang MX, et al. Apolipoprotein E e4 and the risk of dementia with stroke: a population based investigation. *JAMA* 1997; 277:818-821.
- Small GW, Rabins PV, Barry PP, Buckholtz NS, DeKosky ST, Ferris SH, Finkel SI, Gwyther LP, Khachaturian ZS, Lebowitz BD, McRae TD, Morris JC, Oakley F, Schneider LS, Streim JE, Sunderland T, Teri LA, Tune LE.

Diagnosis and treatment of Alzheimer Disease and Related Disorders: Consensus Statement of the American Association for Geriatric Psychiatry, The Alzheimer's Association, and the American Geriatrics Society. *JAMA* 1997; 278:1363-1371.

Snowdon DA, Greiner LH, et al. Brain infarction and the clinical expression of Alzheimer disease: the Nun study. *JMA* 1997; 277:813-817.

Stern Y, Tang MX, et al. Predicting time to nursing home care and death in individuals with Alzheimer disease. *JAMA* 1997; 277:806-812.

Wright DE, Zhou L, Kucera J, Snider WD. Introduction of a neurotrophin-3 transgene into muscle selectively rescues proprioceptive neurons in mice lacking endogenous neurotrophin-3. *Neuron* 1997; 19:503-517.

Yaneva M, Kowalewski T, Lieber MF. Interaction of DNA-dependent protein kinase with DNA and with Ku: biochemical and atomic-force microscopy studies. *EMBO J* 1997;16:5098-5112.

Yu SP, Yeh C, Sensi SL, Gwag BJ, Canzoniero LM, Farhangrazi ZS, Ying HS, Tian M, Dugan LL, Choi DW. Mediation of neuronal apoptosis by enhancement of outward potassium current. *Science* 1997; 278:114-120.

1996

Balota DA, Ferraro FR: Lexical, sublexical, and implicit memory processes in healthy young, healthy older adults, and in individuals with senile dementia of the Alzheimer's type. *Neuropsychology* 1996; 10:82-95.

Baum C, Edward E, Yonan C, Storandt M. The relationship of neuropsychological test performance to performance of functional tasks in dementia of the Alzheimer type. *Arch Neuropsychol* 1996;11:69-75.

Baum C, McGeary T, Pankiewicz R, Braford T, Edwards DF. An activity program for cognitively impaired low-income inner city residents. *Geriatr Rehabil* 1996; 12:54-62.

Brownan-Watters G, Wozniak DF, Nardi A, Olney JW. Acute behavioral effects of MK-801 in the mouse. *Pharmacol Biochem Behavior* 1996; 53:701-711.

Buckner R.L., M. Corbetta, J. Schatz, M.E. Raichle, S.E. Petersen. Preserved speech abilities and compensation following prefrontal damage. *Proc Natl Acad Sci USA* 1996; 93: 1249-1253.

Buckner R.L., P.A. Bandettini, K.M. O'Craven, R.L. Savoy, S.E. Petersen, M.E. Raichle, B.R. Rosen. Detection of cortical activation during averaged single

- trials of a cognitive task using functional magnetic resonance imaging. *Proc Natl Acad Sci U S A* 1996; 93: 14878-14883.
- Bullock ED, Johnson Jr. EM. NGF induces the expression of certain cytokine genes and bcl-2 in mast cells: Potential role in survival promotion. *J Biol Chem* 1996; 271:27500-27508.
- Clark RF, Hutton M, Talbot C, Wragg M, Lendon C, Busfield F, Han SW, Perez-Tur J, Adams M, Fuldner R, Roberts G, Karran E, Hardy J, Goate A. The role of presenilin 1 in the genetics of Alzheimer's disease. *Cold Spring Harbor Symposia on Quantitative Biology* 1996; Vol. LXI:551-558.
- Cohen-Mansfield J, Reisberg B, Bonnema HJ, Berg L, Dastoor DP, Pfeffer RI, Cohen GD: Staging methods for the assessment of dementia: Perspectives. *J ClinPsychia* 1996; 57:190-198.
- Craft S, Newcomer J, Kanne S, Dagogo-Jack S, Cryer P, Sheline Y, Luby J, Dagogo-Jack A, Alderson A. Memory improvement following induced hyperinsulinemia in Alzheimer's disease. *Neurobiol Aging* 1996;17:123-130.
- Creedon DJ, Johnson Jr EM, Lawrence Jr JC. Mitogen-activated protein kinase-independent pathways mediate the effects of nerve growth factor and cAMP on neuronal survival. *J Biol Chem* 1996; 271:20713-20718.
- Csernansky JG, Bardgett ME, Sheline YI, Morris JC, Growdon JH, and Hyman BT. CSF excitatory amino acids and severity of illness in Alzheimer's disease. *Neurology* 1996, 46:1715-1720.
- Deckwerth TL, Elliott JL, Knudsen CM, Johnson Jr EM, Snider WD, Korsmeyer SJ. BAX is required for neuronal death after trophic factor deprivation and during development. *Neuron* 1996; 17:401-411.
- Deshmukh M, Vasilakos J, Deckwerth TL, Lampe PA, Shivers BD, Johnson Jr EM. Genetic and metabolic status of NGF-deprived sympathetic neurons saved by an inhibitor of ICE-family proteases. *J Cell Biol* 1996; 135:1341-1354.
- Dugan LL, Gabrielsen JK, Yu SP, Lin TS, Choi DW. Buckminsterfullerenol free radical scavengers reduce excitotoxic and apoptotic death of cultured cortical neurons. *Neurobiol Dis*1996; 3:129-135.
- Eastwood MR, Amaducci L, Brayne C, Broe T, Burns A, Copeland J, Dickens B, Goate A, Hachinski V, Henderson S, Jolles J, Morris JC, Ritchie K, Roses A, Rossor M, Schellenberg G, Skoog I, Storandt M, Tallis R, Whitehouse P,

- Clark S, Evans I, Horton R, and Sharp D. The challenge of the dementias. *Lancet* 1996; 347:1303-1307.
- Edland SD, Silverman JM, Peskind ER, Tsung D, Wijsman E, Moris JC. Increased risk of dementia in mothers of Alzheimer's disease cases: evidence for maternal inheritance. *Neurology* 1996; 47:254-256.
- Edwards DF, Baum CM. Functional performance of inner city African-American older persons with dementia. *Geriatr Rehabil* 1996; 12:17-27.
- Ellis RJ, Olichney J, Thal LJ, Mirra SS, Morris JC, Beekly D, Heyman A. Cerebral amyloid angiopathy in the brains of patients with Alzheimer's disease: the CERAD experience, Part XV, 1996.
- Fagan AM, Bu G, Sun Y, Daugherty A, Holtzman DM. Apolipoprotein E-containing high density lipoprotein promotes neurite outgrowth and is a ligand for the low density lipoprotein receptor-related protein. *J Biol Chem* 1996; 271:30121-30125.
- Fillenbaum GG, Huber MS, Beekly D, Henderson VW, Mortimer J, Morris JC, Harrell LE. The Consortium to Establish a Registry for Alzheimer's disease (CERAD). Part XIII. Obtaining autopsy in Alzheimer's disease. *Neurology* 1996; 46:142-145.
- Fillenbaum GG, Peterson B, Morris JC. Estimating the validity of the clinical dementia rating scale: The CERAD experience. *Aging Clin Exp Res* 1996; 8:379-386.
- Friedland RP, Gilman S, Morris JC. Dementia in the elderly: Is it Alzheimer's? *Patient Care* 1996;18-38.
- Gomez-Isla T, Price JL, McKeel DW Jr, Morris JC, Growdon JH, Hyman BT. Profound loss of layer II entorhinal cortex neurons occurs in very mild Alzheimer's disease. *J Neurosci* 1996; 16:4491-4500.
- Harris DA, Gorodinsky A, Lehmann S, Moulder K, Shyng SL. Cell biology of the prion protein. *Curr Topics Microbiol Immunol* 1996; 207:77-93.
- Harris ZL, Migas MC, Hughes AE, Logan JI, Gitlin JD. Familial dementia due to a frameshift mutation in the caeruloplasmin gene. *Q J Med* 1996; 89:355-359.
- Holtzman DM, Epstein CJ, Mobley WC. The human trisomy 21 brain: insights from mouse models of down syndrome. *Mental Retardation Develop Disabilities Research Reviews* 1996; 2:66-72.

- Holtzman DM, Lee S, Li Y, Chua-Couzens J, Xia H, Bredt DS, Mobley WC. Expression of neuronal-NOS in developing basal forebrain cholinergic neurons: regulation by NGF. *Neurochem Res* 1996; 21:861-868.
- Holtzman DM, Santucci D, Kilbridge J, Chua-Couzens J, Fontana DJ, Daniels SE, Johnson RM, Chen K, Sun Y, Carlson E, Alleva E, Epstein CJ, Mobley WC. Developmental abnormalities and age-related neurodegeneration in a mouse model of Down syndrome. *PNAS* 1996; 93:13333-13338.
- Holtzman DM, Sheldon RA, Jaffe W, Cheng Y, Ferriero DM. Nerve growth factor protects the neonatal brain against hypoxic-ischemic injury. *Ann Neurol* 1996; 39:114-122.
- Hutton M, Busfield F, Wragg M, Crook R, Goate AM. Complete analysis of the presenilin 1 gene in early onset Alzheimer's disease. *NeuroReport* 7:801-805, 1996.
- Johnson Jr EM, Deckwerth TL, Deschmukh M. Neuronal death in developmental models: possible implications in neuropathology. *Brain Path* 1996; 6:397-410.
- Klomp LWJ, Farhangrazi ZS, Dugan LL, Gitlin JD. Ceruloplasmin gene expression in the murine central nervous system. *J Clin Invest* 1996; 98:207-215.
- Koss E, Edland S, Fillenbaum G, Mohs R, Clark C, Galasko D, Morris JC. Clinical and neuropsychological differences between patients with earlier and later onset of Alzheimer's disease. A CERAD analysis, part XIII. *Neurology* 1996; 46:136-141.
- Kotzbauer PT, Lampe PA, Heuckeroth RO, Golden JP, Creedon DJ, Johnson Jr EM, Milbrandt J. Neurturin, a relative of glial-cell-derived neurotrophic factor. *Nature* 1996; 384:467-470.
- Lehmann S, Harris DA. Mutant and infectious prion proteins display common biochemical properties in cultured cells. *J Biol Chem* 1996; 271:1633-1637.
- Lehmann S, Harris DA. Two mutant prion proteins expressed in cultured cells acquire biochemical properties reminiscent of the scrapie isoform. *PNAS* 1996; 93:5610-5614.
- Lemere C, Lopera F, Kosik K, Lendon C, Ossa J, Saido T, Yamaguchi H, Ruiz A, Martinez A, Madrigal L, Hincapie L, Arango JL, Anthony D, Koo E, Goate A, Selkoe D, Arango JV. The E280A presenilin 1 mutation leads to a distinct Alzheimer's disease phenotype: increased A β 42 deposition and severe cerebellar pathology. *Nature Medicine* 1996; 2:1146-1150.

- Lemere CA, Lopera F, Kosik KS, Lendon CL, Ossa J, Goate AM, et al. The E280A presenilin 1 Alzheimer mutation produces increased A β 42 deposition and severe cerebellar pathology. *Nature Med* 1996; 2:1146-1150.
- Miller TM, Johnson Jr EM. Metabolic and genetic analysis of apoptosis in potassium/serum-deprived rat cerebellar granule cells. *J Neurosci* 1996; 16:7487-7495.
- Morris JC, Storandt M, McKeel DW Jr, Rubin EH, Price JL, Grant EA, Berg L: Cerebral amyloid deposition and diffuse plaques in "normal" aging: Evidence for presymptomatic and very mild Alzheimer's disease. *Neurology* 1996; 46:707-719.
- Morris JC. Classification of dementia and Alzheimer's disease. *Acta Neurologica Scandinavica* 1996; 165:41-50.
- Morris JC. Clinical and neuropathological findings from CERAD. In Becker R, Giacobini E (eds). Alzheimer Disease from Molecular Biology to Therapy. Birkhauser, Boston, 1996:7-11.
- Morris JC. Diagnosis of Alzheimer Disease. In Khachaturian ZS, Radebaugh TS (Eds). Alzheimer's Disease: Cause(s), Diagnosis, Treatment, and Care. CRC Press 1996, .76-84.
- Morris JC: Dementia. In: Koller W (Ed) Current Practice of Medicine: Neurology. Philadelphia: Current Medicine 1996;, pp. IX:3.1-3.10.
- Multhaup KS, Balota DA, Cowan N. Implications of aging, lexicality, and item length for the mechanisms underlying memory span. *Psychonomics Bulletin & Review* 1996; 3:112-120.
- Nichol PF, Chang JY, Johnson Jr EM, Olivo PD. Herpes simplex virus gene expression in neurons: viral DNA synthesis is a critical regulatory event in the branch point between the lytic and latent pathways. *J Virol* 1996; 70:5476-5486.
- Norton JB , Morris JC: Obtaining Consent for Autopsy in Dementia Research. *Am J Alzheimer's Dis*1996; 11:2-6.
- O'Connor DW, Blessed G, Cooper B, Jonker C, Morris JC, Presnell IB, Ames D, Kay DWK, Bickel H, Schauffele M, Wind A, Coats M, Berg L: Cross-national interrater reliability of dementia diagnosis and factors associated with disagreement. *Neurology* 1996; 47:1194-1199.

- Olin JT, Schneider LS, Doody RS, Clark CM, Ferris SH, Morris JC, Reisberg B, Schmitt FA. Clinical evaluation of global change in Alzheimer's disease: Identifying consensus. *Psychiatry Neurol* 1996; 9:176-180.
- Olney JW, Wozniak D, Ishimaru M, Farber N. NMDA receptor dysfunction in Alzheimer's Disease. In Becker R, Giacobini E, Robert P (eds), Alzheimer Disease: From Molecular Biology to Therapy. Boston, Birkhauser, 1996; 107-112.
- Porter F, Malhotra KM, Wolf CM, Morris JC, Miller JP, Smith MC: Dementia and response to pain in the elderly. *Pain* 1996; 68:413-421.
- Reaume AG, Elliott JL, Hoffman EK, Kowall NW, Snider WD. Motor neurons in Cu/Zn superoxide dismutase-deficient mice develop normally but exhibit enhanced cell death after axonal injury. *Nature Genetics* 1996;13:43-47.
- Rockwood K, Morris JC. Global staging measures in dementia. In Gauthier S, ed. Clinical Diagnosis and Management of Alzheimer's Disease. Martin Dunitz Ltd., 1996, 9:141-153.
- Schafer K, Thomas R, Galasko D, Morris JC, Whitehouse P, Bochenek J, Thal L. Informed consent issues when including genetic testing in clinical trials. *Control Clin Trials* 1996 17:S130-S131.
- Spieler DH, Balota DA, Faust ME: Stroop performance in younger adults, healthy older adults and individuals with senile dementia of the Alzheimer's type. *J Exp Psychol* 1996; 22:461-479.
- Spieler DH, Balota DA. Characteristics of associative learning in younger and older adults: Evidence from an episodic priming paradigm. *Psychol Aging* 1996; 11:607-620.
- Talbot C, Houlden H, Craddock N, Crook R, Hutton M, Lendon C, Prihar G, Morris JC, Hardy J, Goate A. Polymorphism in AACT gene may lower age of onset of Alzheimer's disease. *NeuroReport* 1996; 7:534-536, 1996.
- Torack RM, Roth KM, Miller JW. Neuronal argyrophilia and phosphorylated neurofilament accumulation secondary to deafferentation. *J Neuropathol Exp Neurol* 1996; 55:466-470.
- Wozniak DF, Brownan-Watters G, Nardi A, McEwen M, Corso TD, Olney JW, Fix AS. MK-801 neurotoxicity in male mice: Histologic effects and chronic impairment in spatial learning. *Brain Res* 1996; 707:165-179.
- Wozniak DF, Dikranian K, Ishimaru M, Nardi A, Corso TD, Tenkova T, Olney JW, Fix AS. Disseminated corticolimbic neuronal degeneration induced in rat

brain my MK-801: Relevance to Alzheimer's disease. *Neurobiol Dis* 1996; 5:305-322.

Wragg M, Hutton M, Talbot C, Alzheimer Disease Collaborative Group, Goate A. Genetic association between intronic polymorphism in presenilin-1 gene and late-onset Alzheimer's disease. *Lancet* 1996; 347:509-512.

Writing Committee, Lancet Conference 1996. Eastwood MR, Amaducci L, Brayne C, Broe T, Burns A, Copeland J, Dickens B, Goate A, Hachinski V, Henderson S, Jolles J, Morris J, Ritchie K, Roses A, Rossor M, Schellenberg G, Skoog I, Storandt M, Tallis R, Whitehouse P, Clark S, Evans I, Horton R, and Sharp D. The challenge of the dementias. *The Lancet* 1996; 347:1303-1307.

Yuen EC, Howe CL, Li Y, Holtzman DM, Mobley WC. Expression of brain NOS in developing basal forebrain cholinergic neurons: Regulation by NGF. *Neurochem Res* 1996; 7:681-868.

1995

Alzheimer's Disease Collaborative Group. The structure of the presenilin 1 (S182) gene and identification of six novel mutations in early onset AD families. *Nature Genetics* 1995; 219-222.

American College of Medical Genetics/American Society of Human Genetics Working Group on ApoE and Alzheimer Disease (ACMG/ASHG) Goate A. Consensus Statement: Statement on use of Apolipoprotein E testing for Alzheimer disease. *JAMA* 1995; 274:1627-1629.

Balota DA, Abrams RA. Mental chronometry: Beyond onset latencies in the lexical decision task. *J Exp Psychol* 1995; 21:1289-1302.

Baum CM: The contribution of occupation to function in persons with Alzheimer's disease. *J Occupational Sci* 1995; 2:59-67.

Bidaut-Russell M, Ravid R, McKeel Jr DW, Cruz-Sanchez FF, Grossberg GT. Survey of North American and European dementia brain banks: A 1994 Directory. *Alz Dis Assoc Disord* 1995; 9:193-202.

Buckner R.L., E. Tulving. Neuroimaging studies of memory: theory and recent PET results. In: Handbook of Neuropsychology, Volume 10. F. Boller and J. Grafman, ed. Amsterdam: Elsevier, 1995; 439-466.

Clark RF, Cruts M, Korenblatt KM, He C, Talbot C, Van Broeckhoven C, Goate AM. A yeast artificial chromosome contig from human chromosome 14q24

spanning the Alzheimer's disease locus AD3. *Human Mol Genetics* 1995; 4(8):1347-1354.

Clark RF, Hutton M, Fuldner R, Froehlich S, Karran E, Talbot C, Crook R, Lendon C, Prihar G, He C, Korenblat K, Martinez A, Wragg M, Busfield F, Behrens MI, Myers A, Norton J, Morris JC, Nehta N, Pearson C, Lincoln S, Baker M, Duff K, Zehr C, Houlden H, Ruiz A, Ossa J, Lopera F, Arcos M, Madrigal L, Colinge J, Humphreys C, Asworth T, Sarnes S, Cline R, Philips C, Venter C, Forsell L, Axelman K, Lilius L, Johnston J, Cowburn R, Viitanen M, Winblad B, Kosik K, Haltia M, Poyhonen M, Dickson D, Mann D, Neary D, Snowden J, Lannfelt L, Rossor M, Roberts GW, Adams M, Hardy J and Goate A. The structure of Presenilin 1 (S182) gene and identification of six novel mutations in early onset AD families. *Nature Genetics* 1995;11:219-222.

Cruts M, Backhovens H, Theuns J, Clark RF, Le Paslier D, Weissenbach J, Goate AM, Martin J-J, Van Broeckhoven C. Genetic and physical characterization of the early-onset Alzheimer's disease AD3 locus on chromosome 14q24.3. *Human Mol Genetics* 1995; 4(8):1355-1364.

Davis PC, Gearing M, Gray L, Mirra SS, Morris JC, Edland SD, Lin T, Heyman A. The CERAD experience, part VIII: Neuroimaging-neuropathology correlates of temporal lobe changes in Alzheimer's disease. *Neurology* 1995; 45:178-179.

Duchek JM, Balota DA, Faust ME, Ferraro FR: Inhibitory processes in young and older adults in a picture-word task. *Aging Cognit* 1995; 2:1-111.

Farber NB, Wozniak DF, Price MT, Labruyere J, Huss J, St. Peter H, Olney JW: Age-specific neurotoxicity in the rat associated with NMDA receptor blockade: Potential relevance to schizophrenia? *Biol Psychiatry* 1995; 38:788-796.

Ferraro FR: Aging, Alzheimer's disease, and word recognition: A review of the recent literature. In: *Age Differences in Word and Language Processing*, P Allen and TR Bashore (eds.). Elsevier Science 1995; 220-246.

Franklin JL, Sanz-Rodriguez C, Juhasz A, Deckwerth TL, Johnson EM Jr. Chronic depolarization prevents programmed death of sympathetic neurons *in vitro* but does not support growth: Requirement for Ca²⁺ influx but not Trk activation. *J Neurosci* 1995;15:643-664.

Galasko D, Edland MS, Morris JC, Clark C, Mohs R, Koss E. The Consortium to Establish a Registry for Alzheimer's Disease (CERAD). Part XI. Clinical milestones in patients with Alzheimer's disease followed over three years. *Neurology* 1995; 45:1451-1455.

- Gates GA, Karzon RK, Garcia P, Peterein J, Storandt M, Morris JC, Miller JP: Auditory dysfunction in aging and senile dementia of the Alzheimer's type. Arch Neurol.1995; 52:626-634.
- Gorodinsky A, Harris DA. Glycolipid-anchored proteins in neuroblastoma cells form detergent-resistant complexes without caveolin. J Cell Biol 1995; 129:619-627.
- Greenlund LJS, Deckwerth TL, Johnson EM Jr. Superoxide dismutase delays neuronal apoptosis: A role for reactive oxygen species in programmed neuronal death. Neuron 1995; 14:303-315.
- Greenlund LJS, Korsmeyer SJ, Johnson EM Jr. Role of BCL-2 in the survival and function of developing and mature sympathetic neurons. Neuron 1995; 15:649-661.
- Hibbard LS, Member IEEE, McKeel Jr DW. Multiscale detection and analysis of the senile plaques of Alzheimer's disease. IEEE Transactions Biomed Engineering 1995; 42:1218-1225.
- Holtzman DM, Kilbridge J, Chen KS, Rabin J, Luche R, Carlson E, Epstein CJ, Mobley WC. Preliminary characterization of the central nervous system in partial trisomy 16 mice. In Etiology and Pathogenesis of Down Syndrome. Wiley-Liss, Inc., 1995, 227-240.
- Holtzman DM, Kilbridge J, Li Y, Cunningham ET Jr, Lenn NJ, Clary DO, Reichardt LF, Mobley WC. *TrkA* Expression in the CNS: Evidence for the existence of several novel NGF-responsive CNS neurons. J Neurosci 1995; 15:1567-1576.
- Holtzman DM, Lowenstein DH. A model of axonal sprouting seen in temporal lobe epilepsy: selective inhibition of axon outgrowth by antibodies to NGF. J Neurosci 1995;15:7062-7070.
- Holtzman DM, Pitas RE, Kilbridge J, Nathan B, Mahley RW, Bu G, Schwartz AL. LRP mediates apolipoprotein E-dependent neurite outgrowth in a CNS-derived neuronal cell line. PNAS 1995; 92:9480-9484.
- Izumi Y, Kirby-Sharkey C, Benz AM, Labruyere J, Price MT, Wozniak DF, Zorumski CF, Olney JW. Age dependent sensitivity of the rat retina to the excitotoxic action of N-methyl-D-aspartate. Neurobiol Dis 1995; 2:139-144.
- Kaskie B, Storandt M: Visuospatial deficit in dementia of the Alzheimer type. Arch Neurol 1995; 52:422-425.

- LaBarge E, Trtanj F. A support group for people in the early stages of dementia of the Alzheimer type. *J AppGerontol U* 1995; 14:305-317.
- LaBarge E, Wilcox S: Emotional effects of cognitive testing in demented vs. non-demented healthy older people. *JAGS* 1995; 43:1-2.
- LaBarge E: Counseling clients with early-stage Alzheimer's disease. In: Directions in Rehabilitation Counseling. New York: The Hatherleigh Co., Ltd., 1995; 6(10).
- Lampe PA, Cornbrooks EB, Juhasz A, Johnson Jr EM, Franklin JL. Suppression of programmed neuronal death by a thapsigargin-induced Ca² influx. *J Neurobiol* 1995; 26:205-212.
- Lehmann S, Harris DA. A mutant prion protein displays an aberrant membrane association when expressed in cultured cells. *J BiolChem* 1995; 270:24589-24597.
- Li Y, Holtzman DM, Kromer LF, Kaplan DTR, Chua-Couzens J, Clary DO, Knusel B, Mobley WC. Regulation of TrkA and ChAT expression in developing rat basal forebrain: Evidence that both endogenous NGF regulate differentiation of cholinergic neurons. *J Neurosci* 1995; 15:2888-2905.
- Morris JC, Berg L, Coben LA, Rubin EH, Deuel R, Wittenborn R, Coats M, Leon S, Norton J: Clinical dementia rating. Manfred Bergener, Sanford Finkel (Eds) Treating Alzheimer's and Other Dementias: Clinical Application of Recent Research Advances. New York: Springer Publishers 1995; 338-346.
- Morris JC, Storandt M, Rubin EH, McKeel DW Jr, Price JL, Berg L: Clinical detection of very mild Alzheimer's disease. Manfred Bergener, Sanford I. Finkel (Eds) Treating Alzheimer's and Other Dementias: Clinical Application of Recent Research Advances. New York: Springer Publishers 1995; 218-226.
- Morris JC: Distinction between normal aging and very mild Alzheimer's disease. 47th Annual Meeting of the American Academy of Neurology, May 6-13, 1995, Seattle, WA. 218-3-218-5.
- Morris JC: Relationship of plaques and tangles to Alzheimer's Disease phenotype. In: Goate A, Ashall F (Eds). Pathobiology of Alzheimer's Disease. London: Academic Press 1995; 193-223.
- Morris JC: Treatment of the cognitive symptoms of dementia. 47th Annual Meeting of the American Academy of Neurology, May 6-13, 1995, Seattle, WA. 143-79-143-85.

- Perez-Tur J, Froelich S, Prihar G, Crook R, Baker M, Duff K, Wragg M, Busfield F, Lendon C, Clark RF, Roques P, Fuldner RA, Johnston J, Cowburn R, Forsell C, Axelman K, Lilius L, Houlden H, Karran E, Roberts GW, Rossor M, Adams MD, Hardy J, Goate A, Lannfelt L, Hutton M. A mutation in Alzheimer's disease destroying a splice acceptor site in the presenilin-1 gene. *NeuroReport* 1995; 7:297-301.
- Price MT, Romano C, Fix AS, Tizzano JP, Olney JW. Blockage of the second messenger functions of the glutamate metabotropic receptor is associated with degenerative changes in the retina and brain of immature rodents. *Neuropharmacology* 1995; 34:1069-1079.
- Rubin EH: Differentiation of dementia of the Alzheimer type and healthy aging. *Clinical Geriatrics* 1995; 3(2): 30-46.
- Show-Ling S, Lehmann S, Moulder KL, Harris DA. Sulfated glycans stimulate endocytosis of the cellular isoform of the prion protein, PrP^C, in cultured cells. *J Biol Chem* 1995; 270:30221-30229.
- Shyng S-L, Moulder KL, Lesko A, Harris DA. The N-terminal domain of a glycolipid-anchored prion protein is essential for its endocytosis via clathrin-coated pits. *J Biol Chem* 1995; 270:14793-14800.
- Stewart GR, Olney JW, Schmidt RE, Wozniak DF. Mineralization of the globus pallidus following excitotoxic lesions of the basal forebrain. *Brain Res* 1995; 695:81087.
- Storandt M, Stone K, LaBarge E: Deficits in reading performance in very mild dementia of the Alzheimer type. *Neuropsychology* 1995; 9:174-176.
- Sullivan MP, Faust ME, Balota DA. Identify negative priming in older adults and individuals with dementia of the Alzheimer type. *Neuropsychology* 1995; 9(4):537-555.
- Trick GL, Trick LR, Morris P, Wolf M: Visual field loss in senile dementia of the Alzheimer's type (SDAT). *Neurology* 1995; 45:68-74.
- Wragg MA, Talbot CJ, Morris JC, Lendon CL, Goate A. No association found between Alzheimer's disease and a mitochondrial tRNA glutamine gene variant. *Neurosci Letters* 1995; 201:107-110.
- Yao M, Bain, Gottlieb DI. Neuronal differentiation of P19 embryonal carcinoma cells in defined media. *J of Neurosci Res* 41:792-804, 1995.

1994

- Bartlett TQ, Vannier MW, McKeel DW Jr., Gado M, Hildebolt CF, Walkup R: Interactive segmentation of cerebral gray matter, white matter, and CSF: Photographic and MR images. *Computerized Medical Imaging and Graphics* 1994; 18(6):449-460.
- Berg L, Morris JC: Diagnosis. In: Terry RD, Katzman R, Bick K, Eds. Alzheimer Disease. New York: Raven Press, 1994:9-25.
- Berg L: Alzheimer's disease. In. Handbook of Dementing Illnesses. Morris JC, ed New York: Marcel Dekker, Inc, 1994:229-242.
- Bu G, Maksymovitch EA, Nerbonne JM, Schwartz AL. Expression and function of the low density lipoprotein receptor-related protein (LRP) in mammalian central neurons. *J Biol Chem* 1994; 269:18521-18528.
- Coats MA, Van Fleet Wilens N: Multidisciplinary care-planning issues. In Morris JC, ed. Handbook of Dementing Illnesses. New York: Marcel Dekker, Inc., 1994:549-564
- Duchek JM, Balota DA, Ferraro FR: Component analysis of a rhythmic finger tapping task in individuals with senile dementia of the Alzheimer type and in individuals with Parkinson's disease. *Neuropsychology* 1994; 8:218-226.
- Freeman RS, Estus S, Johnson EM Jr.: Analysis of cell cycle-related gene expression in postmitotic neurons: Selective induction of cyclin D1 during programmed cell death. *Neuron* 1994;12:1-20.
- Hibbard LS, Arnica-Sulze TL, McKeel DW Jr, Burrell LD: Computed detection and morphological analysis of senile plaques in SDAT. *J Neurosci Meth* 1994; 52:175-189.
- High DM, Whitehouse PJ, Post SG, Berg L: Guidelines for addressing ethical and legal issues in Alzheimer disease research: A position paper. *Alzheimer Dis Assoc Disord* 1994; 8:66-74.
- Holtzman DM, Kilbridge J, Bredt DS, Black SM, Li Y, Clary DO, Reichardt LF, Mobley WC. NOS induction by NGF in basal forebrain cholinergic neurones: evidence for regulation of brain NOS by a neurotrophin. *Neurobiol Dis* 1994; 1:51-60.
- Hunt LA: Driving and the demented person. In Morris JC, ed. Handbook of Dementing Illnesses. New York: Marcel Dekker, Inc., 1994:529-538.

- Izumi Y, Benz AM, Zorumski CF, Olney JW: Effects of lactate and pyruvate on glucose deprivation in rat hippocampal slices. *NeuroReport* 1994; 5:617-620.
- Kaniecki R, Morris JC: Reversible paraneoplastic limbic encephalitis. *Neurology* 1994; 43:2418-2419.
- Kato K, Clark GD, Bazan NG, Zorumski CF: Platelet-activating factor as a potential retrograde messenger in CA1 hippocampal long-term potentiation. *Nature* 1994; 367:175-179.
- Knapp MJ, Knopman DS, Solomon PR, Pendlebury WW, Davis CS, Gracon SI, the Tacrine Study Group, Morris JC, et al. A 30-week randomized controlled trial of high-dose tacrine in patients with Alzheimer's disease. *JAMA* 1994; 271:985-991.
- Lyons K, Kemper S, LaBarge E, Ferraro FR, Balota D, Storandt M: Oral Language and Alzheimer's Disease: A Reduction in Syntactic Complexity. *Aging and Cognition* 1994; 1(4):271-281.
- Mennerick S, Zorumski CF: Glial contributions to excitatory neurotransmission in cultured hippocampal cells. *Nature* 1994; 368:59-62.
- Morris JC, Heyman A, Hendrie, and the CERAD Clinical Task Force. CERAD diagnosis of non-Alzheimer dementias: Standardization and training. *Neurobiol Aging* 15:134, Fourth International Conference on Alzheimer's Disease.
- Morris JC, Storandt M, McKeel DW, et al. Normal aging versus very mild Alzheimer's disease: Clinicopathologic distinctions. *Neurobiol Aging* 15:578, Fourth International Conference on Alzheimer's Disease.
- Morris JC: Cognitive changes in aging and dementia. Annual Meeting American Academy of Neurology, May 1-7, 1994, Washington, DC; 144-9-144-14.
- Morris JC: Conflicts of interest: Research and clinical care. *Alzheimer Dis Assoc Disord* 1994; 8(Suppl. 4):49-57.
- Morris JC: Differential diagnosis of Alzheimer's disease. In WB Saunders, ed. Clinics of Geriatric Medicine, Philadelphia 1994;10:257-276.
- Morris JC: Evaluation of the demented patient. In Morris JC, ed. Handbook of Dementing Illnesses. New York: Marcel Dekker, Inc., 1994:71-88.

- Morris JC: Treatment of cognitive symptoms of dementia. Annual Meeting American Academy of Neurology, May 1-7, 1994, Washington, DC; 444-7-444-74.
- Morris, JC. Conflicts of interest: Research and clinical care. *Alzheimer's Disease and Associated Disorders* 1994; 8:S4:49-57.
- Myerson J, Wagstaff D, Hale S: Brinley plots, explained variance, and the analysis of age differences in response latencies. *J Gerontol* 1994; 49:72-80.
- Newcomer JW, Craft S, Hershey T, Askins K, Bardgett ME: Glucocorticoid-induced impairment in declarative memory performance in adult humans. *J Neurosci* 1994; 14:2047-2053.
- Noetzel MJ: Dementia in Down syndrome. In: J.C. Morris (ed), Handbook of Dementing Illnesses. Marcel Dekker, Inc., New York 1994; 243-264.
- Ohara S, Roth KA, Beudet LN, Schmidt RE: Transganglionic neuropeptide Y response to sciatic nerve injury in young and aged rats. *J Neuropath Exp Neurol* 53:646-662.
- Olney JW: Excitatory transmitter neurotoxicity. *Neurobiol Aging* 1993; 15:259-260.
- Olney JW: Excitotoxicity. In Chang LW (ed): Principles of Neurotoxicology. Marcel Dekker, Inc, NY, 1994, pp 495-523.
- Price JL: Tangles and plaques in healthy aging and Alzheimer's disease: Independence or interaction? *Sem Neurosci* 1994; 6:395-402.
- Renner J, Morris JC: Alcohol-associated dementia. In Morris JC (Ed.): Handbook of Dementing Illnesses. New York: Marcel Dekker, Inc., 1994:393-412.
- Rubin EH: Depression and dementia. In Morris JC, ed. Handbook of Dementing Illnesses. New York: Marcel Dekker, Inc., 1994:477-498.
- Silverman J, Raiford K, Edland S, Fillenbaum G, Morris JC, Clark C, Kukull W, Heyman A: CERAD Part VI. Family history assessment: A multi-center study of relatives of AD probands and non-demented spouse controls. *Neurology* 1994; 44:1253-1259.
- Steinman SB, Steinman BA, Trick GL, Lehmkuhle S: A visual explanation for attentional deficits in elderly. *Optom Vis Sci* 1994; 71:743-749.

- Storandt M: General principles of assessment of older adults. In M. Storandt & G. VandeBos (Eds.), Neuropsychological Assessment of Dementia and Depression pp. 7-32. Washington, DC: American Psychological Association, 1994.
- Talbot C, Lendon C, Craddock N, Shears S, Morris JC, Goate A. Protection against Alzheimer's disease with apoE E2. *The Lancet* 343:1432, 1994.
- Trick GL, Kaskie B, Steinman SB: Visual impairment in Parkinson's disease: Deficits in orientation and motion discrimination. *Optom Vis Sci* 1994;71:242-245.
- Warshawsky I, Bu G, Schwartz AL: Binding analysis of amino-terminal and carboxyl-terminal regions of the 39-kDa protein to the low density lipoprotein receptor-related protein. *J Biol Chem* 1994; 269:3325-3330.
- Wozniak DF, Huss J, Olney JW: Quisqualate injection into the nucleus basalis magnocellularis produces seizure-related brain damage that is prevented by MK-801. *Exp Neurol* 1994; 126:101-111.
- Yu C-E, Payami H, Olson JM, Boehnke M, Wijsman EM, Orr HT, Kukull WA, Goddard KAB, Nemens E, White J, Alonso E, Taylor T, Ball M, Kaye J, Morris JC, Chui H, Sadovnick A, Martin G, Larson E, Heston L, Bird T, Schellenberg G. The Apolipoprotein E/CI/CII gene cluster and late-onset Alzheimer disease. *Am J Hum Genetics* 1994;54:631-642.

1993

- Bain G, Ramkumar TP, Cheng JM, Gottlieb DI: Expression of the genes coding for glutamic acid decarboxylase in pluripotent cell lines. *Molecular Brain Research* 1993;17:23-30.
- Balice-Gordon RJ, Lichtman JW: *In vivo* observations of pre- and postsynaptic changes during synapse elimination at developing neuromuscular junctions in living mice. *J Neurosci* 1993; 13:834-855.
- Balota DA, Ferraro FR. A dissociation of frequency and regularity effects in pronunciation performance across young adults, older adults, and individuals with senile dementia of the Alzheimer type. *J Mem Language* 1993; 32:573-592.
- Bardgett ME, Wrona CT, Newcomer JW, Csernansky JG: Subcortical excitatory amino acid levels after acute and subchronic administration of typical and atypical neuroleptics. *European J Pharmacology* 1993; 230:245-250.

- Baum C, Edwards D: Cognitive performance in senile dementia of the Alzheimer's type: The kitchen task assessment. *Am J Occup Therapy* 1993; 47:431-436.
- Baum C, Edwards DF, Morrow-Howell N: Identification and measurement of productive behaviors in senile dementia of the Alzheimer type. *Gerontologist* 1993; 33:403-408.
- Bazan NG, Zorumski CF, Clark GD: The activation of phospholipase A₂ and release of arachidonic acid and other lipid mediators at the synapse: the role of platelet-activating factor. *J Lipid Mediators* 1993; 6:421-427.
- Berg L, McKeel DW, Jr, Miller JP, Baty J, Morris JC: Neuropathologic indices of Alzheimer's disease in demented and nondemented people aged 80 years and older. *Arch Neurol* 1993; 50:349-358.
- Brown J, Bydesen S, Sorensen SA, Brun A, Smith S, Houlden H, Twells R, Mullan M, Rossor M, Collinge J, Palmer M, Goate A, Hardy J: Genetic characterization of a familial non-specific dementia originating in Jutland, Denmark. *J Neurol Sci* 1993;114:138-143.
- Clark RF, Goate AM: Molecular genetics of Alzheimer's disease. *Arch Neurol* 1993; 50:1164-1172.
- Craft S, Dagogo-Jack SE, Wiethop BV, Murphy C, Nevins RT, Fleischman S, Rice V, Newcomer JW, Cryer PI. The effects of hyperglycemia on memory and hormone levels in dementia of the Alzheimer type: A longitudinal study. *Beh Neurosci* 1993; 1-15.
- Csernansky JG, Wrona CT, Bardgett ME, Early TS, Newcomer JW: Subcortical dopamine and serotonin turnover during acute and subchronic administration of typical and atypical neuroleptics. *Psychopharmacology*: 1993;110:145-151.
- Drachman DA, Swearer JM, Morris JC: Driving and Alzheimer's disease: The risk of crashes. *Neurology* 1993; 43:2448-2456.
- Duchek JM, Balota DA: Sparring of activation processes in older adults. In Cerella J, Hoyer W, eds. *Age-Independent Cognitive Processing*. Lawrence Erlbaum Associates, 1993.
- Farber NB, Price MT, Labruyere J, Nemnich J, St. Peter H, Wozniak DF, Olney JW: Antipsychotic drugs block phencyclidine receptor-mediated neurotoxicity. *Biol Psychiatry* 1993; 34:119-121.

- Ferraro RF, Balota DA, Connor LT: Implicit memory and the formation of new associations in non-demented Parkinson's disease individuals and individuals with senile dementia of the Alzheimer type. *Brain and Cognition* 1993; 21:163-180.
- Fix A, Horn JW, Wightman KA, Johnson CA, Long GG, Storts RW, Farber N, Wozniak DF, Olney JW: Light and electronmicroscopic evaluation of neuronal vacuolization and necrosis induced by the non-competitive N-methyl-D-aspartate (NMDA) antagonist MK(+)-801 (Dizocilpine maleate) in the rat retrosplenial cortex. *Exp Neurol* 1993;123:204-215.
- Freeman RS, Estus S, Horigome K, Johnson EM Jr: Cell death genes in invertebrates and (maybe) vertebrates. *Curr Opin Neurobiol* 1993; 3:25-31.
- Goate A: Toward a transgenic mouse model of β -amyloid deposition. *Neurosci Facts* 1994; 4:18-20.
- Gregory PE, Gutmann DH, Mitchell A, Park S, Boguski M, Jacks T, Wood DL, Jove R, Collins FS. Neurofibromatosis type 1 gene product (neurofibromin) associates with microtubules. *Somatic Cell and Molecular Genetics* 1993; 19:265-274.
- Harris DA, Lele P, Snider WD: Localization of the mRNA for a chicken prion protein by *in situ* hybridization. *PNAS* 1993; 90:4309-4313.
- Harris DA: Processing of a cellular prion protein: Identification of N- and C-terminal cleavage sites. *Biochemistry* 1993; 32:1009-1016.
- Hibbard LS, Grothe RA Jr, Arnica-Sulze TL, Dovey-Hartman BJ, Page RB: Computed three-dimensional reconstruction of median eminence capillary modules. *J Microscopy* 1993;171:39-56.
- Hunt LA, Morris JC, Edwards D: Driving performance in persons with mild senile dementia of the Alzheimer type. *J Am Geriatr Soc* 1993; 41:747-753.
- Izumi Y, Benz AM, Clifford DB, Zorumski CF: Neurotoxic effects of sodium nitroprusside in rat hippocampal slices. *Exp Neurol* 1993; 121:14-23.
- Izumi Y, Zorumski CF: Nitric oxide and long-term synaptic depression in the rat hippocampus. *NeuroReport* 1993; 6:1131-1134.
- Johnson EM Jr, Cornbrooks EB, Deckwerth TL, Estus S, Franklin JL, Freeman RS, Horigome K, Lampe PA: Molecular mechanism of programmed cell death in the developing nervous system. In: Neuronal Cell Death and Repair, (ed) Cuello, AC, Elsevier, 1993; 23-30.

- Johnson EM Jr, Deckworth TL: Molecular mechanisms of developmental neuronal death. *Ann Rev Neurol* 1993; 16:31-46.
- Kaniecki R, Morris JC. Reversible paraneoplastic limbic encephalitis. *Neurology* 1993; 43:2418-2419.
- Kato K, Clifford DB, Zorumski CF: Long-term potentiation during whole-cell recording in rat hippocampal slices. *Neuroscience* 1993; 53:39-47.
- Kato K, Zorumski CF: Nitric oxide inhibitors facilitate the induction of hippocampal long-term potentiation by modulating NMDA responses. *J Neurophysiol* 1993; 70:1260-1263.
- Kemper S, LaBarge E, Ferraro R, Cheung H, Cheung H, Storandt M: On the preservation of syntax in Alzheimer's disease: Evidence from written sentences. *Arch Neurol* 1993; 50:81-86.
- LaBarge E: A preliminary scale to measure the degree of worry among mildly demented Alzheimer disease patients. *Phys Occup Therapy Geriatr* 1993; 11:43-57.
- McKeel DW Jr, Ball MJ, Price JL, Smith DS, Miller JP, Berg L, Morris JC: Interlaboratory histopathologic assessment of Alzheimer neuropathology: Different methodologies yield comparable diagnostic results. *Alzheimer Dis Assoc Disord* 1993; 7:136-151.
- Morris JC, Edland S, Clark C, Galasko D, Koss E, Mohs R, van Belle G, Fillenbaum G, Heyman A: The Consortium to Establish a Registry for Alzheimer's Disease (CERAD). Part IV. Rates of cognitive change in the longitudinal assessment of probable Alzheimer's disease. *Neurology* 1993; 43(12):2457-2465.
- Morris JC: Clinical dementia rating. *Neurology* 1993; 43:2412-2414.
- Olney JW, Sesma MA, Wozniak DF: Glutamatergic, GABAergic and cholinergic systems in posterior cingulate cortex: Interactions and possible mechanisms of limbic system disease. In The Neurobiology of Cingulate Cortex and Limbic Thalamus: A Comprehensive Handbook. (eds.) BA Vogt, M Gabriel. Birkh_user, 1993; 557-580.
- Price JL: The relationship between tangle and plaque formation during healthy aging and mild dementia. *Neurobiol Aging* 1993; 14:661-663.
- Rovainen CM, Woolsey TA, Blocher NC, Wang DB, Robinson OF: Blood flow in single surface arterioles and venules on the mouse somatosensory cortex measured with videomicroscopy, fluorescent dextrans, non-occluding

- fluorescent beads, and computer-assisted image analysis. *J Cereb Blood Flow Metab* 1993; 13:359-371.
- Rubin EH, Kinscherf DA, Figiel G, Zorumski CF: The nature and time course of cognitive side effects during electroconvulsive therapy in the elderly. *J Geriatr Psychiatry Neurol* 1993; 6:78-83.
- Rubin EH, Kinscherf DA, Morris JC: Psychopathology in younger persons versus older persons with very mild and mild dementia of the Alzheimer type. *Am J Psychiatry* 1993; 150:639-642.
- Rubin EH, Storandt M, Miller JP, Grant EA, Kinscherf DA, Morris JC, Berg L: Influence of age on clinical and psychometric assessment of subjects with very mild or mild dementia of the Alzheimer type. *Arch Neurol* 1993; 50:380-383.
- Schellenberg GD, Payami H, Wijsman EM, Orr HT, Goddard K, Anderson L, Nemens E, White JA, Alonso ME, Ball MJ, Kaye J, Morris JC, Chui H, Sadovnick AD, Heston LL, Martin GM, Bird TD: Chromosome 14 and late-onset familial Alzheimer's disease. *Am J Hum Genetics* 53:619-628,1993.
- Schieber MH, Hibbard LS: How somatotopic is the motor cortex hand area. *Science* 1993; 261:489-492.
- Shyng S-L, Harris DA: A prion protein cycles between the cell surface and an endocytic compartment in cultured neuroblastoma cells. *J Biol Chem* 1993; 268:15922-15928.
- Smith CJ, Johnson EJ Jr, Osborne PA, Freeman RS, Neveu I, Brachet P: NGF deprivation and neuronal degeneration trigger altered beta-amyloid precursor protein gene expression in the rat superior cervical ganglia in vivo and in vitro. *Mol Brain Res* 1993; 17:328-334.
- Talbot C, Hardy J, Goate A: Unraveling the genetics of Alzheimer's disease. In Genome Maps and Neurological Disorders, Cold Spring Harbor Laboratory Press 1993; 101-120.
- Thio LL, Clifford DB, Zorumski CF: Blockade of ionotropic quisqualate receptor desensitization in rat hippocampal neurons wheat germ agglutinin and other lectins. *Neuroscience* 1993; 52:35-44.
- Thio LL, Clifford DB, Zorumski CF: Concanavalin A enhances excitatory synaptic transmission in cultured rat hippocampal neurons. *Synapse* 1993;13:94-97.
- Trick LR, Trick GL, Morris P, Wolf ML: Automated perimetry in aging and senile dementia of the Alzheimer's type. *Optom Vis Sci* 1993; 70:59.

Trick LR, Trick GL, Morris P, Wolf ML: On the clinical utility of automated perimetry in senile dementia of the Alzheimer's type. *Invest Ophthalmol Vis Sci* 1993; 34:1123.

Wozniak DF, McEwen M, Sesma MA, Olney JW, Fix AS. MK-801 induces extensive neuronal necrosis in posterior cingulate/retrosplenial cortices. *Soc Neurosci Abst* 1993; 19:1770.

Yang J, Thio LL, Clifford DB, Zorumski CF: Electrophysiological properties of identified postnatal rat hippocampal pyramidal neurons in primary culture. *Dev Brain Res* 1993; 71:19-26.

Zorumski CF, Izumi Y: Nitric oxide and hippocampal synaptic plasticity. *Biochem Pharmacol* 1993; 46:777-785.

Zorumski CF, Olney JW: Excitotoxic neuronal damage and neuropsychiatric disorders. *Pharmacol Therapeutics* 1993; 59:145-162.

Zorumski CF, Yamada KA, Price MT, Olney JW: A benzodiazepine recognition site associated with the non-NMDA glutamate receptor. *Neuron* 1993; 10:61-67.

1992

Balota DA, Black SR, Cheney M: Automatic and attentional priming in young and older adults: Reevaluation of the two-process model. *J Exp Psychol* 1992; 18:485-502.

Balota DA, Duchek JM: Age-related changes in spreading activation: Implications for connectionist models of cognitive aging. In Morley JE, Coe RM, Strong R, Grossberg GT eds. Memory Functions in Aging and Aging-Related Disorders. Springer Publishing Company, 1992:75-94.

Baumrind NL, Wayne D, Parkinson DL, Pearlman AL: EMA: A developmentally regulated antigen on the cell surface of CNS neurons that is concentrated at the leading edge of growth cones. *Devel Dynamics* 1992; 194:311-325.

Berg L, Miller JP, Baty J, Rubin EH, Morris JC, Figiel G: Mild senile dementia of the Alzheimer type: 4. Evaluation of intervention. *Ann Neurol* 1992; 31:242-249.

Berg L: Detection of early (very mild) Alzheimer's disease: In Morley JE, Coe RM, Strong R, Grossberg GT, eds. Memory Function and Aging Related Disorders. Springer Publishing Company, 1992:224-237.

- Clark GD, Happel LT, Zorumski CF, Bazan NG: A novel presynaptic receptor that modulates the release of excitotoxic neurotransmitters. Fourth International Symposium on Pharmacology of Cerebral Ischemia 1992; 9:1211-1216.
- Clark GD, Happel LT, Zorumski CF, Bazan NG: Enhancement of hippocampal excitatory synaptic transmission by platelet activating factor. *Neuron* 1992; 9:1211-1216.
- Cole M, Winkelman MD, Morris JC, Simon JE, Boyd TA: Thalamic amnesia: Korsakoff syndrome due to left thalamic infarction. *J Neurol Sci* 1992;110:62-67.
- Craft S, Zallen G, Baker LD: Glucose and memory in mild senile dementia of the Alzheimer type. *J Clin Exp Neuropsychol* 1992;14: 53-267.
- Crawford F, Goate A: Alzheimer's disease untangled. *BioEssays* 1992; 14:727-734.
- Davis KL, Thal LJ, Gamzu G, Davis CS, Woolson RF, Gracon SI, Drachman DA, Schneider LS, Whitehouse PJ, Hoover TM, Morris JC, Kawas CH, Knopman DS, Earl NL, Kumar V, Doody RS: A double-blind, placebo-controlled multicenter study of tacrine for Alzheimer's disease. *N Eng J Med* 1992; 327:1253-1259.
- Fidani L, Rooke K, Chartier-Harlin M-C, Hughes D, Tanzi R, Mullan M, Roques P, Rossor M, Hardy J, Goate A: Screening for mutations in the open reading frame and promoter of the beta-amyloid precursor protein gene in familial Alzheimer's disease: Identification of a further family with APP717 Val-Ile. *Human Mol Genetics* 1992; 1:165-168.
- Franklin JL, Johnson EM Jr: Promotion of neuronal survival by increases of cytoplasmic calcium *Trends Neurosci* 1992;15:501-507.
- Hibbard LS, Arnica-Sulze TL, Dovey-Hartman BJ, Page RB: Computed alignment of dissimilar images for three-dimensional reconstructions. *J Neurosci Meth* 1992; 41:133-152.
- Hill RD, Storandt M, LaBarge E: Psychometric discrimination of moderate senile dementia of the Alzheimer type. *Arch Neurol* 1992; 49:377-380.
- Izumi Y, Benz AM, Clifford DB, Zorumski CF: Nitric oxide inhibitors alternate N-methyl-D-aspartate excitotoxicity in rat hippocampal slices. *Neurosci Lett* 1992; 135:117-120.

- Izumi Y, Clifford DB, Zorumski CF: Inhibition of long-term potentiation by NMDA-mediated nitric oxide release. *Science* 1992; 257:1273-1276.
- Izumi Y, Clifford DB, Zorumski CF: Low concentrations of N-methyl-D-aspartate inhibit the induction of long-term potentiation in rat hippocampal slices. *Neurosci Lett* 1992; 137:245-248.
- Izumi Y, Clifford DB, Zorumski CF: Norepinephrine reverses N-methyl-D-aspartate-mediated inhibition of long-term potentiation in rat hippocampal slices. *Neurosci Lett* 1992; 142:163-166.
- Johnson EM Jr, Koike T, Franklin JL: A calcium set-point hypothesis of neuronal dependence on neurotrophic factor. *Exp Neurol* 1992; 115:163-166.
- LaBarge E, Balota D, Storandt M, Smith D: An analysis of confrontation naming errors in SDAT. *Neuropsychol* 1992; 6:77-95.
- LaBarge E, Smith DS, Dick L, Storandt M: Agraphia in dementia of the Alzheimer type. *Arch Neurol* 1992; 49:1151-1156.
- Martin DP, Ito A, Horigome K, Lampe PD, Johnson EM Jr: Biochemical characterization of programmed cell death in NGF-deprived sympathetic neurons. *J Neurobiol* 1992; 23:1205-1220.
- Montgomery EB Jr, Clare MH, Sahrman S, Bucholz SR, Hibbard LS, Landau WM: Neuronal multipotentiality: evidence for network representation of physiological function. *Brain Research* 1992; 580:490-61.
- Noetzel, MJ: Aberrant neurofilament protein phosphorylation in an animal model of Down syndrome. *Ann Neurol* 1992; 32:427-428.
- Olney JW. Excitotoxins and neurologic diseases. Alfred Benzon Symposium No. 32. In: Schousboe A, Diemer NHU, Kofod H (eds), Drug Research Related to Neuroactive Amino Acids. Munksgaard, Copenhagen, 1992; 257-270.
- Petersen RB, Tabaton M, Berg L, Schrank B, Torack RM, Julien J, Vital C, Deleplanque B, Pendlebury WW, Drachman D, Smith TW, Davies P, Martin JJ, Oda M, Montagna P, Autilio-Gambetti L, Lugaresi E, Gambetti P. Analysis of the prion gene in thalamic dementia. *Neurology* 1992; 42:1859-1863.
- Powers WJ, Perlmutter JS, Videen TO, Herscovitch P, Griffeth LK, Royal HD, Siegel BA, Morris JC, Berg L: Blinded clinical evaluation of positron emission tomography for diagnosis of probable Alzheimer's disease. *Neurology* 1992; 42:765-770.

- Ray JP, Price JL: The organization of the Thalamocortical connections of the mediodorsal thalamic nucleus in the rat, related to the ventral forebrain-prefrontal cortex topography. *J Comp Neurol* 1992; 323:167-197.
- Ray JP, Russchen FT, Fuller TA, Price JL: Sources of presumptive glutamatergic/aspartatergic afferents to the mediodorsal nucleus of the thalamus in the rat. *J Comp Neurol* 1992; 320:435-456.
- Robinson-Whelan S, Storandt M: Immediate and delayed prose recall among normal and demented adults. *Arch Neurol* 1992; 49:32-34.
- Robinson-Whelan S: Benton visual retention test performance among normal and demented older adults. *Neuropsychology* 1992; 6:261-269.
- Rooke K, Goate A, Fidani L, Mullan M, Roques P, Rossor M, Hardy J, Chartier-Harlin M-C: Screening of the promoter and the β -amyloid sequence of the APP gene for polymorphism in families with late onset Alzheimer's disease. *Neurodegeneration* 1992; 1:237-240.
- Rubin EH: Delusions as part of Alzheimer's disease. *Neuropsychiatry Neuropsychol Behavioral Neurol* 1992; 5:108-113.
- Sheetz MP, Wayne DB, Pearlman AL: Extension of filopodia by motor-dependent actin assembly. *Cell Motil Cytoskel* 1992; 22:160-169.
- Squire LR, Ojeman JG, Miezen FM, Petersen SE, Videen TO, Raichle ME: Activation of the hippocampus in normal humans: a functional anatomical study of memory. *Proc Natl Acad Sci(USA)* 1992; 89:1837-1841.
- Storandt M, Morris JC, Rubin EH, Coben LA, Berg L: Progression of senile dementia of the Alzheimer type on a battery of psychometric tests. In Backman L, Ed. Memory Functioning In Dementia Amsterdam: Elsevier Science Publishers, 1992;206-226.
- Thio LL, Clark GD, Clifford DB, Zorumski CF: Wheat germ agglutinin enhances EPSCs in cultured postnatal rat hippocampal neurons by blocking ionotropic quisqualate receptor desensitization. *J Neurophysiology* 1992; 68:1930-1938.
- Thio LL, Clifford DB, Zorumski CF: Blockade of ionotropic quisqualate receptor desensitization by wheat germ agglutinin in cultured postnatal rat hippocampal neurons. *J Neurophysiology* 1992; 68:1917-1929.

- Torack RM, Morris JC: Tyrosine hydroxylase-like (TH) immunoreactivity in Parkinson's disease and Alzheimer's disease. *J Neural Transm* 1992; 4:165-171.
- Wang DB, Blocher NC, Spence ME, Rovainen CM, Woolsey TA: Development and remodeling of cerebral blood vessels and their flow in postnatal mice observed with in vivo videomicroscopy. *J Cereb Blood Flow Metab* 1992; 12:935-946.
- Yan Q, Elliott J, Snider WD: Brain-derived neurotrophic factor (BDNF) rescues spinal motor neurons from axotomy-induced cell death. *Nature* 1992; 360:753-755.
- Zorumski CF, Thio LL, Isenberg KE, Clifford DB: Nicotinic acetylcholine currents in cultured postnatal rat hippocampal neurons. *Mol Pharmacol* 1992; 41:993-930.
- Zorumski CF, Thio LL: Properties of vertebrate glutamate receptors: calcium mobilization and desensitization. *Prog Neurobiol* 1992; 39:295-336.

1991

- Balice-Gordon RJ, Lichtman JW: The plasticity and stability of neuromuscular synapses in living mice. In: A. Wernig (ed), Plasticity of Motoneuronal Connections, Peripheral and Central. Restorative Neurology, Springer-Verlag, Berlin 1991; 5:71-84.
- Balota DA, Duchek JM: Semantic priming effects, lexical repetition effects, and contextual disambiguation effects in healthy aged individuals and individuals with senile dementia of the Alzheimer type. *Brain and Language* 1991; 40:181-201.
- Baum CM: Addressing the needs of the cognitively impaired elderly from a family policy perspective. *Am J Occup Therapy* 1991; 45:594-606.
- Berg L, Buckwalter KC, Chafetz PK, Gwyther LP, Holmes D, Mann Koepke K, Lawton MP, Lindeman DA, Magaziner J, Maslow K, Morley JE, Ory MG, Rabins PV, Sloane PD, Teresi J: Special care units for persons with dementia. *J Am Geriatr Soc* 1991; 39:1229-1236.
- Burke WJ, O'Malley KL, Chung HD, Harmon SK, Miller JP, Berg L: Effect of pre- and postmortem variables on specific mRNA levels in human brain. *Molec Brain Res* 1991; 11:37-41.

- Davis PB, White H, Price JL, McKeel D, Robins LN: Retrospective postmortem dementia assessment: Validation of a new clinical interview to assist neuropathologic study. *Arch Neurol* 1991; 48:613-617.
- Duchek J, Cheney M, Ferraro FR, Storandt M: Paired associate learning in senile dementia of the Alzheimer type. *Arch Neurol* 1991; 48:1038-1040.
- Edwards DF, Baum CM, Deuel RK: Constructional apraxia in Alzheimer's disease: Contributions to functional loss. *Physical Occup Therapy Geriatr* 1991; 9:53-68.
- Edwards DF, Deuel RK, Baum CM, Morris JC: A quantitative analysis of apraxia in senile dementia of the Alzheimer type: Stage related differences in prevalence and type. *Dementia* 1991; 2:142-149.
- Faustman WO, Moses JA Jr, Ringo DL, Newcomer JW: Left-handedness in male schizophrenic patients is associated with increased impairment on the Luria-Nebraska Neuropsychological Battery. *Biol Psychiatry* 1991; 30:326-334.
- Ferguson IA, Johnson Jr EM: Fibroblast growth factor receptor-bearing neurons in the CNS: Identification by receptor-mediated retrograde transport. *J Comp Neurol* 1991; 313:693-706.
- Ferguson IA, Schweitzer JB, Johnson Jr EM: Receptor-mediated retrograde transport in CNS neurons after intraventricular administration of NGF and growth factors. *J Comp Neurol* 1991; 313:680-692.
- Izumi Y, Clifford DB, Zorumski CF: 2-amino-3-phosphonopropionate blocks the induction and maintenance of long-term potentiation in rat hippocampal slices. *Neurosci Letters* 1991; 122:187-190.
- Lydic R, Baghdoyan HA, Hibbard LS, Bonyak EV, DeJoseph MR, Hawkins RA: Regional brain glucose metabolism is altered during rapid eye movement sleep in the cat: A preliminary study. *J Comp Neurol* 1991; 304:517-529.
- Mirra SS, Heyman A, McKeel D, Sumi SM, Crain B, Brownlee L, Vogel FS, Hughes JP, van Belle G, Berg L: The consortium to establish a registry for Alzheimer's disease (CERAD): Part II. Standardization of the neuropathological assessment of Alzheimer's disease *Neurology* 1991; 41:479-486.
- Morris JC, McKeel Jr DW, Storandt M, Rubin EH, Price JL, Grant EA, Ball MJ, Berg L: Very mild Alzheimer's disease: Informant-based clinical, psychometric, and pathological distinction from normal aging. *Neurology* 1991; 41:469-478.

- Morris JC, McManus DQ: The neurology of aging. Normal versus pathological change. *Geriatrics* 1991; 46:47-54.
- Morris JC, Rubin EH: Clinical diagnosis and course of Alzheimer's disease. In Davidson J, ed. The Psychiatric Clinics of North America. Philadelphia: W.B. Saunders Company, 1991:41:(2)223-236.
- Mosinger JL, Price MT, Bai HY, Xiao H, Wozniak DF, Olney JW: Blockade of both NMDA and no NMDA receptors is required for optimal protection against ischemic neuronal degeneration in the *in vivo* adult mammalian retina. *Exp Neurol* 1991; 113:10-17.
- Newcomer JW, Faustman WO, Whiteford HA, Moses JA Jr, Csernansky JC: Symptomatology and cognitive impairment associate independently with post-dexamethasone cortisol concentrations in unmedicated schizophrenic patients. *Biol Psychiatry* 1991; 29:855-864.
- Olney JW, Labruyere J, Wang G, Wozniak DF, Price MT, Sesma MA: NMDA Antagonist Neurotoxicity: Mechanism and Prevention. *Science* 1991; 254:1515-1518.
- Owens G, Johnson R, Bunge R, O'Malley KL: Genetically modified Schwann cells can produce L-DOPA and myelinate nerves. *J Neurochem* 1991; 56:1024-1029.
- Powers WJ, Berg L, Perlmutter JS, Raichle ME: Technology assessment revisited: Does positron emission tomography have proven clinical efficacy? *Neurology* 1991; 41:1339-1340.
- Price JL, Carnes KM: Input/output relations of the magnocellular nuclei of the basal forebrain. In: R.T. Richardson (ed), Activation to Acquisition: Functional Aspects of the Basal Forebrain Cholinergic System. Birkhauser Boston, Cambridge, 1991; 87-113.
- Price JL, Davis PB, Morris JC, White DL: The distribution of tangles, plaques and related immunohistochemical markers in healthy aging and Alzheimer's disease. *Neurobiol Aging* 1991; 12:295-312.
- Rubin EH, Kinscherf DA, Grant EA, Storandt M: The influence of major depression on clinical and psychometric assessment of senile dementia of the Alzheimer type. *Am J Psychiatry* 1991; 148:1164-1171.
- Sheppard AM, Hamilton SK, Pearlman AL: Changes in the distribution of extracellular matrix components accompany early morphogenetic events of mammalian cortical development. *J Neurosci* 1991; 11:3928-3942.

- Thio LL, Clifford DB, Zorumski CF: Characterization of quisqualate receptor desensitization in cultured postnatal rat hippocampal neurons. *J Neurosci* 1991; 11:3430-3441.
- Trick GL, Silverman SE: Visual sensitivity to motion: Age-related changes and deficits in senile dementia of the Alzheimer type. *Neurology* 1991; 41:1437-1440.
- Wanaka A, Milbrandt J, Johnson Jr, EM: Expression of FGF receptor gene in rat development. *Development* 1991; 111:455-568.
- Wippold FJ, Gado M, Morris JC, Duchek J, Grant EA. Senile dementia and healthy aging: A longitudinal CT study. *Radiology* 1991; 179:215-219.
- Woolsey TA, Rovainen CM: Whisker barrels: A model for direct observation of changes in the cerebral microcirculation with neuronal activity. Eds. Munksgaard, Copenhagen 1991. Alfred Benzon Symposium #31, Brain Work II.
- Wozniak DF, Cicero TJ, Kettinger L III, Meyer ER: Paternal alcohol consumption in the rat impairs spatial learning performance in male offspring. *Psychopharmacology* 1991; 105:389-403.
- Wozniak DF, Stewart GR, Miller JP, Olney JW: Brief Communication: Age-related sensitivity to kainate neurotoxicity. *Exp Neurol* 1991; 114:250-253.
- Zorumski CF, Thio LL, Clifford DB: Effects of bromowillardiine and willardiine on non-NMDA receptors in postnatal rat hippocampal neurons. *Molecular Pharmacol* 1991; 40:45-51.

1990

- Balice-Gordon RJ, Breedlove SM, Bernstein S, Lichtman JW: Neuromuscular junctions shrink and expand as muscle fiber size is manipulated: *in vivo* observations in the androgen sensitive bulbocavernosus muscle of mice. *J Neurosci* 1990; 10:2660-2671.
- Balice-Gordon RJ, Lichtman JW: *In vivo* visualization of the growth of pre- and postsynaptic elements of mouse neuromuscular junctions. *J Neurosci* 1990; 10:894-908.
- Balota DA, Duchek JM, Paullin R: Age-related differences in the impact of spacing, lag and retention interval. *Psychol Aging* 1990; 4: 3-9.

- Berg L. Minor cognitive deficits and the detection of mild dementia. *Psychiatr J. Univ Ottawa* 1990; 15:230-231.
- Berg L, Morris JC: Aging and dementia. In Pearlman AL, Collins RC, eds. Neurobiology of Disease. New York: Oxford University Press, 1990:299-322.
- Berg L, Smith DS, Morris JC, Miller JP, Rubin EH, Storandt M, Coben LA: Mild senile dementia of the Alzheimer type: 3. Longitudinal and cross-sectional assessment. *Ann Neurol* 1990; 28:648-652.
- Binder EF, Robins LN: Cognitive impairment and length of hospital stay in older persons. *J Am Geriatr Soc* 1990; 38:759-766.
- Carnes KM, Fuller TA, Price JL: Sources of presumptive glutamatergic/aspartatergic afferents to the magnocellular basal forebrain in the rat. *J Comp Neurol* 1990; 302:824-852.
- Chang JY, Martin DP, Johnson Jr EM: Interferon suppresses sympathetic neuronal death caused by nerve growth factor deprivation. *J Neurochem* 1990; 55:436-445.
- Clark GD, Clifford DB, Zorumski CF: The effect of agonist concentration, membrane voltage, and calcium on N-methyl-D-aspartate receptor desensitization. *Neuroscience* 1990; 39:787-797.
- Clifford DB, Olney JW, Benz A, Fuller TA, Zorumski CF: Ketamine, phencyclidine and MK-801 protect against kainic acid induced seizure-related brain damage. *Epilepsia* 1990; 31:382-390.
- Coben LA, Chi D, Snyder AZ, Storandt M: Replication of a study of frequency analysis of the resting awake EEG in mild probable Alzheimer's disease. *EEG Clin Neurophysiol* 1990; 75:148-154.
- Coker GT III, Studelska D, Harmon S, Burke W, O'Malley KL: Analysis of tyrosine hydroxylase and insulin transcripts in human neuroendocrine tissues. *Mol Brain Res* 1990; 8:93-90.
- Culican SM, Baumrind NL, Yamamoto M, Pearlman AL: Cortical radial glia: identification in tissue culture and evidence for their transformation to astrocytes. *J Neurosci* 1990; 10:684-692.
- Davis PB, Morris JC, Grant E: Brief screening tests versus clinical staging in senile dementia of the Alzheimer type. *J Am Geriatr Soc* 1990; 38:129-135.

- Edwards DF, Baum CM: Caregiver burden across stages of dementia. *Occup Ther Pract* 1990; 2(1):17-31.
- Evans MS, Zorumski CF, Clifford DB: Lithium enhances neuronal muscarinic excitation by presynaptic facilitation. *Neuroscience* 1990; 38:457-468.
- Ferguson IA, Schweitzer, Johnson Jr EM: Basic fibroblast growth factor: Receptor-mediated internalization, metabolism, and anterograde axonal transport in retinal ganglion cells. *J Neurosci* 1990; 10:2176-2189.
- Fischbach RL: Identification of demented persons in the community. In Becker RE, Giacobini E, eds. Alzheimer Disease: Current Research in Early Diagnosis. New York: Taylor, Francis, 1990: 49-74.
- Flynn TM, Storandt M: Supplemental group discussions in memory training for older adults. *Psychol Aging* 1990; 5:178-181.
- Green J, Morris JC, Sandson J, McKeel D, Miller J: Progressive aphasia: A precursor of global dementia? *Neurology* 1990; 40:423-429.
- Hibbard LS: Digital image processing and three-dimensional reconstruction in the basic neurosciences. In Image Analysis Applications. (eds.) R Kasturi, M Trivedi. Marcel Dekker, New York, 1990.
- Izumi Y, Clifford DB, Zorumski CF: Glycine antagonists block the induction of long-term potentiation in CA1 of rat hippocampal slices. *Neurosci Letters* 1990; 112:251-256.
- Jarvik LF, Berg L, Bartus R, Heston L, Leith N, Phelps C, Shader R, Whitehouse P. Clinical drug trials in Alzheimer disease. What are some of the issues? *Alz Dis Assoc Disord* 4:193-202, 1990.
- Lichtman JW, Balice-Gordon RJ: Understanding synaptic competition in theory and in practice. *J Neurobiol* 1990; 21:99-106.
- Martin DP, Wallace TL, Johnson Jr EM: Cytosine arabinoside (Ara C) kills postmitotic neurons in a fashion resembling trophic factor deprivation: Evidence that a deoxycytidine-dependent process may be required for nerve growth factor (NGF) signal transduction. *J Neurosci* 1990; 10:184-193.
- Morris JC, Gado M, Torack R, McKeel DW: Binswanger's disease or artifact: A clinical, neuro-imaging, and pathological study of periventricular white matter changes in Alzheimer's disease. In Wurtman RJ, Corkin S, Growdon JH, Ritter-Walker E, eds. Advances in Neurology, Vol. 51: Alzheimer's Disease. New York: Raven Press, 1990:47-52.

- Morris JC: Establishing diagnostic criteria for a registry for dementing diseases. *Aging Clin Exp Res* 1990; 2(2):207-215.
- Noetzel MJ: Phosphorylation of the glial fibrillary acidic protein. *J Neurosci* 1990; 27:184-192.
- Noetzel MJ: Synthesis and phosphorylation of the glial fibrillary acidic protein during brain development: A tissue slice study. *Glia* 1990; 3:450-457.
- Olney JW, Zorumski CF, Price MT, Labruyere J: L-cysteine, a bicarbonate-sensitive endogenous excitotoxin. *Science* 1990; 248:596-599.
- Olney JW, Zorumski CF, Stewart GR, Price MT, Wang G, Labruyere: Excitotoxicity of L-DOPA and 6-OH-DOPA: Implications for Parkinson's and Huntington's Diseases. *Experimental Neurol* 1990; 108:269-272.
- Olney JW: Excitotoxic amino acids and neuropsychiatric disorders. *Annu Rev Pharmacol Toxicol* 1990; 30:47-71.
- Pearlman AL, Collins RC: (eds) Neurobiology of Disease, Oxford University Press, New York; 1990.
- Petersen SE, Fox PT, Synder AZ, Raichle ME: Activation of extrastriate and frontal cortical areas by visual words and word-like stimuli. *Science* 1990; 249:1041-1044.
- Price JL: The olfactory system. In The Human Nervous System. (ed.) G Paxinos. Academic Press, San Diego 1990; 979-998,.
- Reed AT, Lach HW, Smith L, Birge SJ: Alzheimer's disease and the need for supervision. *Am Jour Alzheimer Dis Care Research* September/October, 29-34, 1990.
- Romanelli MF, Morris JC, Ashkin K, Coben LA: Advanced Alzheimer's disease is a risk factor for late-onset seizures. *Arch Neurol* 1990; 47:847-850.
- Rubin EH: Psychopathology of senile dementia of the Alzheimer type. In Wurtman RJ, Corkin S, Growdon JH, Ritter-Walker E, eds. Advances in Neurology, Vol. 51: Alzheimer's Disease. New York: Raven Press, 1990:53-59.
- Ruit KG, Osborne PA, Schmidt RE, Johnson Jr EM, Snider WD: Nerve growth factor regulates sympathetic ganglion cell morphology and survival in the adult mouse. *J Neurosci* 1990; 10:2412-2419.

- Sheetz MP, Baumrind NL, Wayne DB, Pearlman AL: Concentration of membrane antigens by forward transport and trapping in neuronal growth cones. *Cell* 1990; 61:321-241.
- Stewart GD, Zorumski CF, Price MT, Olney JW: Domoic acid: a dementia-inducing excitotoxic food poison with kainic acid receptor specificity. *Exp Neurol* 1990; 110:127-138.
- Storandt M: Bender gestalt test performance in senile dementia of the Alzheimer type. *Psychol Aging* 1990; 5:604-606.
- Storandt M: Longitudinal studies of aging and age-associated dementias. In: Boller F, Grafman J, eds. Handbook of Neuropsychology. Elsevier Science Publishers, 1990:(4)349-364.
- Torack RM, Morris JC: Tyrosine hydroxylase-like (TH) immunoreactivity in human mesolimbic system. *Neurosci Letters* 1990; 116:75-80.
- Wanaka A, Johnson Jr EM, Milbrandt JD: Localization of fibroblast growth factor (FGF) receptor mRNA species in the adult rat central nervous system by in situ hybridization. *Neuron* 1990; 5:267-281.
- Wanaka A, Johnson Jr EM: Developmental study of nerve growth factor receptor mRNA expression in the postnatal rat cerebellum. *Dev Brain Res* 1990; 55:288-292.
- Wozniak DF, Olney JW, Kettinger III L, Price M, Miller JP: Behavioral effects of MK-801 in the rat. *Psychopharmacology* 1990; 101:47-56.
- Yan Q, Clark HB, Johnson EM Jr: Nerve growth factor receptor in neural lobe of rat pituitary gland: immunohistochemical localization, biochemical characterization, and regulation. *J Neurocytol* 1990; 19:302-312.
- Zorumski CF, Thio LL, Clark GD, Clifford DB: Blockade of desensitization augments quisqualate excitotoxicity in hippocampal neurons. *Neuron* 1990; 5:61-66.

1989

- Balota DA, Duchek JM: Spreading activation in episodic memory: Further evidence for age-independence. *Quarterly J Exp Psychol* 1989; 41:849-876.
- Berg L, Morris JC: Clinical aspects of Alzheimer's disease. *Curr Opin Neurol Neurosurg* 1989; 2:445-450.

- Clifford DB, Zorumski CF, Olney JW: Ketamine and MK-801 prevent degeneration of thalamic neurons induced by focal cortical seizures. *Exp Neurol* 1989; 105:272-279.
- Davis PB, Robins LN: History taking in the elderly with and without cognitive impairment: How useful is it? *J Am Geriatr Soc* 1989; 37:249-255.
- Drevets WC, Rubin EH: Psychotic symptoms and the longitudinal course of senile dementia of the Alzheimer type. *Biol Psychiatry* 1989; 25:39-48.
- Hibbard L, McKeel DW Jr: Counting and sizing Alzheimer's disease plaques using noninteractive computer imaging programs. Second International Symposium on Familial Alzheimer's Disease, Seattle, May 14-17, 1989.
- Hibbard LS, McGlone JS, Davis DW, Hawkins RA: Three-dimensional representation and analysis of brain energy metabolism. In Molecules to Models: Advances in Neuroscience. (eds.) KL Kelner, DE Koshland Jr. American Association for the Advancement of Science Washington DC 1989; 253-260.
- Hill RD: Residual effects of cigarette smoking on cognitive performance in normal aging. Psychology and Aging 1989; 4:251-254.
- Johnson EM Jr, Osborne PA, Taniuchi M: Destruction of sympathetic and sensory neurons in the developing rat by a monoclonal antibody against the nerve growth factor (NGF) receptor. *Brain Res* 1989; 478:166-170.
- Koike T, Martin DP, Johnson EM Jr: Role of calcium channels in the ability of membrane depolarization to prevent trophic factor deprivation induced neuronal death: evidence that levels of internal calcium determine nerve growth factor dependence of sympathetic ganglion cells. *PNAS* 1989; 86:6421-6425.
- Liao CC, Lin HS, Liu J-Y, Hibbard LS, Wu J-Y: Purification and characterization of a benzodiazepine-like substance from mammalian brain. *Neurochem Res* 1989; 14:345-352.
- McCulla MM, Coats M, Van Fleet N, Duchek J, Grant E, Morris JC: Reliability of nurse specialists in the staging of dementia. *Arch Neurol* 1989; 46:1210-1211.
- Miller JP: Statistical considerations for quantitative techniques in clinical neurology. In T. Munsat ed. Quantification of Neurological Deficit, Butterworths, Stoneham, 1989;. 69-84.

Morris JC, Drazner M, Fulling K, Grant EA, Goldring J: Clinical and pathological aspects of parkinsonism in Alzheimer's disease: a role for extranigral factors? *Arch Neurol* 1989; 46:651-657.

Morris JC, van Belle G, Heyman A, Fillenbaum G, Mohs RC, Mellits ED, Hughes JP, Clark C: The consortium to establish a registry for Alzheimer's disease (CERAD). Part I. Clinical and neuropsychological assessment of Alzheimer's disease. *Neurology* 1989; 39:1159-1165.

Ray JP, Price JL: Postnatal changes in the density and distribution of neurotensin-like immunoreactive fibers in the mediodorsal nucleus of the thalamus in the rat. *J Comp Neurol* 1989; 292:269-282.

Reiman EM, Raichle ME, Robins E, Mintun MA, Fusselman MJ, Fox PT, Price JL, Hackman KA: Neuroanatomical correlates of a lactate-induced anxiety attack. *Neuroanatomical correlates of a lactate-induced anxiety attack. Arch Gen Psychiat* 1989; 46:493-500.

Rubin EH, Kinscherf BA, Morris JC: Personality and dementia. *Bull Clin Neurosci* 1989; 54:88-94.

Rubin EH, Kinscherf DA: Psychopathology of very mild dementia of the Alzheimer type. *Am J Psychiatry* 1989; 146:1017-1021.

Rubin EH, Morris JC, Grant EA, Vendegna T: Very mild senile dementia of the Alzheimer type. I. Clinical Assessment. *Arch Neurol* 1989; 46:379-382.

Silverman MS, Groszof DH, DeValois RL, Elfar SD: Spatial-frequency organization in primate striate cortex. *PNAS* 1989; 86:711-715,.

Storandt M, Hill RD: Very mild senile dementia of the Alzheimer type. II. Psychometric test performance. *Arch Neuro* 1989; 46:383-386.

Torack RM, Morris JC: Vascular glycosaminoglycans in periventricular leukoencephalo-pathy. *Acta Neuropathologica* 1989; 78:492-496.

Trick GL, Barris MC, Bickler-Bluth M: Abnormal pattern electroretinograms in patients with senile dementia of the Alzheimer type (SDAT). *Ann Neurol* 1989; 26:226-231.

Wallace TL, Johnson EM Jr: Cytosine arabinoside (ARA C) kills postmitotic neurons: evidence that deoxycytidine may have a role in neuronal survival that is independent of DNA synthesis. *J Neurosci* 1989; 9:115-124.

Wolff JA, Fisher LJ, Xu L, Hyder A, Jinnah P, Langlais P, Iusone P, O'Malley KL, Rosenberg M, Shimohama S, Friedmann T, Gage FH: Grafting fibroblasts

genetically modified to produce L-DOPA in a rat model of Parkinson's disease. PNAS 1989; 86:9011-9014.

Wozniak DF, Stewart GR, Finger S, Olney JW, Cozzari C: Basal forebrain lesions impair tactile discrimination and working memory. Neurobiol of Aging 1989; 10:173-179.

Wozniak DF, Stewart GR, Finger S, Olney JW: Comparison of behavioral effects of nucleus basalis magnocellularis lesions and somatosensory cortex ablation in the rat. Neurosci 1989; 32:685-700.

Yan Q, Johnson Jr EM: Immunohistochemical localization and biochemical characterization of nerve growth factor (NGF) receptor in adult rat brain. J Comp Neurol 1989; 290:585-598.

Zorumski CF, Thio LL, Clark GD, Clifford DB: Calcium influx through N-methyl-D-aspartate channels activates a potassium current in postnatal rat hippocampal neurons. Neurosci Letters 1989; 99:293-299.

Zorumski CF, Yang J, Fischbach GD: Calcium dependent, slow desensitization distinguishes different types of glutamate receptors. Cell Molecular Neurobiol 1989; 9:95-104.

Zupan AA, Osborne PA, Smith C, Siegel N, Leimgruber RM, Johnson Jr EM: Identification, purification, and characterization of truncated forms of the human nerve growth factor (NGF) receptor. J Biol Chem 1989; 264:11714-11720.

1988

Ball MJ, Griffin-Brooks S, MacGregor J, Nagy B, Ojalvo-Rose E, Fewster PH: Neuropathological definition of Alzheimer disease: Multivariate analyses in the morphometric distinction between Alzheimer dementia and normal aging. Alzheimer Dis Assoc Disord 1988; 2:29-37.

Ball MJ: The pathological diagnosis of Alzheimer disease: Present neuropathological standards and future challenges. Sec.IV. Neuropathology. In: Hovaguimian T, et al (eds), Alzheimer Disease: International Perspectives on Diagnosis, Hans Huber Verlag, Bern, 1988.

Baum C, Edwards DF, Leavitt K, Grant E, Deuel R: Performance components in SDAT: Motor planning, language, and memory. Amer Occup Ther J Res 1988; 8:356-368.

- Berg L, Miller JP, Storandt M, Duchek J, Botwinick J, Morris JC, Rubin E, Burke WJ, Coben LA: Mild senile dementia of the Alzheimer type: 2. Longitudinal assessment. *Ann Neurol* 1988; 23:477-484.
- Berg L, Storandt M: The longitudinal course of mild senile dementia of the Alzheimer type. In: Bergner M, Ermini M, Stahelin HB, eds. The 1988 Sandoz Lectures in Gerontology: Crossroads in Aging. London: Academic Press Inc, 1988:263-283.
- Berg L: Clinical dementia rating (correspondence). *Brit J Psychiatry* 1988; 153:267-268.
- Berg L: Clinical dementia rating. *Psychopharm Bull* 1988; 24:637-639.
- Berg L: Mild senile dementia of the Alzheimer type: Diagnostic criteria and natural history. *Mt Sinai J Med* 1988; 55:87-96.
- Botwinick J, Storandt M, Berg L, Boland S: Senile dementia of the Alzheimer type: Subject attrition and testability in research. *Arch Neurol* 1988; 45:493-496.
- Burke WJ, Miller JP, Rubin E, Morris JC, Coben LA, Duchek J, Wittels IG, Berg L: Reliability of the Washington University Clinical Dementia Rating (CDR). *Arch Neurol* 1988; 45:31-32.
- Burke WJ, Rubin E, Morris JC, Berg, L: Symptoms of "depression" in senile dementia of the Alzheimer type. *Alzheimer Dis Assoc Disor* 1988; 2:356-362.
- Burrell LD, McKeel DW Jr: Modified Bielschowsky silver stain with maximum sensitivity for cerebral senile plaques in Alzheimer's disease. National Society for Histotechnology Meeting, Lexington, Ky, October, 1988.
- Carnes KM, Price JL: Demonstration of individual fibers from the substantia innominata to the frontal cortex of the rat, using phaseolus vulgaris leucoagglutinin (PHA-L). In: Neurobiol of Amino Acids, Peptides and Trophic Factors. (eds.) JA Ferrendelli, RC Collins, and EM Johnson. Kluwer Academic Publishers, Boston 1988; 215-218.
- Collins RC, Carnes KM, Price JL: Prefrontal-limbic epilepsy: Experimental functional anatomy. *J Clin Neurophysiol* 5:105-117, 1988.
- DiStefano PS, Johnson Jr EM: Identification of a truncated form of the nerve growth factor receptor. *PNAS* 1988; 85:270-274.

- DiStefano PS, Johnson Jr EM: Nerve growth factor (NGF) receptors on cultured rat Schwann cell. J Neurosci 1988; 8:231-241.
- Faber-Langendoen K, Morris JC, Knesevich JW, LaBarge E, Miller JP, Berg L: Aphasia in senile dementia of the Alzheimer type. Ann Neurol 1988; 23:365-370.
- Fox P, Raichle ME, Mintun MA, Dence C: Nonoxidative glucose consumption during focal physiologic neural activity. Science 1988; 241:462-464.
- Fuller TA, Price JL: Putative glutamergic and/or aspartergic cells in the main and accessory olfactory bulbs of the rat. J Comp Neurol 1988; 276:209-218.
- Hibbard LS, Hawkins RA: Objective image alignment for three-dimensional reconstruction of digital autoradiograms. J Neurosci Meth 1988; 26:55-75.
- LaBarge E, Rosenman L, Leavitt K, Cristiani T: Counseling clients with mild senile dementia of the Alzheimer's type: A pilot study. J Neurol Rehab 1988; 2:167-173.
- Martin DP, Schmidt RE, DiStefano PS, Lowry OH, Carter JG, Johnson Jr EM: Inhibitors of protein synthesis and RNA synthesis prevent neuronal death caused by nerve growth factor deprivation. J Cell Biol 1988; 106:829-844.
- Martin RL, Gerteis G, Gabrielli WF. A family-genetic study of dementia of Alzheimer type. Arch Gen Psychiatry 1988; 45:894-900.
- Morris JC, Fulling K: Early Alzheimer's disease: Diagnostic considerations. Arch Neurol 1988; 45:345-349.
- Morris JC, McKeel DW, Jr, Fulling K, Torack RM, Berg L: Validation of clinical diagnostic criteria for Alzheimer's disease. Ann Neurol 1988; 24:17-22.
- Morris JC, Mohs R, Rogers H, Fillenbaum G, Heyman A: Consortium to establish a registry for Alzheimer's Disease (CERAD): clinical and neuropsychological assessment of Alzheimer's Disease. Psychopharm Bull 1988; 24:641-652.
- Petersen SE, Fox PT, Posner MI, Mintun MA, Raichle ME: Positron emission tomographic studies of the cortical anatomy of single word processing. Nature 1988; 331:585-589.
- Rubin E, Drevets WC, Burke WJ: The nature of psychotic symptoms in senile dementia of the Alzheimer type. J Geriatr Psychiatry Neurol 1988; 1:16-20.

Rubin E, Zorumski CF, Burke WJ: Overlapping symptoms of geriatric depression and Alzheimer type dementia. *Hosp Community Psychiatry* 1988; 39:1074-1079.

Storandt M, Aufdembrinke B, Backman L, Baltes MM, Blass JP, Braak H, Gutzmann H, Hau JJ, Hoyer S, Jorm AF, Kauss J, Kliegl R, Mountjoy CQ: Relationship of normal aging and dementing disease in later life. In: A.S. Henderson & J.H. Henderson (Eds.), Etiology of dementia of Alzheimer's Type. Dahlem Konferenzen. Chichester: John Wiley & Sons 1988; 231-239.

Taniuchi M, Clark HB, Schweitzer JB, Johnson Jr EM: Expression of nerve growth factor receptors by Schwann cells of axotomized peripheral nerves: ultrastructural location, suppression by axonal contact and binding properties. *J Neurosci* 1988; 8:664-681.

Torack RM, Morris JC: The association of ventral tegmental area histopathology with adult dementia. *Arch Neurol* 1988; 45:497-501.

Videen TO, Perlmutter JS, Mintun MA, Raichle ME: Regional correction of positron emission tomography data for the effects of cerebral atrophy. *J Cereb Blood Flow Metab* 1988; 8:662-670.

Yan Q, Johnson Jr EM: An immunohistochemical study of the nerve growth factor (NGF) receptor in developing rats. *J Neurosci* 1988; 8:3481-3498.

Yan Q, Snider WD, Pinzone JJ, Johnson Jr EM: Retrograde transport of nerve growth factor (NGF) in motoneurons of developing rats: assessment of potential neurotrophic effects. *Neuron* 1988; 1:335-343.

1987

Ball MJ, Fox AJ, Hachinski V, Mersky H, Blume W, Fisman M: Ischemic association axonopathy: A pathogenetic mechanism to explain white matter lucencies in some patients with dementia of the Alzheimer type. Canad J Neurol Sci 14:98, 1987 (Feb issue, Abstract No. 5).

Berg G, Edwards DF, Danziger WL, Berg L: Longitudinal change in three brief assessments of SDAT. *J Am Geriatr Soc* 1987; 35:205-212.

Berg L: The aging brain. In Strong R, Wood WG, Burke W, Morrell RM, eds. Central Nervous System Disorders of Aging: Clinical Intervention and Research (Aging, Vol 33). New York: Raven Press, 1987:1-16.

- Doucette R, Ball MJ: Left-right symmetry of neuronal cell counts in the nucleus basalis of Meynert of control and of Alzheimer-diseases brains. *Brain Res* 1987; 422:357-360.
- Drevets WC, Rubin E: Erotomania and senile dementia of the Alzheimer type. *Br J Psychiatry* 1987;151:400-402.
- Fuller TA, Russchen FT, Price JL: Sources of presumptive glutamergic/aspartergic afferents to the rat ventral striatopallidal region. *J Comp Neuro* 1987; 258:317-338.
- Herscovitch P, Raichle ME, Kilbourn MR, Welch MJ: Positron emission tomographic measurement of cerebral blood flow and permeability-surface area product of water using 150-water and ¹¹C-butanol. *J Cereb Blood Flow Metab* 1987; 7:443-463.
- Johnson EM, Taniuchi M, Clark HB, Springer JE, Koh S, Tayrien MW, Loy R: Demonstration of the retrograde transport of nerve growth factor receptor in the peripheral and central nervous system. *J Neurosci* 1987; 7:923-929.
- Johnson Jr EM, Taniuchi M: Nerve growth factor (NGF) receptors in the central nervous system. *Biochem Pharmacol* 1987; 36:4189-4195.
- Larson KB, Markham J, Raichle ME: Tracer-kinetic models for measuring cerebral blood flow using externally detected radiotracers. *J Cereb Blood Flow Metab* 1987; 7:443-463.
- Martin WRW, Powers WJ, Raichle ME: Cerebral blood volume measured with inhaled C¹⁵O and positron emission tomography. *J Cereb Blood Flow Metab* 1987; 7:421-426.
- Morris JC, Dodson WE, Hatlelid JM, Ferrendelli JA. Phenytoin and carbamazepine, alone and in combination: Anticonvulsant and neurotoxic effects. *Neurology* 1987;37:1111-1118.
- Morris JC, Drazner M, Fulling K, Berg L: Parkinsonism in senile dementia of the Alzheimer type. In Wurtman RJ, Corkin SH, Growdon JH eds. Alzheimer's Disease: Advances in Basic Research. Cambridge: Center for Brain Sciences and Metabolism Charitable Trust, 1987:499-505.
- Morris JC, Rubin E, Morris EJ, Mandel SA: SDAT: An important risk factor for serious falls. *J Gerontol* 1987; 42:412-417.
- Morris JC, Rubin EH, Morris EJ, Mandel S: Senile dementia of the Alzheimer type. An important risk factor for serious falls. *Journal of Gerontology* 1987;42:412-417.

- Perlmutter JS, Powers WJ, Herscovitch P, Fox PT, Raichle ME: Regional asymmetries of cerebral blood flow, blood volume, oxygen utilization and extraction in normal subjects. *J Cereb Blood Flow Metab* 1987; 7:64-67.
- Price JL, Russchen FT, Amaral DG: The limbic region. II: The amygdaloid complex. In: Handbook of Chemical Neuroanatomy, Vol 5: Integrated Systems of the CNS. (eds.) Part I, A Bjorklund, T Hokfelt, and LW Swanson. Elsevier Science Publishers, Amsterdam 1987; 279-388.
- Rezek D, Morris J, Fulling K, Gado M: Periventricular white matter lucencies in senile dementia of the Alzheimer type and in normal aging. *Neurology* 1987; 37:1365-1368.
- Rezek D: Olfactory deficits as a neurologic sign in dementia of the Alzheimer type. *Arch Neurol* 1987; 44:1030-1032.
- Rich KM, Luszczynski JR, Osborne PA, Johnson EM: Nerve growth factor protects adult sensory neurons from cell death and atrophy caused by nerve injury. *J Neurocytol* 1987;16:261-268.
- Rubin E, Morris JC, Berg L: The progression of personality changes in SDAT. *J Am Geriatr Soc* 1987; 35:721-725.
- Rubin E, Morris JC, Storandt M, Berg L: Behavioral changes in patients with mild senile dementia of the Alzheimer type (SDAT). *Psychiatry Res* 1987; 21:55-62.
- Russchen FT, Amaral DG, Price JL: The afferent input to the magnocellular division of the mediodorsal thalamic nucleus in the monkey, *Macaca fascicularis*. *J Comp Neuro* 1987; 256:175-210.
- Schweitzer JB: Nerve growth factor receptor-mediated transport from cerebrospinal fluid to basal forebrain neurons. *Brain Res* 1987; 423:309-317.
- Silverman MS, Tootell RBH: Modified technique for cytochrome oxidase histochemistry: Increased staining intensity and compatibility with 2-deoxyglucose autoradiography. *J. Neurosci Methods* 1987; 19:1-10.
- Storandt M, Botwinick J, Danziger WL: Longitudinal changes: Patients with mild SDAT and matched healthy controls. In Poon LW, ed. Handbook for the Clinical Memory Assessment of Older Adults, Washington, DC: American Psychological Association, 1987: 277-284.

Videen TO, Perlmutter JS, Herscovitch P, Raichle ME: Brain blood volume, flow and oxygen utilization measured with 0-15 radiotracers and positron emission tomography: revised metabolic computations. *J Cereb Blood Flow Metab* 1987; 7:513-516.

Wallace TL, Johnson Jr EM: Partial purification of a parasympathetic neurotrophic factor in pig lung. *Brain Res* 1987; 411:351-363.

Yan Q, Johnson Jr EM: A quantitative study of the developmental expression of nerve growth factor (NGF) receptor in rats. *Dev Biol* 1987;121:139-148.

Yip HK, Johnson EM: Nerve growth factor receptors in rat spinal cord: An autoradiographic and immunohistochemical study. *Neurosci* 1987;22:267-279.

1986

Botwinick J, Storandt M, Berg L: A longitudinal behavioral study of senile dementia of the Alzheimer type. *Arch Neurol* 1986; 43:1124-1127.

Fox P, Raichle ME: Focal physiological uncoupling of cerebral blood flow and oxidative metabolism during somatosensory stimulation in human subjects. *PNAS* 1986; 83:1140-1144.

Gado M, Press GA: Computed tomography in the diagnosis of dementia. *Geriatr Med Today* 1986; (7):47-73.

Hellendall RP, Godfrey DA, Ross CD, Armstrong DM, Price JL : The distribution of choline acetyltransferase in the rat amygdaloid complex and adjacent cortical areas, as determined by quantitative microassay and immunohistochemistry. *J Comp Neurol* 1986; 249:486-498.

Herscovitch P, Auchus AP, Gado M, Chi D, Raichle ME: Correction of positron emission tomography data for cerebral atrophy. *J Cereb Blood Flow Metab* 1986; 6:120-124.

Knesevich JW, LaBarge E, Edwards DF: The predictive value of the Boston naming test in mild senile dementia of the Alzheimer type. *J Psychiat Res* 1986; 19:155-161.

LaBarge E, Edwards DF, Knesevich JW: Performance of normal elderly on the Boston naming test. *Brain Lang* 1986; 27: 380-384.

McHardy MS, Schlesinger S, Lindstrom J, Merlie JP: The effects of inhibiting oligosaccharide trimming by 1-deoxynojirimycin on the nicotinic acetylcholine receptor. *J Clin Biol Chem* 1986; 261(31):14825-14832.

- Perlmutter JS, Larson KB, Raichle ME, Markham J, Mintun MA, Kilbourn MR, Welch MJ: Strategies for in vivo measurement of receptor binding using positron emission tomography. *J Cereb Blood Flow Metab* 1986; 6:154-169.
- Rubin E: Psychotropic Therapy: Special concerns in the elderly. *Hosp Pract* 21(10):95-105, 1986.
- Stewart GR, Price M, Olney JW, Hartman B, Cozzari C: N-Methylaspartate: An effective tool for lesioning basal forebrain cholinergic neurons of the rat. *Brain Res* 1986; 369:377-382.
- Storandt M, Botwinick J, Danziger WL. Longitudinal changes: Patients with mild SDAT and matched healthy controls. In Poon LW ed. Handbook for Clinical Memory Assessment of Older Adults. American Psychological Association, Washington, DC, 1986:277-284.
- Storandt M: Psychological aspects of aging. In I. Rossman, ed. *Clin Geriatr*, 3rd ed., Philadelphia: JB Lippincott Company, 1986:606-617.
- Taniuchi M, Clark HB, Johnson EM: Induction of nerve growth factor receptor in Schwann cells after axotomy. *PNAS* 1986; 83:4094-4098.
- Taniuchi M, Johnson Jr EM, Roach PJ, Lawrence Jr JC: Phosphorylation of nerve growth factor receptor in sympathetic neurons and PC12 cells: *In vitro* phosphorylation by cAMP-independent protein kinase F_Δ/GSK-3. *J Biol Chem* 1986; 261:13342-13349.
- Taniuchi M, Schweitzer JB, Johnson EM: Demonstration of nerve growth factor receptors in rat brain. *PNAS* 1986; 83:1950-1954.
- Torack RM, Morris JC: Mesolimbocortical dementia. *Arch Neurol* 1986; 43:1074-1078.
- Yip HK, Johnson Jr EM: Comparative dynamics of retrograde transport of nerve growth factor and horseradish peroxidase in rat lumbar dorsal root ganglia. *J Neurocytol* 1986; 15:789-798.

1985

- Berg L: Does Alzheimer's disease represent an exaggeration of normal aging? *Arch Neurol* 1985; 42:737-739.

- Coben LA, Danziger WL, Storandt M: A longitudinal EEG study of mild senile dementia of the Alzheimer type: changes at 1 year and 2.5 years. *EEG Clin Neurophysiol* 1985; 61:101-112.
- DiStefano PS, Schweitzer JB, Taniuchi M, Johnson EM: Selective destruction of NGF receptor bearing cells *in vitro* using a hybrid toxin composed of ricin A chain and a monoclonal antibody against the nerve growth factor receptor. *J Cell Biol* 1985; 101:1107-1114.
- Fox PT, Perlmutter JS, Raichle ME: A stereotactic method of anatomical localization for positron emission tomography. *J Comp Asst Tomog* 1985; 9:141-153.
- Herscovitch P, Raichle ME: What is the correct value for the brain: blood partition coefficient for water? *J Cereb Blood Flow Metab* 1985; 5:65-69.
- Knesevich JW, Toro FR, Morris JC, LaBarge E: Aphasia, family history and the longitudinal course of senile dementia of the Alzheimer type. *J Psychiatr Res* 1985; 14:255-263.
- Perlmutter JS, Herscovitch P, Powers WJ, Fox PT, Raichle M: Standardized mean regional method for calculating global positron emission tomographic measurements. *J Cereb Blood Flow Metab* 1985; 5:476-480.
- Storandt M: A brief neuropsychological battery for Alzheimer's disease. *Bull Clin Neuro* 1985; 50:2.
- Taniuchi M, Johnson EM: Characterization of the binding properties and retrograde axonal transport of a monoclonal antibody directed against the rat nerve growth factor receptor. *J Cell Biol* 1985; 101:1100-1106.

1984

- Berg L: Aging and Dementia. In Pearlman A, Collins R, eds. Neurological Pathophysiology, New York, Oxford University Press, 1984:250-273.
- Berg L: Clinical dementia rating. *Br J Psychiatry* 1984; 145:339.
- Berg L, Danziger W, Storandt M, Coben LA, Gado M, Hughes CP, Knesevich JW, Botwinick J. Predictive features in mild senile dementia of the Alzheimer type. *Neurology* 1984; 34:563-569.
- Herscovitch P, Gado M, Mintun MA, Raichle ME: The necessity for correcting for cerebral atrophy in global positron emission tomography measurements. In: Monogr Neural Sci 11:93-97. Karger, Basel; 1984.

Morris JC, Cole M, Banker BQ, Wright D. Hereditary dysphasic dementia and the Pick-Alzheimer spectrum. *Annals of Neurology* 1984; 16:455-466.

Storandt M, Botwinick J, Danziger WL, Berg L, Hughes CP: Psychometric differentiation of mild senile dementia of the Alzheimer type. *Arch Neurol* 1984; 41:497-499.

1983

Coben LA, Danziger WL, Berg L: Frequency analysis of the resting awake EEG in mild senile dementia of Alzheimer type. *EEG Clin Neurophysiol* 1983; 55:372-380.

Coben LA, Danziger WL, Hughes CP: Visual evoked potentials in mild senile dementia of Alzheimer type. *EEG Clin Neurophysiol* 1983; 55:121-130.

Gado M, Danziger WL, Chi D, Hughes CP, Coben LA: Brain parenchymal density measurements by CT in demented subjects and normal controls. *Radiology* 1983; 147:703-710.

Gado M, Hughes CP, Danziger WL, Chi D: Aging, dementia and brain atrophy: a longitudinal computed tomographic (CT) study. *AJNR* 1983; 4:699-702.

Gado M, Patel J, Hughes CP, Danziger WL, Berg L: Brain atrophy in dementia judged by CT scan ranking. *AJNR* 1983; 4: 499-500.

Knesevich JW, Martin RL, Berg L, Danziger WL: Preliminary report on affective symptoms in the early stages of dementia of the Alzheimer type. *Am J Psychiatry* 1983; 140:233-235.

LaBarge E, Danziger WL: Dementia in the elderly: An education model including information, management and counseling. *Patient Counseling and Health Education* 4(4), Excerpta Medica, 1983.

1982

Berg L, Hughes CP, Coben LA, Danziger WL, Martin RL, Knesevich J: Mild senile dementia of Alzheimer type (SDAT): research diagnostic criteria, recruitment, and description of a study population. *J Neurol Neurosurg Psychiatry* 1982; 45:962-968.

Gado M, Hughes CP, Danziger WL, Chi D, Jost G, Berg L: Volumetric measurements of the cerebrospinal fluid spaces in demented subjects and controls. *Radiology* 1982; 144:535-538.

Hughes CP, Berg L, Danziger WL, Coben LA, Martin RL: A new clinical scale for the staging of dementia. Br J Psychiatry 1982; 140:566-572.

Knesevich J, LaBarge E, Martin RL, Danziger WL, Berg L: Birth order and maternal age effect in dementia of Alzheimer type. Psychiatry Res 1982; 7:345-350.

1981

Hughes CP, Gado M: Computed tomography and aging of the brain. Radiology 1981; 139:391-396.

LaBarge E: Counseling patients with senile dementia of the Alzheimer type and their families. Personnel Guidance J 1981; 60:139-143.